

HENAN BEBON INTERNATIONAL CO.,LTD.

No. 33 Hex Building, Enterprises Head Quarters Base, National High-Tech Industrial Development Zone, Zhengzhou, China

Email: bb@bebonchina.com



Phone: +86-371-86151627 Fax: +86-371-86011881

Web: www.bebonchina.com, www.steel-plate-sheet.com

STEEL GRADE	SIZE	TON	MILL	PRICE
CORTEN A	1.5*1250*C	50	BAO STEEL	PLEASE CONTACT US
CORTEN A	2.0*1250*C	50	BAO STEEL	PLEASE CONTACT US
CORTEN A	2.5*1175*C	7.14	BAO STEEL	PLEASE CONTACT US
CORTEN A	2.5*1200*C	16.89	BAO STEEL	PLEASE CONTACT US
CORTEN A	2.5*1250*C	50	BAO STEEL	PLEASE CONTACT US
CORTEN A	2.8*1150*C	23.07	BAO STEEL	PLEASE CONTACT US
CORTEN A	3.0*950*C	6.1	BAO STEEL	PLEASE CONTACT US
CORTEN A	3.0*1250*C	50	BAO STEEL	PLEASE CONTACT US
CORTEN A	3.0*1500*C	50	BAO STEEL	PLEASE CONTACT US
CORTEN A	3.5*950*C	17.37	BAO STEEL	PLEASE CONTACT US
CORTEN A	3.5*950*C	17.246	BAO STEEL	PLEASE CONTACT US
CORTEN A	4.0*1250*C	50	BAO STEEL	PLEASE CONTACT US
CORTEN A	4.0*1500*C	50	BAO STEEL	PLEASE CONTACT US
CORTEN A	5.0*1250*C	50	BAO STEEL	PLEASE CONTACT US
CORTEN A	5.0*1500*C	50	BAO STEEL	PLEASE CONTACT US
CORTEN A	5.0*1800*C	27.5	BAO STEEL	PLEASE CONTACT US
CORTEN A	6.0*1250*C	50	BAO STEEL	PLEASE CONTACT US
CORTEN A	6.0*1320*C	20.52	BAO STEEL	PLEASE CONTACT US
CORTEN A	6.0*1350*C	21.44	BAO STEEL	PLEASE CONTACT US
CORTEN A	6.0*1500*C	50	BAO STEEL	PLEASE CONTACT US
CORTEN A	6.0*1800*C	50	BAO STEEL	PLEASE CONTACT US
CORTEN A	8.0*1500*C	50	BAO STEEL	PLEASE CONTACT US
CORTEN A	8.0*1800*C	50	BAO STEEL	PLEASE CONTACT US
CORTEN A	10.0*1500*C	50	BAO STEEL	PLEASE CONTACT US
CORTEN A	10.0*1800*C	50	BAO STEEL	PLEASE CONTACT US
CORTEN A	12.0*1500*C	50	BAO STEEL	PLEASE CONTACT US
CORTEN A	12.0*1800*C	50	BAO STEEL	PLEASE CONTACT US
CORTEN A	16.0*1800*8000	63.302	BAO STEEL	PLEASE CONTACT US
CORTEN A	20.0*1800*8000	51.999	BAO STEEL	PLEASE CONTACT US
15CrMo	3.0*1500*C	24.58	BAO STEEL	PLEASE CONTACT US
15CrMo	4.0*1500*C	23.75	BAO STEEL	PLEASE CONTACT US
15CrMo	5.0*1500*C	24.66	BAO STEEL	PLEASE CONTACT US
15CrMo	6.0*1500*C	23.55	BAO STEEL	PLEASE CONTACT US
15CrMo	6.0*1500*C	23.93	BAO STEEL	PLEASE CONTACT US
15CrMo	6.3*1800*C	26.51	BAO STEEL	PLEASE CONTACT US
15CrMo	6.3*1800*100+4650	0.4	BAO STEEL	PLEASE CONTACT US
15CrMo	6.3*1800*8000	9.178	BAO STEEL	PLEASE CONTACT US
15CrMo	8.0*1500*C	23.58	BAO STEEL	PLEASE CONTACT US
15CrMo	10.0*1500*C	25.54	BAO STEEL	PLEASE CONTACT US
15CrMo	12.0*1500*C	24.38	BAO STEEL	PLEASE CONTACT US
12Cr1MoV	3.0*1500*C	24.58	BAO STEEL	PLEASE CONTACT US
12Cr1MoV	4.0*1500*C	23.75	BAO STEEL	PLEASE CONTACT US
12Cr1MoV	5.0*1500*C	24.66	BAO STEEL	PLEASE CONTACT US
12Cr1MoV	5.7*1500*C	19.4	BAO STEEL	PLEASE CONTACT US
12Cr1MoV	6.0*1500*C	23.55	BAO STEEL	PLEASE CONTACT US
12Cr1MoV	6.0*1500*C	23.93	BAO STEEL	PLEASE CONTACT US
12Cr1MoV	8.0*1500*C	23.58	BAO STEEL	PLEASE CONTACT US
12Cr1MoV	10.0*1500*C	24.68	BAO STEEL	PLEASE CONTACT US
12Cr1MoV	12.0*1500*C	24.38	BAO STEEL	PLEASE CONTACT US
09CrCuSb	2.0*1260*C	18.54	BAO STEEL	PLEASE CONTACT US
09CrCuSb	2.0*1260*C	18.29	BAO STEEL	PLEASE CONTACT US
09CrCuSb	2.5*1260*C	19.22	BAO STEEL	PLEASE CONTACT US
09CrCuSb	2.5*1260*C	19.78	BAO STEEL	PLEASE CONTACT US
09CrCuSb	3.0*1260*C	18.72	BAO STEEL	PLEASE CONTACT US
09CrCuSb	3.0*1500*C	18.72	BAO STEEL	PLEASE CONTACT US
09CrCuSb	4.0*1500*C	27.66	BAO STEEL	PLEASE CONTACT US

09CrCuSb	4.0*1500*C	27.08	BAO STEEL	PLEASE CONTACT US
09CrCuSb	5.0*1500*C	7.97	BAO STEEL	PLEASE CONTACT US
09CrCuSb	5.0*1500*C	22.92	BAO STEEL	PLEASE CONTACT US
09CrCuSb	6.0*1500*C	28.89	BAO STEEL	PLEASE CONTACT US
09CrCuSb	6.0*1500*C	10.92	BAO STEEL	PLEASE CONTACT US
09CrCuSb	8.0*1500*C	28.75	BAO STEEL	PLEASE CONTACT US
09CrCuSb	8.0*1500*C	24.66	BAO STEEL	PLEASE CONTACT US
09CrCuSb	8.0*1500*C	11.58	BAO STEEL	PLEASE CONTACT US
09CrCuSb	10.0*1500*C	14.91	BAO STEEL	PLEASE CONTACT US
09CrCuSb	10.0*1500*C	28.94	BAO STEEL	PLEASE CONTACT US
09CrCuSb	12.0*1500*C	29.24	BAO STEEL	PLEASE CONTACT US
09CrCuSb	12.0*1500*C	12	BAO STEEL	PLEASE CONTACT US
09CrCuSb	12.0*1620*C	31.05	BAO STEEL	PLEASE CONTACT US
09CrCuSb	14.0*1490*C	22.91	BAO STEEL	PLEASE CONTACT US
09CrCuSb	16.0*1500*C	27.65	BAO STEEL	PLEASE CONTACT US
Q450NQR1	3.0*1100*C	19.81	BAO STEEL	PLEASE CONTACT US
Q450NQR1	3.0*1100*C	15.32	BAO STEEL	PLEASE CONTACT US
Q450NQR1	3.0*1150*C	16.99	BAO STEEL	PLEASE CONTACT US
Q450NQR1	3.0*1160*C	16.97	BAO STEEL	PLEASE CONTACT US
Q450NQR1	3.0*1180*C	15.6	BAO STEEL	PLEASE CONTACT US
Q450NQR1	4.0*1090*C	16.92	BAO STEEL	PLEASE CONTACT US
Q450NQR1	4.0*1160*C	17.39	BAO STEEL	PLEASE CONTACT US
Q450NQR1	4.0*1200*C	7.63	BAO STEEL	PLEASE CONTACT US
Q450NQR1	4.0*1200*C	6.19	BAO STEEL	PLEASE CONTACT US
Q450NQR1	4.0*1200*C	7.6	BAO STEEL	PLEASE CONTACT US
Q450NQR1	5*1300*C	23.63	BAO STEEL	PLEASE CONTACT US
Q450NQR1	5.83*1300*C	6.83	BAO STEEL	PLEASE CONTACT US
Q450NQR1	5.83*1300*C	6.81	BAO STEEL	PLEASE CONTACT US
Q450NQR1	5.83*1300*C	6.76	BAO STEEL	PLEASE CONTACT US
Q450NQR1	5.83*1300*C	6.12	BAO STEEL	PLEASE CONTACT US
Q450NQR1	6.0*1300*C	25.02	BAO STEEL	PLEASE CONTACT US
Q450NQR1	9.75*1200*6000	4.98	BAO STEEL	PLEASE CONTACT US
Q450NQR1	9.75*1250*C	7.8	BAO STEEL	PLEASE CONTACT US
Q450NQR1	9.75*1500*6000	17.37	BAO STEEL	PLEASE CONTACT US
Q450NQR1	10.0*930*C	13.6	BAO STEEL	PLEASE CONTACT US
Q450NQR1	11.75*1300*C	7.96	BAO STEEL	PLEASE CONTACT US
Q450NQR1	12.000*935*C	8.16	BAO STEEL	PLEASE CONTACT US
Q450NQR1	15.7*1050*C	17.33	BAO STEEL	PLEASE CONTACT US
Q450NQR1	15.7*1050*C	17.35	BAO STEEL	PLEASE CONTACT US
Q450NQR1	13.75*1050*6000	5.26	BAO STEEL	PLEASE CONTACT US
Q450NQR1	14.0*1350*4090	0.57	BAO STEEL	PLEASE CONTACT US
Q450NQR1	8*1255*6000	7.13	BAO STEEL	PLEASE CONTACT US
Q450NQR1	10.0*1320*2500	4.404	BAO STEEL	PLEASE CONTACT US
Q450NQR1	10.0*1320*2500	5.958	BAO STEEL	PLEASE CONTACT US
Q450NQR1	10.0*1320*2500	6.476	BAO STEEL	PLEASE CONTACT US
Q450NQR1	10.0*1320*2500	6.476	BAO STEEL	PLEASE CONTACT US
05CUPCRNI	0.6*300*C	2.326	BAO STEEL	PLEASE CONTACT US
05CUPCRNI	2.000*1250*C	7.94	BAO STEEL	PLEASE CONTACT US
09CUPRB	2.0*850*C	14.35	BAO STEEL	PLEASE CONTACT US
09CUPRB	2.0*900*C	14.36	BAO STEEL	PLEASE CONTACT US
SPA-H	2.0*900*C	14.25	BAO STEEL	PLEASE CONTACT US
SPA-H	2.0*900*C	13.68	BAO STEEL	PLEASE CONTACT US
SPA-H	2.0*900*C	14.55	BAO STEEL	PLEASE CONTACT US
SPA-H	2.0*1085*C	8.14	BAO STEEL	PLEASE CONTACT US
SPA-H	2.0*1120*C	7.6	BAO STEEL	PLEASE CONTACT US
SPA-H	2.0*1120*C	18.21	BAO STEEL	PLEASE CONTACT US
SPA-H	2.0*1175*C	9.99	BAO STEEL	PLEASE CONTACT US
SPA-H	2.0*1175*C	17.63	BAO STEEL	PLEASE CONTACT US
SPA-H	2.0*1175*C	9.79	BAO STEEL	PLEASE CONTACT US
SPA-H	3.0*1170*C	16.98	BAO STEEL	PLEASE CONTACT US
SPA-H	3.0*1170*C	17.28	BAO STEEL	PLEASE CONTACT US
SPA-H	3.0*1170*C	19.25	BAO STEEL	PLEASE CONTACT US
SPA-H	3.0*1170*C	17.86	BAO STEEL	PLEASE CONTACT US
SPA-H	3.0*1250*C	11.05	BAO STEEL	PLEASE CONTACT US
SPA-H	3.0*1250*C	7.195	BAO STEEL	PLEASE CONTACT US

SPA-H	3.0*1250*C	20.59	BAO STEEL	PLEASE CONTACT US
SPA-H	3.0*1550*C	22.48	BAO STEEL	PLEASE CONTACT US
SPA-H	3.0*1550*C	12.15	BAO STEEL	PLEASE CONTACT US
SPA-H	3.5*1105*C	14.19	BAO STEEL	PLEASE CONTACT US
SPA-H	3.8*1120*C	8.75	BAO STEEL	PLEASE CONTACT US
SPA-H	4*1120*C	8.56	BAO STEEL	PLEASE CONTACT US
SPA-H	4.000*1500*C	28.68	BAO STEEL	PLEASE CONTACT US
SPA-H	4.5*1115*C	9.53	BAO STEEL	PLEASE CONTACT US
SPA-H	4.5*1300*C	12.17	BAO STEEL	PLEASE CONTACT US
SPA-H	5.0*1500*C	22.76	BAO STEEL	PLEASE CONTACT US
SPA-H	5.0*1500*C	25.32	BAO STEEL	PLEASE CONTACT US
SPA-H	5.0*1500*C	25.45	BAO STEEL	PLEASE CONTACT US
SPA-H	5.8*1270*C	19.27	BAO STEEL	PLEASE CONTACT US
SPA-H	5.8*1270*C	19.38	BAO STEEL	PLEASE CONTACT US
SPA-H	6.0*102*C	0.8	BAO STEEL	PLEASE CONTACT US
SPA-H	6*170*C	1.08	BAO STEEL	PLEASE CONTACT US
SPA-H	6.0*182*C	0.87	BAO STEEL	PLEASE CONTACT US
SPA-H	6.0*130*C	0.59	BAO STEEL	PLEASE CONTACT US
SPA-H	6.0*945*C	14.9	BAO STEEL	PLEASE CONTACT US
SPA-H	6.0*980*C	7.97	BAO STEEL	PLEASE CONTACT US
SPA-H	6.0*1050*C	14.7	BAO STEEL	PLEASE CONTACT US
Q450NQR1	6.0*1320*C	23.26	BAO STEEL	PLEASE CONTACT US
SPA-H	5.8*1620*C	4.82	BAO STEEL	PLEASE CONTACT US
SPA-H	6*960*C	9.45	BAO STEEL	PLEASE CONTACT US
SPA-H	6.0*1500*C	28.84	BAO STEEL	PLEASE CONTACT US
SPA-H	6.0*1500*C	28.86	BAO STEEL	PLEASE CONTACT US
SPA-H	6.0*1500*C	28.59	BAO STEEL	PLEASE CONTACT US
SPA-H	7.8*1800*C	20.255	BAO STEEL	PLEASE CONTACT US
SPA-H	8.000*1500*C	29.08	BAO STEEL	PLEASE CONTACT US
SPA-H	8*1500*C	29.05	BAO STEEL	PLEASE CONTACT US
SPA-H	8*1500*C	28.6	BAO STEEL	PLEASE CONTACT US
SPA-H	10.0*320*C	3.529	BAO STEEL	PLEASE CONTACT US
SPA-H	10*1500*C	28.9	BAO STEEL	PLEASE CONTACT US
SPA-H	10.000*1500*C	29	BAO STEEL	PLEASE CONTACT US
SPA-H	10.000*1500*C	28.96	BAO STEEL	PLEASE CONTACT US
SPA-H	10.000*1500*C	29.07	BAO STEEL	PLEASE CONTACT US
SPA-H	10.0*1800*C	19.675	BAO STEEL	PLEASE CONTACT US
09CUPRB	10.0*1800*C	20.24	BAO STEEL	PLEASE CONTACT US
SPA-H	10.0*1800*C	17.435	BAO STEEL	PLEASE CONTACT US
SPA-H	10.0*1800*C	16.32	BAO STEEL	PLEASE CONTACT US
SPA-H	11.91*1500*C	29.06	BAO STEEL	PLEASE CONTACT US
SPA-H	12*1500*C	28.18	BAO STEEL	PLEASE CONTACT US
Q450NQR1	12*1500*C	25.84	BAO STEEL	PLEASE CONTACT US
SPA-H	14.0*1500*C	22.45	BAO STEEL	PLEASE CONTACT US
SPA-H	16.0*1500*C	29.68	BAO STEEL	PLEASE CONTACT US
SPA-H	1.58*1219*2050	0.02	BAO STEEL	PLEASE CONTACT US
SPA-H	1.58*1219*2200	0.03	BAO STEEL	PLEASE CONTACT US
SPA-H	1.58*1219*2438	0.995	BAO STEEL	PLEASE CONTACT US
SPA-H	1.58*1219*3000	1.032	BAO STEEL	PLEASE CONTACT US
SPA-H	1.8*1184*2844	3.664	BAO STEEL	PLEASE CONTACT US
SPA-H	2.0*1175*3000	2.64	BAO STEEL	PLEASE CONTACT US
CORTEN A	2*1250*200*1540	0.014	BAO STEEL	PLEASE CONTACT US
CORTEN A	2*1250*6000	8.31	BAO STEEL	PLEASE CONTACT US
CORTEN A	2*1250*6000	0.36	BAO STEEL	PLEASE CONTACT US
SPA-H	2.38*1219*1530	0.02	BAO STEEL	PLEASE CONTACT US
SPA-H	2.38*1219*1550	0.02	BAO STEEL	PLEASE CONTACT US
SPA-H	2.38*1219*3000	5.18	BAO STEEL	PLEASE CONTACT US
SPA-H	2.44*1250*100*2750	0.06	BAO STEEL	PLEASE CONTACT US
SPA-H	2.44*1250*3000	4.335	BAO STEEL	PLEASE CONTACT US
CORTEN A	2.5*1250*220*2200	0.04	BAO STEEL	PLEASE CONTACT US
CORTEN A	2.5*1250*6000	1.45	BAO STEEL	PLEASE CONTACT US
CORTEN A	2.5*1250*6000	1.45	BAO STEEL	PLEASE CONTACT US
CORTEN A	2.5*1250*6000	7.85	BAO STEEL	PLEASE CONTACT US
CORTEN A	2.5*1250*6000	6.239	BAO STEEL	PLEASE CONTACT US
CORTEN A	2.5*1250*80*1140	0.03	BAO STEEL	PLEASE CONTACT US

CORTEN A	2.500*1250*1600	0.91	BAO STEEL	PLEASE CONTACT US
CORTEN A	2.500*1250*3000	1.35	BAO STEEL	PLEASE CONTACT US
SPA-H	3.0*1170*3000	3.463	BAO STEEL	PLEASE CONTACT US
SPA-H	3*1500*6000	2.301	BAO STEEL	PLEASE CONTACT US
CORTEN A	3.000*1500*6000	1.651	BAO STEEL	PLEASE CONTACT US
CORTEN A	3.0*1500*6000	2.755	BAO STEEL	PLEASE CONTACT US
CORTEN A	3.0*1250*6000	4.416	BAO STEEL	PLEASE CONTACT US
SPA-H	4.000*1504*6000	1.684	BAO STEEL	PLEASE CONTACT US
CORTEN A	4.000*1500*6000	1.272	BAO STEEL	PLEASE CONTACT US
CORTEN A	4.000*1500*6000	1.13	BAO STEEL	PLEASE CONTACT US
CORTEN A	4.000*1250*6000	4.439	BAO STEEL	PLEASE CONTACT US
SPA-H	5*1500*200*1500	0.09	BAO STEEL	PLEASE CONTACT US
SPA-H	5.0*1500*3000	9.728	BAO STEEL	PLEASE CONTACT US
SPA-H	5.0*1500*6000	3.41	BAO STEEL	PLEASE CONTACT US
SPA-H	5.9*1190*300*2500	0.15	BAO STEEL	PLEASE CONTACT US
SPA-H	5.9*1190*6000	5.58	BAO STEEL	PLEASE CONTACT US
SPA-H	5.9*1190*6000	5.89	BAO STEEL	PLEASE CONTACT US
SPA-H	5.9*1190*6000	6.52	BAO STEEL	PLEASE CONTACT US
SPA-H	6*988*200*4900	0.21	BAO STEEL	PLEASE CONTACT US
SPA-H	6*1000*6000	0.263	BAO STEEL	PLEASE CONTACT US
SPA-H	6*1190*220*2740	0.01	BAO STEEL	PLEASE CONTACT US
SPA-H	6.0*1190*100*2700	0.13	BAO STEEL	PLEASE CONTACT US
SPA-H	6.0*1190*350*210	0.01	BAO STEEL	PLEASE CONTACT US
SPA-H	6.0*1320*200	0.01	BAO STEEL	PLEASE CONTACT US
SPA-H	6*1320*4800	0.287	BAO STEEL	PLEASE CONTACT US
SPA-H	6*1500*220*5500	0.38	BAO STEEL	PLEASE CONTACT US
SPA-H	6.0*1500*6000	4.09	BAO STEEL	PLEASE CONTACT US
SPA-H	6.0*1500*6000	4.09	BAO STEEL	PLEASE CONTACT US
SPA-H	6.0*1500*6000	4.09	BAO STEEL	PLEASE CONTACT US
SPA-H	6.0*1500*6000	4.09	BAO STEEL	PLEASE CONTACT US
SPA-H	6.0*1500*6000	3.67	BAO STEEL	PLEASE CONTACT US
SPA-H	6.0*1500*6000	4.09	BAO STEEL	PLEASE CONTACT US
CORTEN A	6.0*1500*6000	9.69	BAO STEEL	PLEASE CONTACT US
CORTEN A	6*1500*200*2700	0.2	BAO STEEL	PLEASE CONTACT US
CORTEN A	6.0*1500*200*1800	0.12	BAO STEEL	PLEASE CONTACT US
CORTEN A	6.0*1500*4670	0.34	BAO STEEL	PLEASE CONTACT US
CORTEN A	6.0*1500*6000	3.368	BAO STEEL	PLEASE CONTACT US
SPA-H	8*1500*120+2800	0.25	BAO STEEL	PLEASE CONTACT US
SPA-H	8*1500*3000	9.59	BAO STEEL	PLEASE CONTACT US
SPA-H	8*1500*6000	2.82	BAO STEEL	PLEASE CONTACT US
SPA-H	8*1500*6000	8.46	BAO STEEL	PLEASE CONTACT US
CORTEN A	8.000*1500*6000	0.563	BAO STEEL	PLEASE CONTACT US
CORTEN A	8.000*1500*W1650	0.16	BAO STEEL	PLEASE CONTACT US
CORTEN A	10.000*1500*6000	1.409	BAO STEEL	PLEASE CONTACT US
CORTEN A	10.000*1500*W1750	0.2	BAO STEEL	PLEASE CONTACT US
CORTEN A	10.000*1500*100+4630	0.53	BAO STEEL	PLEASE CONTACT US
CORTEN A	10.000*1500*6000	5.629	BAO STEEL	PLEASE CONTACT US
CORTEN A	10.0*1735*6000	4.903	BAO STEEL	PLEASE CONTACT US
CORTEN A	10.0*1735*6000	7.355	BAO STEEL	PLEASE CONTACT US
CORTEN A	10.0*1735*6000	4.903	BAO STEEL	PLEASE CONTACT US
CORTEN A	10.000*1800*6000	3.33	BAO STEEL	PLEASE CONTACT US
CORTEN A	12.000*1500*6000	3.36	BAO STEEL	PLEASE CONTACT US
CORTEN A	12.000*1500*W2000	0.25	BAO STEEL	PLEASE CONTACT US
CORTEN A	12.000*1800*5430	0.92	BAO STEEL	PLEASE CONTACT US
CORTEN A	12.000*1800*8000	17.42	BAO STEEL	PLEASE CONTACT US
SPA-H	14.000*1485*4900	0.77	BAO STEEL	PLEASE CONTACT US
SPA-H	14.000*1485*6000	5.86	BAO STEEL	PLEASE CONTACT US
SPA-H	16*1500*2740	0.54	BAO STEEL	PLEASE CONTACT US
SPA-H	16*1500*3000	5.08	BAO STEEL	PLEASE CONTACT US
SPA-H	16*1500*6000	7.909	BAO STEEL	PLEASE CONTACT US
SPA-H	16*1500*6000	16.91	BAO STEEL	PLEASE CONTACT US
Q355GNHB	25*2000*8000	3.14	BAO STEEL	PLEASE CONTACT US
STEEL GRADE	SIZE	TON	MILL	PRICE
16MnCr5	4.00*1150*C	3.44	BAO STEEL	PLEASE CONTACT US

16MnCr5	4.00*1150*C	19.3	BAO STEEL	PLEASE CONTACT US
16MnCr5	4.00*1150*C	21.37	BAO STEEL	PLEASE CONTACT US
16MnCr5	4.00*1150*C	21.15	BAO STEEL	PLEASE CONTACT US
16MnCr5	4.00*1150*C	21.22	BAO STEEL	PLEASE CONTACT US
16MnCr5	4.00*1150*C	21.17	BAO STEEL	PLEASE CONTACT US
16MnCr5	4.00*1150*C	21.22	BAO STEEL	PLEASE CONTACT US
16MnCr5	5.00*1138*C	19.5	BAO STEEL	PLEASE CONTACT US
16MnCr5	5.00*1138*C	19.46	BAO STEEL	PLEASE CONTACT US
16MnCr5	5.00*1138*C	19.49	BAO STEEL	PLEASE CONTACT US
16MnCr5	5.00*1138*C	19.54	BAO STEEL	PLEASE CONTACT US
16MnCr5	5.00*1138*C	19.48	BAO STEEL	PLEASE CONTACT US
16MnCr5	5.00*1138*C	19.46	BAO STEEL	PLEASE CONTACT US
16MnCr5	5.00*1138*C	19.5	BAO STEEL	PLEASE CONTACT US
16MnCr5	5.00*1138*C	19.49	BAO STEEL	PLEASE CONTACT US
16MnCr5	5.00*1138*C	19.47	BAO STEEL	PLEASE CONTACT US
16MnCr5	5.00*1150*C	22.35	BAO STEEL	PLEASE CONTACT US
16MnCr5	5.00*1250*C	21	BAO STEEL	PLEASE CONTACT US
16MnCr5	5.00*1250*C	21.45	BAO STEEL	PLEASE CONTACT US
16MnCr5	5.00*1250*C	21.33	BAO STEEL	PLEASE CONTACT US
16MnCr5	5.70*1400*C	24.6	BAO STEEL	PLEASE CONTACT US
16MnCr5	5.70*1400*C	23.18	BAO STEEL	PLEASE CONTACT US
16MnCr5	5.70*1400*C	23.18	BAO STEEL	PLEASE CONTACT US
16MnCr5	5.70*1400*C	23.57	BAO STEEL	PLEASE CONTACT US
16MnCr5	6.50*1138*C	17.5	BAO STEEL	PLEASE CONTACT US
16MnCr5	6.50*1138*C	19.16	BAO STEEL	PLEASE CONTACT US
16MnCr5	6.50*1138*C	17.12	BAO STEEL	PLEASE CONTACT US
16MnCr5	6.50*1138*C	18.99	BAO STEEL	PLEASE CONTACT US
16MnCr5	6.50*1138*C	18.69	BAO STEEL	PLEASE CONTACT US
16MnCr5	6.50*1138*C	20.26	BAO STEEL	PLEASE CONTACT US
16MnCr5	6.50*1138*C	19.53	BAO STEEL	PLEASE CONTACT US
16MnCr5	6.50*1138*C	18.99	BAO STEEL	PLEASE CONTACT US
16MnCr5	7.00*1250*C	21.77	BAO STEEL	PLEASE CONTACT US
16MnCr5	7.00*1250*C	21.32	BAO STEEL	PLEASE CONTACT US
16MnCr5	7.00*1250*C	21.05	BAO STEEL	PLEASE CONTACT US
16MnCr5	7.00*1250*C	19.95	BAO STEEL	PLEASE CONTACT US
16MnCr5	7.00*1250*C	21.41	BAO STEEL	PLEASE CONTACT US
16MnCr5	7.00*1250*C	21.5	BAO STEEL	PLEASE CONTACT US
16MnCr5	7.00*1250*C	21.01	BAO STEEL	PLEASE CONTACT US
16MnCr5	7.00*1250*C	20.05	BAO STEEL	PLEASE CONTACT US
16MnCr5	8.00*1220*C	21.42	BAO STEEL	PLEASE CONTACT US
20CrMo	6.45*1250*C	17.4	BAO STEEL	PLEASE CONTACT US
30CrMo	4.50*1095*C	16.72	BAO STEEL	PLEASE CONTACT US
30CrMo	4.50*1095*C	16.7	BAO STEEL	PLEASE CONTACT US
30CrMo	4.50*1095*C	16.37	BAO STEEL	PLEASE CONTACT US
30CrMo	5.30*1080*C	18.42	BAO STEEL	PLEASE CONTACT US
30CrMo	5.30*1080*C	20.14	BAO STEEL	PLEASE CONTACT US
30CrMo	5.30*1080*C	18.42	BAO STEEL	PLEASE CONTACT US
30CrMo	5.30*1080*C	18.45	BAO STEEL	PLEASE CONTACT US
30CrMo	5.30*1080*C	18.5	BAO STEEL	PLEASE CONTACT US
30CrMo	5.30*1080*C	20.46	BAO STEEL	PLEASE CONTACT US
30CrMo	5.30*1080*C	20.78	BAO STEEL	PLEASE CONTACT US
30CrMo	5.30*1080*C	20.74	BAO STEEL	PLEASE CONTACT US
30CrMo	5.30*1080*C	18.2	BAO STEEL	PLEASE CONTACT US
30CrMo	6.00*1010*C	16.81	BAO STEEL	PLEASE CONTACT US
30CrMo	6.00*1050*C	17.19	BAO STEEL	PLEASE CONTACT US
30CrMo	6.00*1050*C	17.26	BAO STEEL	PLEASE CONTACT US
30CrMo	6.00*1050*C	19.67	BAO STEEL	PLEASE CONTACT US
30CrMo	6.00*1050*C	19.68	BAO STEEL	PLEASE CONTACT US

30CrMo	6.00*1050*C	18.91	BAO STEEL	PLEASE CONTACT US
30CrMo	6.00*1050*C	19.75	BAO STEEL	PLEASE CONTACT US
30CrMo	6.00*1050*C	16.87	BAO STEEL	PLEASE CONTACT US
30CrMo	6.00*1050*C	19.54	BAO STEEL	PLEASE CONTACT US
30CrMo	6.70*1215*C	22.37	BAO STEEL	PLEASE CONTACT US
30CrMo	7.50*1250*C	4.79	BAO STEEL	PLEASE CONTACT US
30CrMo	7.50*1250*C	4.03	BAO STEEL	PLEASE CONTACT US
30CrMo	7.50*1250*C	23.57	BAO STEEL	PLEASE CONTACT US
30CrMo	7.50*1250*C	23.39	BAO STEEL	PLEASE CONTACT US
30CrMo	7.75*1195*C	22	BAO STEEL	PLEASE CONTACT US
30CrMo	7.75*1195*C	22.03	BAO STEEL	PLEASE CONTACT US
30CrMo	7.85*1500*C	23.35	BAO STEEL	PLEASE CONTACT US
30CrMo	7.85*1500*C	23.27	BAO STEEL	PLEASE CONTACT US
30CrMo	7.85*1500*C	24.34	BAO STEEL	PLEASE CONTACT US
30CrMo	7.85*1500*C	24.33	BAO STEEL	PLEASE CONTACT US
30CrMo	7.85*1500*C	24.36	BAO STEEL	PLEASE CONTACT US
30CrMo	7.85*1500*C	25.35	BAO STEEL	PLEASE CONTACT US
30CrMo	7.85*1500*C	25.3	BAO STEEL	PLEASE CONTACT US
30CrMo	7.85*1500*C	25.29	BAO STEEL	PLEASE CONTACT US
30CrMo	7.85*1500*C	25.16	BAO STEEL	PLEASE CONTACT US
30CrMo	8.00*1080*C	21.22	BAO STEEL	PLEASE CONTACT US
30CrMo	8.00*1080*C	21.29	BAO STEEL	PLEASE CONTACT US
40MnB	12.30*970*C	19.71	BAO STEEL	PLEASE CONTACT US
40MnB	2.63*1118*C	17.29	BAO STEEL	PLEASE CONTACT US
40MnB	2.63*1118*C	17.55	BAO STEEL	PLEASE CONTACT US
40MnB	2.63*1118*C	17.34	BAO STEEL	PLEASE CONTACT US
40MnB	3.12*1167*C	18.42	BAO STEEL	PLEASE CONTACT US
40MnB	3.40*1170*C	18.36	BAO STEEL	PLEASE CONTACT US
40MnB	3.40*1170*C	18.29	BAO STEEL	PLEASE CONTACT US
40MnB	3.50*1280*C	18.84	BAO STEEL	PLEASE CONTACT US
40MnB	3.50*1280*C	18.75	BAO STEEL	PLEASE CONTACT US
40MnB	3.50*1280*C	18.58	BAO STEEL	PLEASE CONTACT US
40MnB	3.68*1173*C	18.42	BAO STEEL	PLEASE CONTACT US
40MnB	4.56*1033*C	20.91	BAO STEEL	PLEASE CONTACT US
40MnB	5.12*1178*C	23.2	BAO STEEL	PLEASE CONTACT US
40MnB	6.70*1255*C	21.78	BAO STEEL	PLEASE CONTACT US
40MnB	6.70*1255*C	21.76	BAO STEEL	PLEASE CONTACT US
40MnB	6.70*1255*C	21.75	BAO STEEL	PLEASE CONTACT US
40MnB	6.70*1280*C	15.15	BAO STEEL	PLEASE CONTACT US
40MnB	6.70*1280*C	9.42	BAO STEEL	PLEASE CONTACT US
40MnB	6.70*1280*C	20.3	BAO STEEL	PLEASE CONTACT US
40MnB	7.80*1250*C	23.51	BAO STEEL	PLEASE CONTACT US
40MnB	7.80*1255*C	21.78	BAO STEEL	PLEASE CONTACT US
40MnB	8.00*1500*C	24.78	BAO STEEL	PLEASE CONTACT US
40MnB	8.20*900*C	18.38	BAO STEEL	PLEASE CONTACT US
42CrMo4	3.00*1300*C	19.68	BAO STEEL	PLEASE CONTACT US
42CrMo4	3.40*1240*C	3.11	BAO STEEL	PLEASE CONTACT US
42CrMo4	3.40*1250*C	4.39	BAO STEEL	PLEASE CONTACT US
42CrMo4	3.40*1250*C	11.65	BAO STEEL	PLEASE CONTACT US
42CrMo4	3.40*1250*C	7	BAO STEEL	PLEASE CONTACT US
42CrMo4	3.40*1250*C	13.86	BAO STEEL	PLEASE CONTACT US
42CrMo4	3.40*1250*C	9.3	BAO STEEL	PLEASE CONTACT US
42CrMo4	3.43*1250*C	5.06	BAO STEEL	PLEASE CONTACT US
42CrMo4	5.70*1255*C	4.64	BAO STEEL	PLEASE CONTACT US
42CrMo4	5.70*1255*C	5.29	BAO STEEL	PLEASE CONTACT US
42CrMo4	5.70*1255*C	7.67	BAO STEEL	PLEASE CONTACT US
42CrMo4	5.70*1255*C	9.01	BAO STEEL	PLEASE CONTACT US
42CrMo4	5.70*1255*C	7.38	BAO STEEL	PLEASE CONTACT US

42CrMo4	5.70*1255*C	7.27	BAO STEEL	PLEASE CONTACT US
42CrMo4	6.20*1250*C	24.39	BAO STEEL	PLEASE CONTACT US
42CrMo4	6.50*1412*C	6.19	BAO STEEL	PLEASE CONTACT US
42CrMo4	6.70*1255*C	4.89	BAO STEEL	PLEASE CONTACT US
42CrMo4	6.70*1255*C	4.8	BAO STEEL	PLEASE CONTACT US
42CrMo4	7.00*1250*C	18.38	BAO STEEL	PLEASE CONTACT US
42CrMo4	7.00*1250*C	13.46	BAO STEEL	PLEASE CONTACT US
42CrMo4	7.00*1250*C	7.15	BAO STEEL	PLEASE CONTACT US
42CrMo4	7.00*1250*C	13.75	BAO STEEL	PLEASE CONTACT US
42CrMo4	7.00*1250*C	4.15	BAO STEEL	PLEASE CONTACT US
42CrMo4	7.00*1250*C	18.16	BAO STEEL	PLEASE CONTACT US
42CrMo4	7.00*1250*C	18.22	BAO STEEL	PLEASE CONTACT US
42CrMo4	7.00*1250*C	18.18	BAO STEEL	PLEASE CONTACT US
42CrMo4	7.00*1250*C	20.48	BAO STEEL	PLEASE CONTACT US
42CrMo4	7.00*1250*C	18.21	BAO STEEL	PLEASE CONTACT US
42CrMo4	7.00*1250*C	20.56	BAO STEEL	PLEASE CONTACT US
42CrMo4	7.00*1250*C	19.58	BAO STEEL	PLEASE CONTACT US
42CrMo4	7.50*1215*C	8.14	BAO STEEL	PLEASE CONTACT US
42CrMo4	7.50*1215*C	5.21	BAO STEEL	PLEASE CONTACT US
45Mn	2.75*1290*C	17.89	BAO STEEL	PLEASE CONTACT US
45Mn	2.75*1290*C	19.73	BAO STEEL	PLEASE CONTACT US
45Mn	6.00*1250*C	22.69	BAO STEEL	PLEASE CONTACT US
45Mn	6.00*1250*C	21.81	BAO STEEL	PLEASE CONTACT US
A572GR50	2.99*1590*C	14.62	BAO STEEL	PLEASE CONTACT US
A572GR50	2.99*1590*C	13.06	BAO STEEL	PLEASE CONTACT US
A572GR65	4.01*1250*C	11.76	BAO STEEL	PLEASE CONTACT US
A572GR65	4.01*1370*C	12.82	BAO STEEL	PLEASE CONTACT US
A572GR65	4.64*1300*C	12.33	BAO STEEL	PLEASE CONTACT US
A572GR65	5.04*1220*C	6.91	BAO STEEL	PLEASE CONTACT US
A572GR65	6.00*1200*C	8.54	BAO STEEL	PLEASE CONTACT US
A572GR65	6.00*1200*C	8.67	BAO STEEL	PLEASE CONTACT US
A572GR65	6.06*1200*C	9.36	BAO STEEL	PLEASE CONTACT US
A572GR65	8.00*1240*C	12.47	BAO STEEL	PLEASE CONTACT US
B380CL	4.00*1202*C	3.53	BAO STEEL	PLEASE CONTACT US
B380CL	4.00*1250*C	19.46	BAO STEEL	PLEASE CONTACT US
B380CL	4.00*1250*C	19.48	BAO STEEL	PLEASE CONTACT US
B380CL	4.85*1250*C	18.85	BAO STEEL	PLEASE CONTACT US
B510L	2.00*1220*C	11.44	BAO STEEL	PLEASE CONTACT US
B510L	2.00*1220*C	18.44	BAO STEEL	PLEASE CONTACT US
B510L	2.00*1250*C	12.54	BAO STEEL	PLEASE CONTACT US
B510L	2.30*1095*C	16.61	BAO STEEL	PLEASE CONTACT US
B510L	2.30*1095*C	16.03	BAO STEEL	PLEASE CONTACT US
B510L	2.30*1095*C	16.57	BAO STEEL	PLEASE CONTACT US
B510L	2.30*1095*C	12.11	BAO STEEL	PLEASE CONTACT US
B510L	2.30*1190*C	18.01	BAO STEEL	PLEASE CONTACT US
B510L	2.50*1250*C	14.38	BAO STEEL	PLEASE CONTACT US
B510L	3.00*1200*C	8.53	BAO STEEL	PLEASE CONTACT US
B510L	3.00*1245*C	21.8	BAO STEEL	PLEASE CONTACT US
B510L	3.23*1199*C	19.02	BAO STEEL	PLEASE CONTACT US
B510L	3.50*1050*C	16.91	BAO STEEL	PLEASE CONTACT US
B510L	3.50*1180*C	19.18	BAO STEEL	PLEASE CONTACT US
B510L	3.50*1245*C	11.23	BAO STEEL	PLEASE CONTACT US
B510L	3.50*1250*C	19.78	BAO STEEL	PLEASE CONTACT US
B510L	3.60*1245*C	23.1	BAO STEEL	PLEASE CONTACT US
B510L	3.60*1375*C	9.25	BAO STEEL	PLEASE CONTACT US
B510L	3.60*1375*C	11.35	BAO STEEL	PLEASE CONTACT US
B510L	4.00*1050*C	12.7	BAO STEEL	PLEASE CONTACT US
B510L	4.00*1050*C	12.66	BAO STEEL	PLEASE CONTACT US

B510L	4.00*1050*C	12.69	BAO STEEL	PLEASE CONTACT US
B510L	4.00*1050*C	12.65	BAO STEEL	PLEASE CONTACT US
B510L	4.00*1050*C	12.68	BAO STEEL	PLEASE CONTACT US
B510L	4.00*1050*C	12.71	BAO STEEL	PLEASE CONTACT US
B510L	4.00*1050*C	12.65	BAO STEEL	PLEASE CONTACT US
B510L	4.00*1050*C	12.75	BAO STEEL	PLEASE CONTACT US
B510L	4.00*1050*C	12.77	BAO STEEL	PLEASE CONTACT US
B510L	4.00*1050*C	12.74	BAO STEEL	PLEASE CONTACT US
B510L	4.00*1050*C	12.74	BAO STEEL	PLEASE CONTACT US
B510L	4.00*1050*C	16.91	BAO STEEL	PLEASE CONTACT US
B510L	4.00*1050*C	15.93	BAO STEEL	PLEASE CONTACT US
B510L	4.00*1050*C	18.38	BAO STEEL	PLEASE CONTACT US
B510L	4.00*1080*C	10.25	BAO STEEL	PLEASE CONTACT US
B510L	4.00*1250*C	23.21	BAO STEEL	PLEASE CONTACT US
B510L	4.00*1350*C	21.67	BAO STEEL	PLEASE CONTACT US
B510L	4.00*1350*C	23.99	BAO STEEL	PLEASE CONTACT US
B510L	5.00*1270*C	23.06	BAO STEEL	PLEASE CONTACT US
B510L	5.10*1200*C	22.13	BAO STEEL	PLEASE CONTACT US
B510L	5.99*1200*C	23.21	BAO STEEL	PLEASE CONTACT US
B510L	5.99*980*C	12.61	BAO STEEL	PLEASE CONTACT US
B510L	6.00*1250*C	24.2	BAO STEEL	PLEASE CONTACT US
B510L	6.00*1250*C	24.13	BAO STEEL	PLEASE CONTACT US
B510L	6.00*1250*C	24.19	BAO STEEL	PLEASE CONTACT US
B510L	8.0*1180*C	21.86	BAO STEEL	PLEASE CONTACT US
B510L	8.0*1245*C	23.9	BAO STEEL	PLEASE CONTACT US
B550L	2.00*1098*C	17.65	BAO STEEL	PLEASE CONTACT US
B550L	6*1350*C	24.27	BAO STEEL	PLEASE CONTACT US
B550L	8.00*1600*C	28.32	BAO STEEL	PLEASE CONTACT US
B610L	4.00*1500*C	21.89	BAO STEEL	PLEASE CONTACT US
B610L	6.00*1250*C	18.79	BAO STEEL	PLEASE CONTACT US
B610L	6.00*1250*C	18.71	BAO STEEL	PLEASE CONTACT US
B650L	8*1560*C	23.04	BAO STEEL	PLEASE CONTACT US
BC550	1.50*1120*C	4.15	BAO STEEL	PLEASE CONTACT US
BC550	1.80*1219*C	5.48	BAO STEEL	PLEASE CONTACT US
BC550	1.93*1220*C	11.08	BAO STEEL	PLEASE CONTACT US
BC550	3.00*1180*C	19.84	BAO STEEL	PLEASE CONTACT US
BC550	4.00*1190*C	10.35	BAO STEEL	PLEASE CONTACT US
BJS15C	5.30*1265*C	11.09	BAO STEEL	PLEASE CONTACT US
BJS20C	2.00*1280*C	19.56	BAO STEEL	PLEASE CONTACT US
BJS20C	7.00*1210*C	6.86	BAO STEEL	PLEASE CONTACT US
BJS20C	8.00*1065*C	19.26	BAO STEEL	PLEASE CONTACT US
BJS55C	2.00*1020*C	15.31	BAO STEEL	PLEASE CONTACT US
BJS55C	3.00*1260*C	3.63	BAO STEEL	PLEASE CONTACT US
BJS55C	5.00*1302*C	25.64	BAO STEEL	PLEASE CONTACT US
BJS55C	5.00*1302*C	22.69	BAO STEEL	PLEASE CONTACT US
BJS55C	5.00*1302*C	23.66	BAO STEEL	PLEASE CONTACT US
BJS55C	5.00*1302*C	25.13	BAO STEEL	PLEASE CONTACT US
BJS55C	5.00*1302*C	23.68	BAO STEEL	PLEASE CONTACT US
BJS55C	5.00*1302*C	25.16	BAO STEEL	PLEASE CONTACT US
BJS55C	5.00*1302*C	23.54	BAO STEEL	PLEASE CONTACT US
BJS55C	5.50*1200*C	18.92	BAO STEEL	PLEASE CONTACT US
BJS55C	5.50*1200*C	18.9	BAO STEEL	PLEASE CONTACT US
BJS55C	5.50*1200*C	18.93	BAO STEEL	PLEASE CONTACT US
BJS55C	6.00*1250*C	24.28	BAO STEEL	PLEASE CONTACT US
BJS55C	6.00*1302*C	3.23	BAO STEEL	PLEASE CONTACT US
BJS55C	6.00*1302*C	21.02	BAO STEEL	PLEASE CONTACT US
BJS55C	6.00*1302*C	23.75	BAO STEEL	PLEASE CONTACT US
BJS55C	6.00*1302*C	21.11	BAO STEEL	PLEASE CONTACT US

BJS55C	6.00*1302*C	21.1	BAO STEEL	PLEASE CONTACT US
BJS55C	6.00*1302*C	21.11	BAO STEEL	PLEASE CONTACT US
BJS55C	6.00*1302*C	24.71	BAO STEEL	PLEASE CONTACT US
BJS55C	6.50*1250*C	21.51	BAO STEEL	PLEASE CONTACT US
BJS55C	6.50*1310*C	19.98	BAO STEEL	PLEASE CONTACT US
BJS55C	6.50*1310*C	20	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1000*C	17.58	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1000*C	16.53	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1000*C	16.18	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1010*C	17.3	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1010*C	9.49	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1010*C	20.02	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1010*C	15.96	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1010*C	16.05	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1010*C	16	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1060*C	17.1	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1060*C	10.16	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1110*C	21.44	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1110*C	19.92	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1110*C	20.3	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1110*C	22.1	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1110*C	22.17	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1110*C	22.21	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1110*C	21.98	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1110*C	21.63	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1110*C	19.44	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1110*C	20.27	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1110*C	22.19	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1110*C	19.17	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1110*C	20.02	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1110*C	22.01	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1110*C	15.09	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1110*C	22.04	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1110*C	21.33	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1180*C	15.65	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1200*C	11.25	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1200*C	17.71	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1210*C	10.93	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1245*C	4.11	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	11.19	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	11.22	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	11.22	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	13.71	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	13.74	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	9.98	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	7.67	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	8.04	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	10.85	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	12.96	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	14.53	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	12.79	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	12.59	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	12.78	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	9.02	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	7.17	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	12.82	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	10.43	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	12.32	BAO STEEL	PLEASE CONTACT US

BLB280	2.75*1250*C	11.2	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	12.26	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	10.89	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	12.67	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	8.45	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	5.76	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1250*C	5.45	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1260*C	16.3	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1300*C	17.05	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1350*C	21.71	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1350*C	23.35	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1350*C	26	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1350*C	26.12	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1350*C	26.81	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1350*C	25.88	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1370*C	24.94	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1370*C	25.66	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1370*C	26.95	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1370*C	22.74	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1370*C	23.27	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1370*C	21.8	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1370*C	23.96	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1370*C	27.41	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1370*C	26.76	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1370*C	24.49	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1370*C	25.61	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1380*C	25.54	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1380*C	25.01	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1400*C	27.25	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1400*C	27.76	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1400*C	24.38	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1400*C	26.35	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1400*C	26.94	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1450*C	24.32	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1450*C	27.38	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1450*C	24.21	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1450*C	27.91	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1450*C	27.77	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1450*C	27.8	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1490*C	27.64	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1500*C	25	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1500*C	26.25	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1500*C	23.91	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1500*C	29.73	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1510*C	29.55	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1510*C	29.82	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1510*C	25.61	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1510*C	26.29	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1510*C	29.03	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1520*C	25.99	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1520*C	29.54	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1550*C	27.51	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1550*C	29.81	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1550*C	17	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1550*C	29.85	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1550*C	27.31	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1590*C	29.1	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1600*C	27.56	BAO STEEL	PLEASE CONTACT US

BLB280	2.75*1600*C	22.6	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1600*C	30.99	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1600*C	28.73	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1600*C	30.63	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*1600*C	3.35	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*950*C	16.14	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*950*C	14.81	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*950*C	18.55	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*950*C	15.8	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*950*C	17.65	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*950*C	18.48	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*950*C	17.97	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*950*C	18	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*960*C	18.99	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*960*C	17.81	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*960*C	18.7	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*960*C	18.3	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*960*C	19.29	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*960*C	17.56	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*960*C	19.06	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*960*C	18.79	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*980*C	9.45	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*980*C	18.36	BAO STEEL	PLEASE CONTACT US
BLB280	2.75*980*C	16.12	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1250*C	10.88	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1260*C	10.17	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1300*C	10.75	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1450*C	25.96	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1450*C	26.54	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1500*C	24.48	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1500*C	26.48	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1500*C	28.79	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1500*C	21.4	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1500*C	29.34	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1500*C	29.33	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1500*C	28.91	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1500*C	23.77	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1500*C	29.35	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1500*C	29.12	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1500*C	29.86	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1500*C	27.32	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1500*C	29.89	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1500*C	28.27	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1500*C	20.5	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1500*C	23.53	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1500*C	23.5	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1500*C	23.56	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1500*C	23.45	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1500*C	23.36	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1500*C	22.96	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1500*C	29.79	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1560*C	26.5	BAO STEEL	PLEASE CONTACT US
BLB280	3.00*1560*C	27.92	BAO STEEL	PLEASE CONTACT US
BLB280	3.50*1258*C	11.73	BAO STEEL	PLEASE CONTACT US
BLB280	3.50*1279*C	9.18	BAO STEEL	PLEASE CONTACT US
BLB280	3.50*1279*C	10.99	BAO STEEL	PLEASE CONTACT US
BLB280	3.50*1279*C	11.78	BAO STEEL	PLEASE CONTACT US
BLB280	3.50*1430*C	25.38	BAO STEEL	PLEASE CONTACT US

BLB280	3.50*1430*C	25.23	BAO STEEL	PLEASE CONTACT US
BLB280	3.50*1430*C	27.37	BAO STEEL	PLEASE CONTACT US
BLB280	3.50*1430*C	24.11	BAO STEEL	PLEASE CONTACT US
BLB280	3.50*1430*C	25.77	BAO STEEL	PLEASE CONTACT US
BLB280	3.50*1520*C	26.7	BAO STEEL	PLEASE CONTACT US
BLB280	3.50*1550*C	30.71	BAO STEEL	PLEASE CONTACT US
BLB280	3.50*1550*C	29.84	BAO STEEL	PLEASE CONTACT US
BLB280	4.00*1308*C	22.82	BAO STEEL	PLEASE CONTACT US
BLB280	4.00*1308*C	22.88	BAO STEEL	PLEASE CONTACT US
BNS440	7.98*1250*C	19.32	BAO STEEL	PLEASE CONTACT US
BS600MC	3.50*1018*C	14.71	BAO STEEL	PLEASE CONTACT US
BS600MC	3.50*1235*C	5.05	BAO STEEL	PLEASE CONTACT US
BS600MC	3.50*1235*C	3.08	BAO STEEL	PLEASE CONTACT US
BS600MC	3.50*1235*C	8.49	BAO STEEL	PLEASE CONTACT US
BS600MC	3.50*1235*C	8.15	BAO STEEL	PLEASE CONTACT US
BS600MC	4.00*1350*C	3.62	BAO STEEL	PLEASE CONTACT US
BS700MC	4.00*1045*C	9.75	BAO STEEL	PLEASE CONTACT US
BS700MC	4.50*1055*C	18.1	BAO STEEL	PLEASE CONTACT US
BS700MC	4.50*1055*C	6.1	BAO STEEL	PLEASE CONTACT US
BS700MC	5.94*1005*C	3.15	BAO STEEL	PLEASE CONTACT US
BS700MCJ4	4.00*1080*C	16.85	BAO STEEL	PLEASE CONTACT US
BS700MCJ4	4.00*1080*C	16.91	BAO STEEL	PLEASE CONTACT US
BS700MCJ4	4.00*1080*C	16.88	BAO STEEL	PLEASE CONTACT US
BS700MCJ4	4.00*1080*C	16.87	BAO STEEL	PLEASE CONTACT US
BS700MCJ4	4.00*1080*C	16.39	BAO STEEL	PLEASE CONTACT US
BS700MCJ4	4.00*1080*C	17.1	BAO STEEL	PLEASE CONTACT US
C45E	2.00*1040*C	17.01	BAO STEEL	PLEASE CONTACT US
C45E	2.00*1050*C	14.81	BAO STEEL	PLEASE CONTACT US
C45E	5.00*1130*C	19.66	BAO STEEL	PLEASE CONTACT US
C45E	5.00*1130*C	19.79	BAO STEEL	PLEASE CONTACT US
C45E	5.00*1130*C	20.14	BAO STEEL	PLEASE CONTACT US
C45E	5.00*1130*C	18.57	BAO STEEL	PLEASE CONTACT US
C45E	5.00*1130*C	18.6	BAO STEEL	PLEASE CONTACT US
C45E	6.50*1180*C	6.31	BAO STEEL	PLEASE CONTACT US
C45E	6.50*1180*C	6.58	BAO STEEL	PLEASE CONTACT US
C45E	6.50*1185*C	13.34	BAO STEEL	PLEASE CONTACT US
C45E	6.50*1185*C	14.54	BAO STEEL	PLEASE CONTACT US
C45E	6.50*1185*C	22.67	BAO STEEL	PLEASE CONTACT US
C45E	6.50*1185*C	20.97	BAO STEEL	PLEASE CONTACT US
C45E	6.50*1185*C	21.18	BAO STEEL	PLEASE CONTACT US
C45E	6.50*1185*C	19.71	BAO STEEL	PLEASE CONTACT US
C45E	6.50*1185*C	19.83	BAO STEEL	PLEASE CONTACT US
C45E	6.50*1185*C	19.64	BAO STEEL	PLEASE CONTACT US
C45E	6.50*1185*C	21.09	BAO STEEL	PLEASE CONTACT US
C45E	6.50*1185*C	21.14	BAO STEEL	PLEASE CONTACT US
C45E	7.90*1060*C	3.61	BAO STEEL	PLEASE CONTACT US
C45E	7.90*1060*C	3.82	BAO STEEL	PLEASE CONTACT US
C45E	7.90*1060*C	3.69	BAO STEEL	PLEASE CONTACT US
C45E	8.20*1140*C	4.35	BAO STEEL	PLEASE CONTACT US
C45E	8.50*1080*C	10.3	BAO STEEL	PLEASE CONTACT US
C45E	8.50*1080*C	17.37	BAO STEEL	PLEASE CONTACT US
C45E	9.00*1080*C	16.2	BAO STEEL	PLEASE CONTACT US
CDCM-2	0.59*1202*C	3.24	BAO STEEL	PLEASE CONTACT US
CDCM-210P	0.64*1292*C	6.59	BAO STEEL	PLEASE CONTACT US
CDCM-210P	0.64*1582*C	32.94	BAO STEEL	PLEASE CONTACT US
CDCM-B170P1	0.70*1466*C	25.55	BAO STEEL	PLEASE CONTACT US
CDCM-B170P1	0.70*1505*C	21.495	BAO STEEL	PLEASE CONTACT US
CDCM-B180H1	0.69*1424*C	6.69	BAO STEEL	PLEASE CONTACT US

CDCM-B180H1	0.70*1582*C	25.99	BAO STEEL	PLEASE CONTACT US
CDCM-B180H1	0.70*911*C	3.72	BAO STEEL	PLEASE CONTACT US
CDCM-B340LA	0.59*1202*C	4.12	BAO STEEL	PLEASE CONTACT US
CDCM-B340LA	0.64*1370*C	3.94	BAO STEEL	PLEASE CONTACT US
CDCM-BLD	0.64*1744*C	4.775	BAO STEEL	PLEASE CONTACT US
CDCM-BLD	0.70*1356*C	7.46	BAO STEEL	PLEASE CONTACT US
CDCM-BLD	0.70*1373*C	6.01	BAO STEEL	PLEASE CONTACT US
CDCM-BLD	0.70*900*C	5.98	BAO STEEL	PLEASE CONTACT US
CDCM-BLD	0.71*1540*C	8.17	BAO STEEL	PLEASE CONTACT US
CDCM-BLD	0.71*1540*C	9.92	BAO STEEL	PLEASE CONTACT US
CDCM-BLD	0.71*1606*C	6.6	BAO STEEL	PLEASE CONTACT US
CDCM-BSUFD	0.70*1560*C	6.79	BAO STEEL	PLEASE CONTACT US
CDCM-BSUFD	0.70*1617*C	3.38	BAO STEEL	PLEASE CONTACT US
CDCM-BSUFD	0.70*1646*C	6.03	BAO STEEL	PLEASE CONTACT US
CDCM-BSUFD	0.70*1676*C	6.53	BAO STEEL	PLEASE CONTACT US
CDCM-BSUFD	0.74*1595*C	5.8	BAO STEEL	PLEASE CONTACT US
CDCM-BUSD	0.71*1616*C	5.48	BAO STEEL	PLEASE CONTACT US
CDCM-CR240B2	0.65*904*C	1.16	BAO STEEL	PLEASE CONTACT US
CDCM-DC03	0.43*800*C	7.08	BAO STEEL	PLEASE CONTACT US
CDCM-DC03	0.65*1286*C	3.31	BAO STEEL	PLEASE CONTACT US
CDCM-DC03	0.70*1435*C	4.41	BAO STEEL	PLEASE CONTACT US
CDCM-DC03	0.70*1445*C	3.12	BAO STEEL	PLEASE CONTACT US
CDCM-DC03	0.70*1661*C	5.57	BAO STEEL	PLEASE CONTACT US
CDCM-DC03	0.70*1661*C	3.08	BAO STEEL	PLEASE CONTACT US
CDCM-DC03	0.70*1675*C	4.66	BAO STEEL	PLEASE CONTACT US
CDCM-DC03	0.70*1675*C	4.57	BAO STEEL	PLEASE CONTACT US
CDCM-DC03	0.71*1448*C	4.61	BAO STEEL	PLEASE CONTACT US
CDCM-DC03	0.71*1523*C	8.94	BAO STEEL	PLEASE CONTACT US
CDCM-DC03	0.71*1620*C	4.71	BAO STEEL	PLEASE CONTACT US
CDCM-DC03	0.72*1668*C	2.3	BAO STEEL	PLEASE CONTACT US
CDCM-DC03	0.72*1668*C	6.53	BAO STEEL	PLEASE CONTACT US
CDCM-DC03	0.72*1670*C	3.17	BAO STEEL	PLEASE CONTACT US
CDCM-DC03	0.73*1461*C	4.35	BAO STEEL	PLEASE CONTACT US
CDCM-DC03	0.74*1458*C	2.43	BAO STEEL	PLEASE CONTACT US
CDCM-DC03	0.75*1708*C	1.71	BAO STEEL	PLEASE CONTACT US
CDCM-DC03	0.80*1613*C	2.15	BAO STEEL	PLEASE CONTACT US
CDCM-HC180B	0.75*1261*C	10.04	BAO STEEL	PLEASE CONTACT US
CDCM-HC180B	0.75*1475*C	1.09	BAO STEEL	PLEASE CONTACT US
CDCM-HC180Y	0.58*1424*C	13.48	BAO STEEL	PLEASE CONTACT US
CDCM-HC180Y	0.71*1416*C	2.37	BAO STEEL	PLEASE CONTACT US
CDCM-HC180Y	0.71*1505*C	5.3	BAO STEEL	PLEASE CONTACT US
CDCM-HC180Y	0.81*1370*C	2.77	BAO STEEL	PLEASE CONTACT US
CDCM-HC260P	0.45*813*C	7.77	BAO STEEL	PLEASE CONTACT US
CDCM-HC260P	0.45*814*C	2.47	BAO STEEL	PLEASE CONTACT US
CDCM-HC260P	0.45*814*C	3.05	BAO STEEL	PLEASE CONTACT US
CDCM-HC260P	0.45*828*C	3.35	BAO STEEL	PLEASE CONTACT US
CDCM-HC260P	0.46*828*C	4.82	BAO STEEL	PLEASE CONTACT US
CDCM-HC260P	0.50*810*C	7.46	BAO STEEL	PLEASE CONTACT US
CDCM-HC260P	0.51*814*C	2.12	BAO STEEL	PLEASE CONTACT US
CDCM-HC260P	0.51*820*C	6.36	BAO STEEL	PLEASE CONTACT US
CDCM-HC260P	0.51*830*C	2.81	BAO STEEL	PLEASE CONTACT US
CDCM-HC260P	0.61*1348*C	3.68	BAO STEEL	PLEASE CONTACT US
CDCM-HC260P	0.61*1348*C	3.34	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.20*896*C	1.22	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.20*898*C	1.96	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.32*943*C	1.38	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.44*1002*C	3.19	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.45*814*C	7.61	BAO STEEL	PLEASE CONTACT US

CDCM-SPCC	0.46*785*C	3.66	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.48*1202*C	1.42	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.50*1315*C	2.33	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.50*1370*C	2.15	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.50*1460*C	2.26	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.51*1160*C	2.15	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.52*1285*C	2.29	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.53*1274*C	2.73	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.57*1202*C	0.75	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.57*1552*C	3.74	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.57*1574*C	2.92	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.58*724*C	11.61	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.58*724*C	12.08	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.58*724*C	12.1	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.58*724*C	12.1	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.58*724*C	12.08	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.58*724*C	12.03	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.58*724*C	11.86	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.58*724*C	12.16	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.58*724*C	11.39	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.58*724*C	11.37	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.60*1002*C	0.75	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.60*813*C	4.19	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.60*813*C	9.64	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.60*813*C	13.57	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.60*813*C	13.3	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.60*915*C	9.95	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.60*915*C	11.51	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.60*916*C	17.27	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.60*917*C	2.14	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.60*917*C	1.08	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.65*1343*C	2.2	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.66*1280*C	4.08	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.69*1004*C	2.23	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.69*1447*C	3.6	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.69*1450*C	4.42	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.69*1450*C	2.15	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.69*1492*C	4.42	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.69*1715*C	15.75	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.70*1125*C	3.61	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.70*1195*C	6.1	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.70*1245*C	2.36	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.70*1458*C	2.48	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.72*1504*C	5.5	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.77*1002*C	4.21	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.80*1261*C	2.86	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.83*1564*C	3.835	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.89*1462*C	2.28	BAO STEEL	PLEASE CONTACT US
CDCM-SPCC	0.89*1462*C	2.12	BAO STEEL	PLEASE CONTACT US
CJC27ER0A000	0.80*1760*C	2.2	BAO STEEL	PLEASE CONTACT US
CJC27ER0A000	0.80*1765*C	2.6	BAO STEEL	PLEASE CONTACT US
CJG30HN0V080	0.69*1745*C	12.41	BAO STEEL	PLEASE CONTACT US
CJG30HN0V080	0.69*1745*C	12.355	BAO STEEL	PLEASE CONTACT US
CJG30HN0V080	0.69*1745*C	11.53	BAO STEEL	PLEASE CONTACT US
DP600	4.00*1196*C	19.33	BAO STEEL	PLEASE CONTACT US
DP600	4.00*1196*C	19.23	BAO STEEL	PLEASE CONTACT US
DP600	4.00*1196*C	19.27	BAO STEEL	PLEASE CONTACT US
DP600	4.00*1196*C	19.29	BAO STEEL	PLEASE CONTACT US

DP600	4.00*1196*C	19.5	BAO STEEL	PLEASE CONTACT US
DP600	4.00*1196*C	19.31	BAO STEEL	PLEASE CONTACT US
DP600	4.00*1196*C	19.29	BAO STEEL	PLEASE CONTACT US
DP600	4.00*1196*C	19.25	BAO STEEL	PLEASE CONTACT US
DP600	4.00*1196*C	17.53	BAO STEEL	PLEASE CONTACT US
DP600	4.00*1196*C	19.38	BAO STEEL	PLEASE CONTACT US
DP600	4.00*1196*C	19.32	BAO STEEL	PLEASE CONTACT US
DP600	4.00*1196*C	19.31	BAO STEEL	PLEASE CONTACT US
DP600	4.00*1196*C	19.38	BAO STEEL	PLEASE CONTACT US
DP600	4.00*1196*C	19.3	BAO STEEL	PLEASE CONTACT US
DP600	4.00*1292*C	19	BAO STEEL	PLEASE CONTACT US
DP600	4.00*950*C	11.97	BAO STEEL	PLEASE CONTACT US
DP600	4.00*950*C	3.88	BAO STEEL	PLEASE CONTACT US
DQ-AI	4.52*1159*C	12.81	BAO STEEL	PLEASE CONTACT US
H-FE 310	4.0*955*C	8.08	BAO STEEL	PLEASE CONTACT US
H-FE 310P	3.05*1230*C	21.06	BAO STEEL	PLEASE CONTACT US
H-FE 310P	4.00*850*C	13.79	BAO STEEL	PLEASE CONTACT US
H-FE 310P	7.63*870*C	14.54	BAO STEEL	PLEASE CONTACT US
H-FE 310P	7.63*870*C	11.91	BAO STEEL	PLEASE CONTACT US
H-FE 310P	7.63*870*C	11.39	BAO STEEL	PLEASE CONTACT US
H-FE 310P	7.63*870*C	13.78	BAO STEEL	PLEASE CONTACT US
H-Q235P	7.75*870*C	13.23	BAO STEEL	PLEASE CONTACT US
H-Q235P	7.75*870*C	13.22	BAO STEEL	PLEASE CONTACT US
HR60	2.00*1004*C	6.59	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.00*936*C	7.98	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.35*1250*C	19.4	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.58*1230*C	24.15	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.58*1230*C	13.31	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.69*1260*C	24.86	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1000*C	16.12	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1013*C	11.57	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1013*C	13.83	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1013*C	11.27	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1040*C	14.29	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1060*C	16.93	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1150*C	10.76	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1163*C	11.92	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1200*C	11.39	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1200*C	4.59	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1200*C	15.23	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1250*C	8.06	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1250*C	12.32	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1263*C	8.34	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1263*C	6.92	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1263*C	12.11	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1263*C	3.54	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1370*C	23.99	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1410*C	22.32	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1450*C	22.87	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1450*C	13.55	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1450*C	13.78	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1450*C	22.89	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1450*C	22.81	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1450*C	22.12	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1450*C	23.05	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1450*C	21.81	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1450*C	21.85	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1450*C	21.86	BAO STEEL	PLEASE CONTACT US

IF GRADE	2.75*1450*C	23.35	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1450*C	23.38	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1450*C	23.99	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1450*C	23.32	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1450*C	23.93	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1450*C	21.82	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1490*C	22.35	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1490*C	23.22	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1500*C	22.68	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*1550*C	5.93	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*715*C	5.94	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*715*C	5.34	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*715*C	9	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*715*C	8.2	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*715*C	8.06	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*800*C	8.68	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*800*C	8.9	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*825*C	6.83	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*825*C	8.88	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*825*C	8.03	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*825*C	9.11	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*825*C	6.19	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*825*C	8.5	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*944*C	14.41	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*950*C	15.28	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*950*C	15.29	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*950*C	17.48	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*950*C	14.82	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*950*C	18.91	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*950*C	18.94	BAO STEEL	PLEASE CONTACT US
IF GRADE	2.75*950*C	19.16	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.00*1500*C	16.21	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.00*810*C	4.61	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.00*810*C	8.12	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.02*1384*C	10.72	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.02*1400*C	4.44	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.02*1409*C	4.54	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.02*1409*C	5.24	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.02*1545*C	4.76	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.02*1545*C	11.1	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.03*1266*C	10.47	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.03*1380*C	6.13	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.03*1405*C	5.29	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.03*1450*C	11.99	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.03*1450*C	11.64	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.03*1450*C	5.6	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.03*1515*C	5.05	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.03*1540*C	4.96	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.03*1540*C	4.31	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.24*1250*C	15.91	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.33*1000*C	10.18	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.33*1000*C	10.02	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.33*1000*C	16.72	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.33*1030*C	17.24	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.33*1080*C	5.48	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.33*800*C	5.16	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.33*800*C	6.89	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.33*800*C	6.28	BAO STEEL	PLEASE CONTACT US

IF GRADE	3.33*830*C	8.76	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.33*900*C	10.39	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.33*900*C	10.58	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.33*900*C	7.52	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.33*900*C	8.42	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.33*930*C	15.07	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.33*930*C	10.5	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.33*950*C	9.95	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.33*950*C	11.14	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1010*C	10.95	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1013*C	14.42	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1083*C	3.52	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1123*C	12.19	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1123*C	9.4	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1123*C	10.18	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1240*C	11.83	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1240*C	8.22	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1240*C	6.16	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1240*C	10.71	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1249*C	6.7	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1260*C	12.16	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1260*C	11.02	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1260*C	12.29	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1260*C	11.3	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1450*C	27.79	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1450*C	22.89	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1450*C	22.81	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1450*C	23.15	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1450*C	23.19	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1450*C	23.14	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1450*C	23.16	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1460*C	3.83	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1500*C	29.09	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1500*C	22.88	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1500*C	23.1	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*1500*C	23.09	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*800*C	7.43	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*915*C	9.16	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*955*C	14.48	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.50*955*C	15.43	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.52*1132*C	3.9	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.52*1159*C	4.73	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.52*1172*C	4.66	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.52*1272*C	4.58	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.52*1305*C	3.61	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.52*1410*C	11.68	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.52*977*C	6.92	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.52*977*C	10.06	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.53*1480*C	6.54	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.53*1519*C	3.36	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.53*1540*C	3.77	BAO STEEL	PLEASE CONTACT US
IF GRADE	3.53*1600*C	6.07	BAO STEEL	PLEASE CONTACT US
IF GRADE	4.00*1389*C	6.32	BAO STEEL	PLEASE CONTACT US
IF GRADE	4.00*1389*C	8.93	BAO STEEL	PLEASE CONTACT US
IF GRADE	4.02*1039*C	20.16	BAO STEEL	PLEASE CONTACT US
IF GRADE	4.02*1200*C	5.2	BAO STEEL	PLEASE CONTACT US
IF GRADE	4.03*1455*C	6.16	BAO STEEL	PLEASE CONTACT US
IF GRADE	4.50*1263*C	8.77	BAO STEEL	PLEASE CONTACT US

IF GRADE	4.50*1274*C	5.59	BAO STEEL	PLEASE CONTACT US
IF GRADE	4.50*840*C	6.87	BAO STEEL	PLEASE CONTACT US
IF GRADE	4.52*1009*C	4.98	BAO STEEL	PLEASE CONTACT US
IF GRADE	4.52*1017*C	9.33	BAO STEEL	PLEASE CONTACT US
IF GRADE	4.52*1017*C	6.79	BAO STEEL	PLEASE CONTACT US
IF GRADE	4.52*1042*C	20.34	BAO STEEL	PLEASE CONTACT US
IF GRADE	4.52*1097*C	18.27	BAO STEEL	PLEASE CONTACT US
IF GRADE	4.52*1100*C	6.41	BAO STEEL	PLEASE CONTACT US
IF GRADE	4.52*1175*C	5.3	BAO STEEL	PLEASE CONTACT US
IF GRADE	4.52*1341*C	10.17	BAO STEEL	PLEASE CONTACT US
IF GRADE	4.53*1519*C	26.09	BAO STEEL	PLEASE CONTACT US
IF GRADE	4.53*1589*C	9.5	BAO STEEL	PLEASE CONTACT US
IF GRADE	4.53*1611*C	31.36	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.00*1400*C	27.14	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.00*1400*C	27.09	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.00*1400*C	27.13	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.00*1550*C	26.86	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.02*1269*C	6.94	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.02*1523*C	8.22	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.02*1524*C	11.82	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.02*996*C	17.1	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.05*1480*C	29.07	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.05*1480*C	23.02	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.05*1530*C	26.9	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.05*1550*C	25.25	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.50*1330*C	23.91	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.52*1022*C	20.3	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.52*1101*C	22.28	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.52*1101*C	22.29	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.52*1118*C	22.33	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.52*1181*C	23.34	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.52*1181*C	23.35	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.52*1270*C	24.17	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.52*1280*C	17.37	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.52*1321*C	25.2	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.52*1331*C	26.29	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.52*1373*C	7.86	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.52*1504*C	29.15	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.52*1523*C	26.22	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.52*932*C	19	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.52*932*C	15.93	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.53*1090*C	21.29	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.53*1480*C	9.34	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.53*1520*C	27.84	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.53*1520*C	29.69	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.53*1520*C	25.76	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.53*1526*C	25.9	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.72*1220*C	6.17	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.72*1257*C	3.22	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.72*1300*C	25.89	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.72*1399*C	10.33	BAO STEEL	PLEASE CONTACT US
IF GRADE	5.72*972*C	19.4	BAO STEEL	PLEASE CONTACT US
IF STEEL	2.58*1230*C	9.19	BAO STEEL	PLEASE CONTACT US
IF STEEL	2.75*1220*C	7.89	BAO STEEL	PLEASE CONTACT US
IF STEEL	2.75*1250*C	10.68	BAO STEEL	PLEASE CONTACT US
IF STEEL	2.75*1250*C	6.47	BAO STEEL	PLEASE CONTACT US
IF STEEL	2.75*1250*C	10.45	BAO STEEL	PLEASE CONTACT US
IF STEEL	2.75*1250*C	12.39	BAO STEEL	PLEASE CONTACT US

IF STEEL	2.75*1280*C	10.03	BAO STEEL	PLEASE CONTACT US
IF STEEL	2.75*1280*C	11.65	BAO STEEL	PLEASE CONTACT US
IF-1	2.82*1271*C	6.58	BAO STEEL	PLEASE CONTACT US
IF-1	2.82*1311*C	6.02	BAO STEEL	PLEASE CONTACT US
IF-1	2.82*824*C	18.78	BAO STEEL	PLEASE CONTACT US
IF-1	3.02*822*C	18.18	BAO STEEL	PLEASE CONTACT US
IF-1	3.22*851*C	8.56	BAO STEEL	PLEASE CONTACT US
IF-1	3.50*1209*C	5.22	BAO STEEL	PLEASE CONTACT US
IF-1	3.50*1341*C	5.045	BAO STEEL	PLEASE CONTACT US
IF-1	3.50*1458*C	5.36	BAO STEEL	PLEASE CONTACT US
IF-1	3.50*1635*C	5.64	BAO STEEL	PLEASE CONTACT US
IF-1	3.50*1640*C	6.44	BAO STEEL	PLEASE CONTACT US
IF-1	3.50*912*C	5.66	BAO STEEL	PLEASE CONTACT US
IF-1	3.52*1202*C	4	BAO STEEL	PLEASE CONTACT US
IF-1	3.52*1222*C	3.16	BAO STEEL	PLEASE CONTACT US
IF-1	3.52*1252*C	5.945	BAO STEEL	PLEASE CONTACT US
IF-1	3.52*1301*C	5.82	BAO STEEL	PLEASE CONTACT US
IF-1	3.52*1317*C	5.3	BAO STEEL	PLEASE CONTACT US
IF-1	3.52*1320*C	7.02	BAO STEEL	PLEASE CONTACT US
IF-1	3.52*1334*C	7.14	BAO STEEL	PLEASE CONTACT US
IF-1	3.52*1372*C	3.21	BAO STEEL	PLEASE CONTACT US
IF-1	3.52*1399*C	4.53	BAO STEEL	PLEASE CONTACT US
IF-1	3.52*1731*C	5.975	BAO STEEL	PLEASE CONTACT US
IF-1	3.52*1731*C	7.265	BAO STEEL	PLEASE CONTACT US
IF-1	3.52*886*C	3.365	BAO STEEL	PLEASE CONTACT US
IF-1	3.53*1274*C	3.44	BAO STEEL	PLEASE CONTACT US
IF-1	3.53*1303*C	5.43	BAO STEEL	PLEASE CONTACT US
IF-1	4.02*1825*C	6.43	BAO STEEL	PLEASE CONTACT US
IF-1	4.02*1835*C	5.23	BAO STEEL	PLEASE CONTACT US
IF-1	4.02*1875*C	8.81	BAO STEEL	PLEASE CONTACT US
IF-1	4.02*1875*C	8.225	BAO STEEL	PLEASE CONTACT US
IF-1	4.20*1020*C	6.7	BAO STEEL	PLEASE CONTACT US
IF-1	4.20*1119*C	8.725	BAO STEEL	PLEASE CONTACT US
IF-1	4.20*1651*C	10.47	BAO STEEL	PLEASE CONTACT US
IF-1	4.20*1736*C	11.41	BAO STEEL	PLEASE CONTACT US
IF-1	4.22*1648*C	7.985	BAO STEEL	PLEASE CONTACT US
IF-1	4.23*1059*C	23.44	BAO STEEL	PLEASE CONTACT US
IF-1	4.23*1059*C	23.45	BAO STEEL	PLEASE CONTACT US
IF-1	4.23*1059*C	23.44	BAO STEEL	PLEASE CONTACT US
IF-1	4.23*1097*C	18.55	BAO STEEL	PLEASE CONTACT US
IF-1	4.30*1700*C	14.05	BAO STEEL	PLEASE CONTACT US
IF-1	4.50*940*C	6.36	BAO STEEL	PLEASE CONTACT US
IF-1	4.52*1031*C	12.04	BAO STEEL	PLEASE CONTACT US
IF-1	4.52*1317*C	9.33	BAO STEEL	PLEASE CONTACT US
IF-1	4.52*1317*C	5.09	BAO STEEL	PLEASE CONTACT US
IF-1	4.82*1263*C	7.14	BAO STEEL	PLEASE CONTACT US
IF-1	4.82*881*C	17.8	BAO STEEL	PLEASE CONTACT US
IF-1	5.52*1275*C	8.56	BAO STEEL	PLEASE CONTACT US
IF-1	5.52*1445*C	9.88	BAO STEEL	PLEASE CONTACT US
IF-1	5.52*1445*C	5.355	BAO STEEL	PLEASE CONTACT US
IF-1	5.52*1700*C	7.26	BAO STEEL	PLEASE CONTACT US
IF-1	5.53*1264*C	12.44	BAO STEEL	PLEASE CONTACT US
IF-1	5.72*1093*C	8.845	BAO STEEL	PLEASE CONTACT US
IF-1	5.72*1547*C	5.685	BAO STEEL	PLEASE CONTACT US
IF-1	5.72*1597*C	5.21	BAO STEEL	PLEASE CONTACT US
IF-1	5.73*1151*C	18.2	BAO STEEL	PLEASE CONTACT US
IF30	2.80*1024*C	13.32	BAO STEEL	PLEASE CONTACT US
IF-GM2	3.50*1263*C	3.14	BAO STEEL	PLEASE CONTACT US

IF-JN1	2.75*1220*C	14.3	BAO STEEL	PLEASE CONTACT US
IF-JN1	2.75*1220*C	11.58	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*1060*C	17.44	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*1060*C	9.34	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*1060*C	10.97	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*1060*C	17.27	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*1060*C	17.36	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*1060*C	17.37	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*1060*C	17.33	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*1260*C	9.08	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*1350*C	23.88	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*1350*C	23.69	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*1350*C	12.61	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*850*C	13.63	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*850*C	13.6	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*850*C	13.62	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*850*C	13.46	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*850*C	13.58	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*850*C	13.55	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*850*C	14.06	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*850*C	14.09	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*850*C	14.12	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*850*C	14.08	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*850*C	14.08	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*850*C	11.88	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*850*C	13.57	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*850*C	13.69	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*850*C	13.66	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*850*C	13.7	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*850*C	13.59	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*950*C	15.21	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*950*C	14.98	BAO STEEL	PLEASE CONTACT US
IF-JN1	3.00*990*C	19.27	BAO STEEL	PLEASE CONTACT US
IF-JN1	4.00*1370*C	23.81	BAO STEEL	PLEASE CONTACT US
IF-JN2	2.75*1200*C	15.02	BAO STEEL	PLEASE CONTACT US
IF-JN2	2.83*1350*C	12.5	BAO STEEL	PLEASE CONTACT US
IF-JN2	3.00*1100*C	11.45	BAO STEEL	PLEASE CONTACT US
IF-JN2	3.00*780*C	12.65	BAO STEEL	PLEASE CONTACT US
IF-JN2	3.00*850*C	13.58	BAO STEEL	PLEASE CONTACT US
IF-JN2	3.00*850*C	13.65	BAO STEEL	PLEASE CONTACT US
IF-JN2	3.00*850*C	13.51	BAO STEEL	PLEASE CONTACT US
IF-JN2	3.00*850*C	13.41	BAO STEEL	PLEASE CONTACT US
IF-JN2	3.00*850*C	13.6	BAO STEEL	PLEASE CONTACT US
IF-JN2	3.00*850*C	13.57	BAO STEEL	PLEASE CONTACT US
IF-JN2	3.00*850*C	13.7	BAO STEEL	PLEASE CONTACT US
IF-JN2	3.50*960*C	15.8	BAO STEEL	PLEASE CONTACT US
IF-LS2	4.50*1365*C	19.53	BAO STEEL	PLEASE CONTACT US
IF-LS2	4.50*1365*C	5.69	BAO STEEL	PLEASE CONTACT US
IF-Ti	3.00*1255*C	15.96	BAO STEEL	PLEASE CONTACT US
IF-Ti	3.00*1255*C	8.62	BAO STEEL	PLEASE CONTACT US
MHS-2	3.00*1080*C	23.62	BAO STEEL	PLEASE CONTACT US
MHS-2	3.00*1115*C	20.72	BAO STEEL	PLEASE CONTACT US
MHS-2	3.00*1130*C	74.1	BAO STEEL	PLEASE CONTACT US
MHS-2	3.00*1230*C	38.49	BAO STEEL	PLEASE CONTACT US
MHS-2	3.00*950*C	11.22	BAO STEEL	PLEASE CONTACT US
MHS-2	3.00*950*C	41	BAO STEEL	PLEASE CONTACT US
MHS-2	3.00*950*C	36.426	BAO STEEL	PLEASE CONTACT US
MHS-2	4.00*1040*C	16.23	BAO STEEL	PLEASE CONTACT US

MHS-2	4.00*1137*C	47.175	BAO STEEL	PLEASE CONTACT US
MHS-2	4.00*1140*C	16.6	BAO STEEL	PLEASE CONTACT US
MHS-2	4.00*1250*C	26.48	BAO STEEL	PLEASE CONTACT US
MHS-2	4.52*993*C	5.87	BAO STEEL	PLEASE CONTACT US
MHS-2	4.53*1418*C	8.75	BAO STEEL	PLEASE CONTACT US
MHS-2	4.60*1448*C	8.415	BAO STEEL	PLEASE CONTACT US
MHS-2	4.80*1470*C	109.16	BAO STEEL	PLEASE CONTACT US
MHS-2	5.00*1250*C	26.26	BAO STEEL	PLEASE CONTACT US
MHS-2	5.00*1250*C	78.38	BAO STEEL	PLEASE CONTACT US
MHS-2	5.00*1290*C	26.86	BAO STEEL	PLEASE CONTACT US
MHS-2	5.00*1290*C	28.56	BAO STEEL	PLEASE CONTACT US
MHS-2	5.00*1700*C	26.56	BAO STEEL	PLEASE CONTACT US
MHS-2	5.00*1740*C	117.3	BAO STEEL	PLEASE CONTACT US
MHS-2	5.00*1780*C	18.34	BAO STEEL	PLEASE CONTACT US
MR T-4CA	2.00*936*C	11.72	BAO STEEL	PLEASE CONTACT US
MR T-4CA	2.00*936*C	12.31	BAO STEEL	PLEASE CONTACT US
MR T-4CA	2.00*950*C	13.05	BAO STEEL	PLEASE CONTACT US
MR T-4CA	2.00*950*C	14.83	BAO STEEL	PLEASE CONTACT US
MR T-5CA	2.00*935*C	11.17	BAO STEEL	PLEASE CONTACT US
MR-2-3	2.81*874*C	14.41	BAO STEEL	PLEASE CONTACT US
MRT2	2.00*832*C	8.4	BAO STEEL	PLEASE CONTACT US
MRT2	2.00*832*C	7.02	BAO STEEL	PLEASE CONTACT US
MRT2	2.00*927*C	8.38	BAO STEEL	PLEASE CONTACT US
MRT2	2.00*927*C	6.71	BAO STEEL	PLEASE CONTACT US
MRT2.5	2.00*839*C	3.45	BAO STEEL	PLEASE CONTACT US
MRT2.5	2.00*922*C	13.47	BAO STEEL	PLEASE CONTACT US
MRT2.5	2.50*862*C	14.15	BAO STEEL	PLEASE CONTACT US
MRT3	1.98*847*C	12.84	BAO STEEL	PLEASE CONTACT US
MRT3	1.98*872*C	13.04	BAO STEEL	PLEASE CONTACT US
MRT3	1.98*890*C	13.15	BAO STEEL	PLEASE CONTACT US
MRT3	2.00*807*C	8.59	BAO STEEL	PLEASE CONTACT US
MRT3	2.00*812*C	8.17	BAO STEEL	PLEASE CONTACT US
MRT3	2.00*827*C	8.36	BAO STEEL	PLEASE CONTACT US
MRT3	2.00*832*C	8.08	BAO STEEL	PLEASE CONTACT US
MRT3	2.00*837*C	8.27	BAO STEEL	PLEASE CONTACT US
MRT3	2.00*837*C	8.28	BAO STEEL	PLEASE CONTACT US
MRT3	2.00*844*C	8.24	BAO STEEL	PLEASE CONTACT US
MRT3	2.00*844*C	8.48	BAO STEEL	PLEASE CONTACT US
MRT3	2.00*844*C	8.62	BAO STEEL	PLEASE CONTACT US
MRT3	2.00*844*C	7.45	BAO STEEL	PLEASE CONTACT US
MRT3	2.00*847*C	7.3	BAO STEEL	PLEASE CONTACT US
MRT3	2.00*854*C	6.89	BAO STEEL	PLEASE CONTACT US
MRT3	2.00*876*C	5.1	BAO STEEL	PLEASE CONTACT US
MRT3	2.00*876*C	8.65	BAO STEEL	PLEASE CONTACT US
MRT3	2.00*905*C	8.12	BAO STEEL	PLEASE CONTACT US
MRT3	2.00*910*C	11.07	BAO STEEL	PLEASE CONTACT US
MRT3	2.00*919*C	8.41	BAO STEEL	PLEASE CONTACT US
MRT3	2.00*954*C	6.3	BAO STEEL	PLEASE CONTACT US
MRT3	2.30*832*C	8.5	BAO STEEL	PLEASE CONTACT US
MRT3	2.30*832*C	13.73	BAO STEEL	PLEASE CONTACT US
MRT3	2.30*867*C	7.2	BAO STEEL	PLEASE CONTACT US
MRT3	2.30*906*C	14.02	BAO STEEL	PLEASE CONTACT US
MRT3	2.30*906*C	14.31	BAO STEEL	PLEASE CONTACT US
MRT3	2.48*937*C	8.73	BAO STEEL	PLEASE CONTACT US
MRT3	2.50*907*C	4.57	BAO STEEL	PLEASE CONTACT US
MRT3	2.50*935*C	6.98	BAO STEEL	PLEASE CONTACT US
MRT3	2.50*937*C	8.41	BAO STEEL	PLEASE CONTACT US
MRT3	2.50*937*C	8.11	BAO STEEL	PLEASE CONTACT US

MRT3	2.72*921*C	14.74	BAO STEEL	PLEASE CONTACT US
MRT3	2.72*948*C	14.24	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*800*C	8.68	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*800*C	7.43	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*805*C	13.28	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*814*C	8.87	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*862*C	14.07	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*881*C	13.95	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*902*C	6.97	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*902*C	9.3	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*902*C	7.22	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*902*C	9.8	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*912*C	8.68	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*912*C	8.81	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*914*C	6.78	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*914*C	7.35	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*914*C	7.12	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*914*C	4.27	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*914*C	9.65	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*914*C	7.87	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*914*C	6.21	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*914*C	8.87	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*914*C	10.13	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*914*C	5.91	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*914*C	8.84	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*914*C	8.34	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*914*C	9.96	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*925*C	5.97	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*925*C	8.42	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*925*C	6.71	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*930*C	3.99	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*960*C	5.61	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*970*C	9.97	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*970*C	10.07	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*970*C	4.63	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*970*C	6.91	BAO STEEL	PLEASE CONTACT US
MRT3	2.75*970*C	8.91	BAO STEEL	PLEASE CONTACT US
MRT4	1.80*831*C	8.2	BAO STEEL	PLEASE CONTACT US
MRT4	1.80*831*C	8.27	BAO STEEL	PLEASE CONTACT US
MRT4	2.00*832*C	7.71	BAO STEEL	PLEASE CONTACT US
MRT4	2.00*852*C	8.89	BAO STEEL	PLEASE CONTACT US
MRT4	2.00*871*C	5.63	BAO STEEL	PLEASE CONTACT US
MRT4	2.00*871*C	8.21	BAO STEEL	PLEASE CONTACT US
MRT4	2.50*724*C	8.27	BAO STEEL	PLEASE CONTACT US
MRT4	2.50*724*C	8.7	BAO STEEL	PLEASE CONTACT US
MRT4	2.50*810*C	4.58	BAO STEEL	PLEASE CONTACT US
MRT4	2.50*810*C	6.36	BAO STEEL	PLEASE CONTACT US
MRT4	2.75*778*C	8.26	BAO STEEL	PLEASE CONTACT US
MRT4	2.75*805*C	13.28	BAO STEEL	PLEASE CONTACT US
MRT4	2.75*847*C	13.74	BAO STEEL	PLEASE CONTACT US
MRT4	2.75*874*C	8.7	BAO STEEL	PLEASE CONTACT US
MRT4	2.75*906*C	14.83	BAO STEEL	PLEASE CONTACT US
MRT4	2.75*915*C	4.45	BAO STEEL	PLEASE CONTACT US
MRT4	2.75*915*C	7.48	BAO STEEL	PLEASE CONTACT US
MRT4	2.75*915*C	6.48	BAO STEEL	PLEASE CONTACT US
MRT4	2.75*944*C	7.23	BAO STEEL	PLEASE CONTACT US
MRT4	2.75*946*C	14.32	BAO STEEL	PLEASE CONTACT US
MRT4	2.75*946*C	13.4	BAO STEEL	PLEASE CONTACT US

MRT4CA-KM	2.00*872*C	5.92	BAO STEEL	PLEASE CONTACT US
MRT4CA-KM	2.00*872*C	6.65	BAO STEEL	PLEASE CONTACT US
MRT4CA-KM	2.00*872*C	7.3	BAO STEEL	PLEASE CONTACT US
MSR30	2.61*1162*C	7.97	BAO STEEL	PLEASE CONTACT US
MSR30	2.61*1212*C	8.03	BAO STEEL	PLEASE CONTACT US
MSR30	2.61*1232*C	9.93	BAO STEEL	PLEASE CONTACT US
MSR30	2.61*1250*C	16.05	BAO STEEL	PLEASE CONTACT US
FE 310	2.00*1150*C	17.98	BAO STEEL	PLEASE CONTACT US
FE 310	2.00*900*C	15.93	BAO STEEL	PLEASE CONTACT US
FE 310	2.00*900*C	15.9	BAO STEEL	PLEASE CONTACT US
FE 310	2.00*992*C	7.4	BAO STEEL	PLEASE CONTACT US
FE 310	2.30*990*C	15.01	BAO STEEL	PLEASE CONTACT US
FE 310	2.30*990*C	15.02	BAO STEEL	PLEASE CONTACT US
FE 310	2.30*990*C	15.04	BAO STEEL	PLEASE CONTACT US
FE 310	2.30*990*C	15.05	BAO STEEL	PLEASE CONTACT US
FE 310	2.30*990*C	13.27	BAO STEEL	PLEASE CONTACT US
FE 310	2.30*990*C	12.55	BAO STEEL	PLEASE CONTACT US
FE 310	2.30*990*C	17.12	BAO STEEL	PLEASE CONTACT US
FE 310	2.30*990*C	17.4	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*1000*C	19.25	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*1000*C	19.29	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*1200*C	17.78	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*1200*C	17.73	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*1250*C	16.4	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*1260*C	16.65	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*1280*C	25.6	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*1380*C	26.62	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*1380*C	26.5	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*1400*C	11.94	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*1500*C	29.62	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*1510*C	27.41	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*950*C	14.88	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*950*C	14.76	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*980*C	15.13	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*980*C	15.14	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*980*C	15.13	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*980*C	15.16	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*980*C	15.12	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*980*C	15.19	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*980*C	12.42	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*980*C	17.47	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*980*C	17.48	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*980*C	17.36	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*980*C	17.47	BAO STEEL	PLEASE CONTACT US
FE 310	2.50*980*C	17.49	BAO STEEL	PLEASE CONTACT US
FE 310	3.00*1000*C	8.2	BAO STEEL	PLEASE CONTACT US
FE 310	3.00*1000*C	8.31	BAO STEEL	PLEASE CONTACT US
FE 310	3.00*1000*C	17.01	BAO STEEL	PLEASE CONTACT US
FE 310	3.00*1050*C	16.8	BAO STEEL	PLEASE CONTACT US
FE 310	3.00*1050*C	16.84	BAO STEEL	PLEASE CONTACT US
FE 310	3.00*1050*C	17.41	BAO STEEL	PLEASE CONTACT US
FE 310	3.00*1229*C	10.83	BAO STEEL	PLEASE CONTACT US
FE 310	4.00*1000*C	7.38	BAO STEEL	PLEASE CONTACT US
FE 310	4.04*1250*C	24.22	BAO STEEL	PLEASE CONTACT US
FE 310	4.04*1250*C	24.24	BAO STEEL	PLEASE CONTACT US
FE 310	6.06*1500*C	25.59	BAO STEEL	PLEASE CONTACT US
A36	12.65*1219*C	21.54	BAO STEEL	PLEASE CONTACT US
A36	12.65*1219*C	21.61	BAO STEEL	PLEASE CONTACT US

A36	12.65*1219*C	21.53	BAO STEEL	PLEASE CONTACT US
A36	12.65*1219*C	21.63	BAO STEEL	PLEASE CONTACT US
A36	15.00*1530*C	24.69	BAO STEEL	PLEASE CONTACT US
A36	2.00*1180*C	7.52	BAO STEEL	PLEASE CONTACT US
A36	2.13*1218*C	11.05	BAO STEEL	PLEASE CONTACT US
A36	3.00*1351*C	23.6	BAO STEEL	PLEASE CONTACT US
A36	3.22*1069*C	8.51	BAO STEEL	PLEASE CONTACT US
A36	4.00*1440*C	25.53	BAO STEEL	PLEASE CONTACT US
A36	5.00*1150*C	22.71	BAO STEEL	PLEASE CONTACT US
A36	5.00*1160*C	22.92	BAO STEEL	PLEASE CONTACT US
A36	6.90*1375*C	20.64	BAO STEEL	PLEASE CONTACT US
A36	8.00*1450*C	26.2	BAO STEEL	PLEASE CONTACT US
A36	8.00*1450*C	26.37	BAO STEEL	PLEASE CONTACT US
A36	9.47*1219*C	21.5	BAO STEEL	PLEASE CONTACT US
S355JR	1.50*950*C	14.14	BAO STEEL	PLEASE CONTACT US
S355JR	1.55*915*C	18.32	BAO STEEL	PLEASE CONTACT US
S355JR	1.70*1200*C	6.35	BAO STEEL	PLEASE CONTACT US
S355JR	1.75*1140*C	8.82	BAO STEEL	PLEASE CONTACT US
S355JR	1.75*1210*C	4.69	BAO STEEL	PLEASE CONTACT US
S355JR	1.75*1210*C	16.78	BAO STEEL	PLEASE CONTACT US
S355JR	1.75*1220*C	5.36	BAO STEEL	PLEASE CONTACT US
S355JR	1.75*1220*C	5.73	BAO STEEL	PLEASE CONTACT US
S355JR	1.77*921*C	5.86	BAO STEEL	PLEASE CONTACT US
S355JR	1.78*1150*C	3.21	BAO STEEL	PLEASE CONTACT US
S355JR	1.78*1150*C	3.69	BAO STEEL	PLEASE CONTACT US
S355JR	1.80*1000*C	16.86	BAO STEEL	PLEASE CONTACT US
S355JR	1.80*1160*C	6.17	BAO STEEL	PLEASE CONTACT US
S355JR	1.80*1160*C	4.57	BAO STEEL	PLEASE CONTACT US
S355JR	1.80*1184*C	17.99	BAO STEEL	PLEASE CONTACT US
S355JR	1.80*1184*C	17.98	BAO STEEL	PLEASE CONTACT US
S355JR	1.80*1184*C	3.75	BAO STEEL	PLEASE CONTACT US
S355JR	12.50*1250*C	11.04	BAO STEEL	PLEASE CONTACT US
S355JR	12.59*1219*C	21.5	BAO STEEL	PLEASE CONTACT US
S355JR	14.00*1310*C	24.84	BAO STEEL	PLEASE CONTACT US
S355JR	14.00*1310*C	24.69	BAO STEEL	PLEASE CONTACT US
S355JR	15.75*1219*C	21.27	BAO STEEL	PLEASE CONTACT US
S355JR	15.75*1219*C	20.39	BAO STEEL	PLEASE CONTACT US
S355JR	15.88*1219*C	19.53	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*1000*C	18.65	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*1057*C	17.62	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*1112*C	6.48	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*1130*C	3.5	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*1150*C	5.97	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*1160*C	3.14	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*1160*C	3.46	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*1165*C	3.47	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*1200*C	5.29	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*1221*C	5.8	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*1250*C	17.74	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*1250*C	19.76	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*860*C	4.56	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*860*C	3.23	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*860*C	13.57	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*860*C	3.03	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*860*C	13.25	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*860*C	3.84	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*870*C	3.5	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*870*C	3.01	BAO STEEL	PLEASE CONTACT US

S355JR	2.00*870*C	4.3	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*870*C	13.73	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*955*C	15.67	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*955*C	15.66	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*955*C	4.28	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*955*C	14.61	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*955*C	14.61	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*955*C	3.17	BAO STEEL	PLEASE CONTACT US
S355JR	2.00*969*C	7.38	BAO STEEL	PLEASE CONTACT US
S355JR	2.10*1130*C	3.15	BAO STEEL	PLEASE CONTACT US
S355JR	2.10*1176*C	3.73	BAO STEEL	PLEASE CONTACT US
S355JR	2.10*1176*C	3.6	BAO STEEL	PLEASE CONTACT US
S355JR	2.13*995*C	4.62	BAO STEEL	PLEASE CONTACT US
S355JR	2.20*1080*C	17.77	BAO STEEL	PLEASE CONTACT US
S355JR	2.20*1160*C	3.87	BAO STEEL	PLEASE CONTACT US
S355JR	2.20*1160*C	19.22	BAO STEEL	PLEASE CONTACT US
S355JR	2.20*1160*C	16.68	BAO STEEL	PLEASE CONTACT US
S355JR	2.20*1330*C	9.78	BAO STEEL	PLEASE CONTACT US
S355JR	2.20*820*C	7.48	BAO STEEL	PLEASE CONTACT US
S355JR	2.20*870*C	7.07	BAO STEEL	PLEASE CONTACT US
S355JR	2.20*870*C	6.14	BAO STEEL	PLEASE CONTACT US
S355JR	2.20*870*C	11.5	BAO STEEL	PLEASE CONTACT US
S355JR	2.25*1062*C	18.53	BAO STEEL	PLEASE CONTACT US
S355JR	2.25*870*C	14.32	BAO STEEL	PLEASE CONTACT US
S355JR	2.25*870*C	13.62	BAO STEEL	PLEASE CONTACT US
S355JR	2.25*870*C	4.48	BAO STEEL	PLEASE CONTACT US
S355JR	2.25*870*C	3.23	BAO STEEL	PLEASE CONTACT US
S355JR	2.25*870*C	3.14	BAO STEEL	PLEASE CONTACT US
S355JR	2.25*870*C	13.39	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1095*C	4.77	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1115*C	17.44	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1120*C	10.05	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1137*C	3.2	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1150*C	15.64	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1150*C	15.6	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1150*C	15.61	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1150*C	17.19	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1150*C	4.67	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1155*C	4.76	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1170*C	4.8	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18.09	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	15.7	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	16.46	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	17.87	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	17.89	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	16.43	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18.16	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	17.98	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18.12	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18.01	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	16.09	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	16.47	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	16.53	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	17.93	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	16.34	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	17.97	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	16.2	BAO STEEL	PLEASE CONTACT US

S355JR	2.30*1180*C	15.36	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	16.23	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	16.14	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	17.85	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18.82	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	17.53	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18.17	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18.05	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	15.76	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	17.41	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18.27	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18.08	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18.15	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18.14	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18.21	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	16.79	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	17.21	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18.2	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18.23	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	17.97	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18.21	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18.22	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18.11	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18.1	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18.04	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18.06	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18.21	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	17.99	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	17.49	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	17.03	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18.15	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	18.06	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1180*C	17.99	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1181*C	4.72	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1181*C	7.17	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*1190*C	6.27	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*907*C	5.14	BAO STEEL	PLEASE CONTACT US
S355JR	2.30*907*C	6.47	BAO STEEL	PLEASE CONTACT US
S355JR	2.32*1138*C	3.69	BAO STEEL	PLEASE CONTACT US
S355JR	2.32*1191*C	3.63	BAO STEEL	PLEASE CONTACT US
S355JR	2.32*1191*C	22.87	BAO STEEL	PLEASE CONTACT US
S355JR	2.38*1125*C	18.39	BAO STEEL	PLEASE CONTACT US
S355JR	2.40*1000*C	16.34	BAO STEEL	PLEASE CONTACT US
S355JR	2.40*1000*C	15.17	BAO STEEL	PLEASE CONTACT US
S355JR	2.40*1000*C	16.28	BAO STEEL	PLEASE CONTACT US
S355JR	2.40*1000*C	15.63	BAO STEEL	PLEASE CONTACT US
S355JR	2.40*1000*C	15.62	BAO STEEL	PLEASE CONTACT US
S355JR	2.46*1360*C	3.32	BAO STEEL	PLEASE CONTACT US
S355JR	2.50*1071*C	5.85	BAO STEEL	PLEASE CONTACT US
S355JR	2.50*1090*C	4.31	BAO STEEL	PLEASE CONTACT US
S355JR	2.50*1150*C	18.38	BAO STEEL	PLEASE CONTACT US
S355JR	2.50*1157*C	4.93	BAO STEEL	PLEASE CONTACT US
S355JR	2.50*1320*C	3.22	BAO STEEL	PLEASE CONTACT US
S355JR	2.50*900*C	14.85	BAO STEEL	PLEASE CONTACT US
S355JR	2.53*1075*C	3.53	BAO STEEL	PLEASE CONTACT US
S355JR	2.60*1040*C	5.57	BAO STEEL	PLEASE CONTACT US
S355JR	2.60*1250*C	7.63	BAO STEEL	PLEASE CONTACT US
S355JR	2.75*1180*C	22.43	BAO STEEL	PLEASE CONTACT US

S355JR	2.75*1245*C	16.67	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1150*C	15.43	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1150*C	18.22	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1150*C	18.06	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.01	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.91	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.12	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.02	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	17.98	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.05	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.16	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.17	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	17.51	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	17.95	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.07	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.09	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.09	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.33	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.21	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	17.81	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.27	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.09	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.04	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.22	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.18	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.01	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.23	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.21	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.19	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.26	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.07	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.16	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.15	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.08	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.23	BAO STEEL	PLEASE CONTACT US
S355JR	2.80*1180*C	18.07	BAO STEEL	PLEASE CONTACT US
S355JR	2.91*1130*C	9.13	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1000*C	19.29	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1000*C	15.64	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1000*C	16.3	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1000*C	15.68	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1050*C	15.65	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1050*C	20.35	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1050*C	21.02	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1050*C	21.23	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1050*C	21.02	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1050*C	21.09	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1050*C	21.21	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1050*C	21.16	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1050*C	16.73	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1050*C	16.69	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1050*C	20.22	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1050*C	18.31	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1060*C	15.99	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1060*C	21.03	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1080*C	17.6	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1080*C	9.28	BAO STEEL	PLEASE CONTACT US

S355JR	3.00*1080*C	8.82	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1080*C	15.81	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1080*C	20.47	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1080*C	17.04	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1100*C	15.41	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1100*C	20.82	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1100*C	21.1	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1100*C	17.34	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1100*C	20.49	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1100*C	20.31	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1100*C	16.16	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1100*C	20.44	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1124*C	3.94	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1130*C	17.48	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1130*C	16.61	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1175*C	3.42	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1180*C	12.49	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1200*C	21.95	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1200*C	23.68	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1224*C	4.04	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1250*C	3.03	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1300*C	12.13	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*880*C	13.03	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*885*C	4.66	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*900*C	14.02	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*930*C	7.66	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*930*C	6.41	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*950*C	15.11	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*970*C	13.66	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*970*C	12	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*970*C	14.21	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*970*C	14.47	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*970*C	14.54	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*970*C	14.49	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*970*C	7.97	BAO STEEL	PLEASE CONTACT US
S355JR	3.02*1097*C	4.42	BAO STEEL	PLEASE CONTACT US
S355JR	3.20*1200*C	8.48	BAO STEEL	PLEASE CONTACT US
S355JR	3.22*1069*C	3.81	BAO STEEL	PLEASE CONTACT US
S355JR	3.22*1167*C	20.41	BAO STEEL	PLEASE CONTACT US
S355JR	3.23*1199*C	18.67	BAO STEEL	PLEASE CONTACT US
S355JR	3.48*1165*C	10.38	BAO STEEL	PLEASE CONTACT US
S355JR	3.50*1062*C	4.61	BAO STEEL	PLEASE CONTACT US
S355JR	3.50*1163*C	3.39	BAO STEEL	PLEASE CONTACT US
S355JR	3.50*1163*C	6.44	BAO STEEL	PLEASE CONTACT US
S355JR	3.50*1165*C	5.67	BAO STEEL	PLEASE CONTACT US
S355JR	3.50*1220*C	8.39	BAO STEEL	PLEASE CONTACT US
S355JR	3.50*1250*C	3.63	BAO STEEL	PLEASE CONTACT US
S355JR	3.50*1350*C	16.32	BAO STEEL	PLEASE CONTACT US
S355JR	3.50*1500*C	3.33	BAO STEEL	PLEASE CONTACT US
S355JR	3.52*1220*C	4.28	BAO STEEL	PLEASE CONTACT US
S355JR	3.52*1279*C	7.87	BAO STEEL	PLEASE CONTACT US
S355JR	3.53*1561*C	9.94	BAO STEEL	PLEASE CONTACT US
S355JR	3.60*1160*C	20.12	BAO STEEL	PLEASE CONTACT US
S355JR	3.60*1250*C	3.25	BAO STEEL	PLEASE CONTACT US
S355JR	3.61*1120*C	4.46	BAO STEEL	PLEASE CONTACT US
S355JR	3.63*1160*C	17.32	BAO STEEL	PLEASE CONTACT US
S355JR	3.63*1160*C	17.39	BAO STEEL	PLEASE CONTACT US
S355JR	3.63*1375*C	3.61	BAO STEEL	PLEASE CONTACT US

S355JR	3.63*1375*C	4.59	BAO STEEL	PLEASE CONTACT US
S355JR	3.63*1375*C	3.47	BAO STEEL	PLEASE CONTACT US
S355JR	3.70*1200*C	5.66	BAO STEEL	PLEASE CONTACT US
S355JR	3.70*1200*C	6.5	BAO STEEL	PLEASE CONTACT US
S355JR	3.70*1200*C	6.17	BAO STEEL	PLEASE CONTACT US
S355JR	3.70*1230*C	3.44	BAO STEEL	PLEASE CONTACT US
S355JR	3.70*1230*C	3.43	BAO STEEL	PLEASE CONTACT US
S355JR	3.70*1230*C	3.95	BAO STEEL	PLEASE CONTACT US
S355JR	3.70*1312*C	5.45	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1000*C	12.79	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1000*C	18.37	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1000*C	19.58	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1000*C	19.37	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1000*C	18.66	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1000*C	20.09	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1000*C	19.57	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1050*C	13.96	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1050*C	14.07	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1050*C	13.98	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1100*C	16.6	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1100*C	17.36	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1100*C	18.7	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1100*C	19.56	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1100*C	17.43	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1100*C	17.98	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1100*C	18.51	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1100*C	18.49	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1100*C	19.22	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1100*C	17.52	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1100*C	17.39	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1100*C	16.85	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1100*C	3.64	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1100*C	19.15	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1200*C	18.46	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1200*C	20.63	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1245*C	11.16	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1245*C	18.28	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1245*C	20.62	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1250*C	5	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1250*C	19.26	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1250*C	19.12	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*1500*C	28.84	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*860*C	13.06	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*860*C	13.21	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*910*C	13.98	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*910*C	14.15	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*910*C	12.06	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*920*C	13.67	BAO STEEL	PLEASE CONTACT US
S355JR	4.00*920*C	13.5	BAO STEEL	PLEASE CONTACT US
S355JR	4.02*1271*C	10.68	BAO STEEL	PLEASE CONTACT US
S355JR	4.02*1304*C	21.98	BAO STEEL	PLEASE CONTACT US
S355JR	4.02*1304*C	3.74	BAO STEEL	PLEASE CONTACT US
S355JR	4.02*1437*C	4.07	BAO STEEL	PLEASE CONTACT US
S355JR	4.08*1247*C	16.68	BAO STEEL	PLEASE CONTACT US
S355JR	4.25*1180*C	20.63	BAO STEEL	PLEASE CONTACT US
S355JR	4.25*1180*C	3.14	BAO STEEL	PLEASE CONTACT US
S355JR	4.25*1250*C	21.7	BAO STEEL	PLEASE CONTACT US
S355JR	4.30*1350*C	9.17	BAO STEEL	PLEASE CONTACT US

S355JR	4.50*1500*C	4.16	BAO STEEL	PLEASE CONTACT US
S355JR	4.50*907*C	13.67	BAO STEEL	PLEASE CONTACT US
S355JR	4.50*930*C	7.55	BAO STEEL	PLEASE CONTACT US
S355JR	4.53*1160*C	3.19	BAO STEEL	PLEASE CONTACT US
S355JR	4.53*1160*C	3.26	BAO STEEL	PLEASE CONTACT US
S355JR	4.53*1160*C	3.22	BAO STEEL	PLEASE CONTACT US
S355JR	4.53*1160*C	3.22	BAO STEEL	PLEASE CONTACT US
S355JR	4.53*1160*C	3.22	BAO STEEL	PLEASE CONTACT US
S355JR	4.53*1160*C	3.26	BAO STEEL	PLEASE CONTACT US
S355JR	4.53*1160*C	3.22	BAO STEEL	PLEASE CONTACT US
S355JR	4.53*1160*C	3.2	BAO STEEL	PLEASE CONTACT US
S355JR	4.53*1160*C	3.26	BAO STEEL	PLEASE CONTACT US
S355JR	4.65*1500*C	3.53	BAO STEEL	PLEASE CONTACT US
S355JR	4.75*1135*C	7.46	BAO STEEL	PLEASE CONTACT US
S355JR	4.75*1250*C	23.02	BAO STEEL	PLEASE CONTACT US
S355JR	4.80*1143*C	3.58	BAO STEEL	PLEASE CONTACT US
S355JR	4.80*1143*C	20.55	BAO STEEL	PLEASE CONTACT US
S355JR	4.80*1143*C	20.48	BAO STEEL	PLEASE CONTACT US
S355JR	4.80*1143*C	21.96	BAO STEEL	PLEASE CONTACT US
S355JR	4.80*860*C	4.06	BAO STEEL	PLEASE CONTACT US
S355JR	5.00*1500*C	4.8	BAO STEEL	PLEASE CONTACT US
S355JR	5.05*1220*C	3.19	BAO STEEL	PLEASE CONTACT US
S355JR	5.50*1250*C	3.08	BAO STEEL	PLEASE CONTACT US
S355JR	5.75*1300*C	22.1	BAO STEEL	PLEASE CONTACT US
S355JR	5.75*1300*C	18.7	BAO STEEL	PLEASE CONTACT US
S355JR	6.00*1200*C	18.3	BAO STEEL	PLEASE CONTACT US
S355JR	6.00*1245*C	7.68	BAO STEEL	PLEASE CONTACT US
S355JR	6.15*993*C	9.15	BAO STEEL	PLEASE CONTACT US
S355JR	7.00*1270*C	3.18	BAO STEEL	PLEASE CONTACT US
S355JR	7.00*1500*C	6.38	BAO STEEL	PLEASE CONTACT US
S355JR	7.00*860*C	13.2	BAO STEEL	PLEASE CONTACT US
S355JR	7.00*860*C	13.66	BAO STEEL	PLEASE CONTACT US
S355JR	7.50*1500*C	28.59	BAO STEEL	PLEASE CONTACT US
S355JR	8.00*1180*C	20.54	BAO STEEL	PLEASE CONTACT US
S355JR	8.00*1180*C	20.54	BAO STEEL	PLEASE CONTACT US
S355JR	8.00*1200*C	4.05	BAO STEEL	PLEASE CONTACT US
S355JR	8.00*1245*C	18.65	BAO STEEL	PLEASE CONTACT US
S355JR	8.00*1250*C	20.16	BAO STEEL	PLEASE CONTACT US
S355JR	8.00*1250*C	20.16	BAO STEEL	PLEASE CONTACT US
S355JR	8.00*1250*C	20.21	BAO STEEL	PLEASE CONTACT US
S355JR	8.00*1250*C	20.19	BAO STEEL	PLEASE CONTACT US
S355JR	8.00*1250*C	20.11	BAO STEEL	PLEASE CONTACT US
S355JR	8.00*1250*C	20.16	BAO STEEL	PLEASE CONTACT US
S355JR	8.00*1250*C	20.12	BAO STEEL	PLEASE CONTACT US
S355JR	8.00*1250*C	20.17	BAO STEEL	PLEASE CONTACT US
S355JR	8.00*1250*C	20.19	BAO STEEL	PLEASE CONTACT US
S355JR	8.00*1250*C	17.96	BAO STEEL	PLEASE CONTACT US
S355JR	8.00*1250*C	19.41	BAO STEEL	PLEASE CONTACT US
S355JR	8.00*1250*C	19.64	BAO STEEL	PLEASE CONTACT US
S355JR	8.00*1250*C	10.93	BAO STEEL	PLEASE CONTACT US
S355JR	8.00*1250*C	17.31	BAO STEEL	PLEASE CONTACT US
S355JR	8.00*1260*C	19.73	BAO STEEL	PLEASE CONTACT US
S355JR	8.00*1260*C	19.6	BAO STEEL	PLEASE CONTACT US
S355JR	8.00*1275*C	24.9	BAO STEEL	PLEASE CONTACT US
S355JR	8.00*1550*C	22.21	BAO STEEL	PLEASE CONTACT US
S355JR	8.01*1300*C	24.56	BAO STEEL	PLEASE CONTACT US
S355JR	8.45*1080*C	16.59	BAO STEEL	PLEASE CONTACT US
S355JR	8.50*1000*C	3.89	BAO STEEL	PLEASE CONTACT US

S355JR	8.80*1500*C	6.64	BAO STEEL	PLEASE CONTACT US
S355JR	9.30*1438*C	11.46	BAO STEEL	PLEASE CONTACT US
S355JR	9.50*1250*C	6.95	BAO STEEL	PLEASE CONTACT US
S355JR	9.65*1001*C	5.79	BAO STEEL	PLEASE CONTACT US
Q345qD	6*1150*C	18.64	BAO STEEL	PLEASE CONTACT US
Q450NQR1	6.83*1250*C	9.21	BAO STEEL	PLEASE CONTACT US
Q450NQR1	6.83*1250*C	9.27	BAO STEEL	PLEASE CONTACT US
Q460C	1.60*980*C	3.58	BAO STEEL	PLEASE CONTACT US
Q460C	1.60*980*C	3.72	BAO STEEL	PLEASE CONTACT US
Q460C	1.80*1150*C	4.21	BAO STEEL	PLEASE CONTACT US
Q460C	1.80*995*C	4.03	BAO STEEL	PLEASE CONTACT US
Q460C	2.00*1006*C	3.96	BAO STEEL	PLEASE CONTACT US
Q460C	2.00*1006*C	4.13	BAO STEEL	PLEASE CONTACT US
Q460C	2.00*1110*C	17.47	BAO STEEL	PLEASE CONTACT US
Q460C	2.00*1120*C	7.36	BAO STEEL	PLEASE CONTACT US
Q460C	2.00*1196*C	3.13	BAO STEEL	PLEASE CONTACT US
Q460C	2.00*1200*C	17.94	BAO STEEL	PLEASE CONTACT US
Q460C	2.00*1200*C	18.41	BAO STEEL	PLEASE CONTACT US
Q460C	2.00*1228*C	5.77	BAO STEEL	PLEASE CONTACT US
Q460C	2.00*1228*C	3.56	BAO STEEL	PLEASE CONTACT US
Q460C	2.00*1228*C	3.16	BAO STEEL	PLEASE CONTACT US
Q460C	2.00*1228*C	3.18	BAO STEEL	PLEASE CONTACT US
Q460C	2.00*1228*C	3.48	BAO STEEL	PLEASE CONTACT US
Q460C	2.00*1232*C	4.16	BAO STEEL	PLEASE CONTACT US
Q460C	2.00*1232*C	3.35	BAO STEEL	PLEASE CONTACT US
Q460C	2.00*1232*C	4.61	BAO STEEL	PLEASE CONTACT US
Q460C	2.00*1232*C	3.46	BAO STEEL	PLEASE CONTACT US
Q460C	2.00*1250*C	3.36	BAO STEEL	PLEASE CONTACT US
Q460C	2.00*1250*C	4.97	BAO STEEL	PLEASE CONTACT US
Q460C	2.00*1250*C	4.34	BAO STEEL	PLEASE CONTACT US
Q460C	2.00*960*C	5.28	BAO STEEL	PLEASE CONTACT US
Q460C	2.00*961*C	17.86	BAO STEEL	PLEASE CONTACT US
Q460C	2.00*961*C	17.82	BAO STEEL	PLEASE CONTACT US
Q460C	2.30*1070*C	4.99	BAO STEEL	PLEASE CONTACT US
Q460C	2.30*1125*C	5.61	BAO STEEL	PLEASE CONTACT US
Q460C	2.35*1110*C	4.36	BAO STEEL	PLEASE CONTACT US
Q460C	2.50*1063*C	3.14	BAO STEEL	PLEASE CONTACT US
Q460C	2.50*1129*C	6.06	BAO STEEL	PLEASE CONTACT US
Q460C	2.50*1250*C	3.42	BAO STEEL	PLEASE CONTACT US
Q460C	2.50*1275*C	3.13	BAO STEEL	PLEASE CONTACT US
Q460C	2.50*1275*C	6.19	BAO STEEL	PLEASE CONTACT US
Q460C	2.50*964*C	3.91	BAO STEEL	PLEASE CONTACT US
Q460C	2.75*1118*C	16.82	BAO STEEL	PLEASE CONTACT US
Q460C	2.75*1118*C	3.03	BAO STEEL	PLEASE CONTACT US
Q460C	3.00*1000*C	5.99	BAO STEEL	PLEASE CONTACT US
Q460C	3.00*1010*C	17.34	BAO STEEL	PLEASE CONTACT US
Q460C	3.00*1120*C	3.1	BAO STEEL	PLEASE CONTACT US
Q460C	3.00*1150*C	9.49	BAO STEEL	PLEASE CONTACT US
Q460C	3.00*1180*C	17.38	BAO STEEL	PLEASE CONTACT US
Q460C	3.00*1180*C	19.94	BAO STEEL	PLEASE CONTACT US
Q460C	3.00*1250*C	5.05	BAO STEEL	PLEASE CONTACT US
Q460C	3.00*1250*C	6.37	BAO STEEL	PLEASE CONTACT US
Q460C	3.00*1250*C	11.85	BAO STEEL	PLEASE CONTACT US
Q460C	3.00*1274*C	4.94	BAO STEEL	PLEASE CONTACT US
Q460C	3.01*1298*C	3.14	BAO STEEL	PLEASE CONTACT US
Q460C	3.05*1186*C	3.04	BAO STEEL	PLEASE CONTACT US
Q460C	3.20*1150*C	10.61	BAO STEEL	PLEASE CONTACT US
Q460C	3.20*1218*C	6.32	BAO STEEL	PLEASE CONTACT US

Q460C	3.20*1270*C	9.34	BAO STEEL	PLEASE CONTACT US
Q460C	3.20*1275*C	3.33	BAO STEEL	PLEASE CONTACT US
Q460C	3.20*1310*C	10.98	BAO STEEL	PLEASE CONTACT US
Q460C	3.50*1175*C	19.12	BAO STEEL	PLEASE CONTACT US
Q460C	3.50*1175*C	15.73	BAO STEEL	PLEASE CONTACT US
Q460C	3.50*1250*C	5.24	BAO STEEL	PLEASE CONTACT US
Q460C	3.50*1268*C	9.23	BAO STEEL	PLEASE CONTACT US
Q460C	3.50*1350*C	6.14	BAO STEEL	PLEASE CONTACT US
Q460C	3.50*1443*C	3.41	BAO STEEL	PLEASE CONTACT US
Q460C	3.58*1175*C	4.2	BAO STEEL	PLEASE CONTACT US
Q460C	3.70*1200*C	5.91	BAO STEEL	PLEASE CONTACT US
Q460C	3.72*1250*C	20.54	BAO STEEL	PLEASE CONTACT US
Q460C	3.75*1190*C	18.92	BAO STEEL	PLEASE CONTACT US
Q460C	3.75*1190*C	20.14	BAO STEEL	PLEASE CONTACT US
Q460C	3.95*1205*C	6.65	BAO STEEL	PLEASE CONTACT US
Q460C	3.95*1205*C	18.36	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1000*C	3.52	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1125*C	10.63	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1150*C	17.79	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1150*C	17.69	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1150*C	18.36	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1190*C	9.08	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1200*C	17.54	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1200*C	19.48	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1200*C	21.35	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1200*C	19.76	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1200*C	22.88	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1200*C	22.93	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1200*C	17.92	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1200*C	19.92	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1200*C	19.82	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1200*C	21.06	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1245*C	18.12	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1250*C	19.45	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1250*C	19.66	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1250*C	20.34	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1260*C	6.36	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1275*C	4.84	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1350*C	12.47	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1395*C	22.02	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*1412*C	25.68	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*950*C	15.99	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*950*C	16.51	BAO STEEL	PLEASE CONTACT US
Q460C	4.00*950*C	16.45	BAO STEEL	PLEASE CONTACT US
Q460C	4.11*1247*C	16.99	BAO STEEL	PLEASE CONTACT US
Q460C	4.11*1247*C	9.41	BAO STEEL	PLEASE CONTACT US
Q460C	4.11*1247*C	5.66	BAO STEEL	PLEASE CONTACT US
Q460C	4.25*1080*C	16.48	BAO STEEL	PLEASE CONTACT US
Q460C	4.50*1050*C	8.09	BAO STEEL	PLEASE CONTACT US
Q460C	4.50*1362*C	3.18	BAO STEEL	PLEASE CONTACT US
Q460C	4.75*1000*C	16.52	BAO STEEL	PLEASE CONTACT US
Q460C	4.75*1000*C	16.56	BAO STEEL	PLEASE CONTACT US
Q460C	4.75*1000*C	16.63	BAO STEEL	PLEASE CONTACT US
Q460C	4.75*1000*C	15.79	BAO STEEL	PLEASE CONTACT US
Q460C	4.75*1000*C	15.88	BAO STEEL	PLEASE CONTACT US
Q460C	4.75*1000*C	13.52	BAO STEEL	PLEASE CONTACT US
Q460C	4.75*1000*C	3.27	BAO STEEL	PLEASE CONTACT US
Q460C	4.75*1000*C	19.1	BAO STEEL	PLEASE CONTACT US

Q460C	4.99*1218*C	3.88	BAO STEEL	PLEASE CONTACT US
Q460C	4.99*1218*C	7.29	BAO STEEL	PLEASE CONTACT US
Q460C	5.00*1000*C	3.33	BAO STEEL	PLEASE CONTACT US
Q460C	5.00*1020*C	18.31	BAO STEEL	PLEASE CONTACT US
Q460C	5.00*1020*C	19	BAO STEEL	PLEASE CONTACT US
Q460C	5.00*1250*C	21.27	BAO STEEL	PLEASE CONTACT US
Q460C	5.00*1440*C	6.02	BAO STEEL	PLEASE CONTACT US
Q460C	5.50*1460*C	3.31	BAO STEEL	PLEASE CONTACT US
Q460C	5.75*1120*C	17.52	BAO STEEL	PLEASE CONTACT US
Q460C	5.75*1120*C	17.92	BAO STEEL	PLEASE CONTACT US
Q460C	5.75*1150*C	19.74	BAO STEEL	PLEASE CONTACT US
Q460C	5.75*1245*C	19.01	BAO STEEL	PLEASE CONTACT US
Q460C	5.80*1120*C	15.29	BAO STEEL	PLEASE CONTACT US
Q460C	5.80*1219*C	15.7	BAO STEEL	PLEASE CONTACT US
Q460C	6*1140*C	16.85	BAO STEEL	PLEASE CONTACT US
Q460C	6*1140*C	17.42	BAO STEEL	PLEASE CONTACT US
Q460C	6*1200*C	18.64	BAO STEEL	PLEASE CONTACT US
Q460C	6*949*C	18.29	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1000*C	15.04	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1000*C	15.48	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1030*C	13.23	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1030*C	15.66	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1040*C	15.73	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1050*C	19.77	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1050*C	18.78	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1050*C	10.33	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1050*C	19.04	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1050*C	18.72	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1050*C	16.01	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1050*C	16.55	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1050*C	15.89	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1050*C	16.49	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1080*C	9.97	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1090*C	17.11	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	19.05	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	18.63	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	18.24	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	19.4	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	18.61	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	16.88	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	19.18	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	19.04	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	19.41	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	19.5	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	18	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	18.29	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	16.32	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	20.1	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	20.13	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	10.17	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	17.42	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	17.28	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	16.72	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	14.94	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	19.04	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	19.08	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	18.26	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	17.83	BAO STEEL	PLEASE CONTACT US

Q460C	6.00*1100*C	20.95	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	19.29	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	18.02	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	16.83	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	18.51	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	19.52	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	16.83	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	18.8	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	19.18	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1100*C	17.55	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1130*C	16.32	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1130*C	18.51	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1130*C	22.05	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1130*C	19.38	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1130*C	21.03	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1140*C	4.38	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	15.85	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	20.36	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	20.41	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	16.52	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	19.06	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	18.59	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	18.31	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	18.97	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	20.26	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	20.37	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	20.36	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	19.65	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	17.22	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	10.47	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	19.05	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	18.24	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	19.6	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	20.09	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	18.03	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	17.81	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	18.25	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	14.94	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	22.46	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	20.3	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	19.86	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	19.85	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	19.78	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	19.74	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	18.03	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	17.75	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	19.48	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	18.95	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	18.65	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	18.65	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	20.4	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	17.78	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	14.47	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	20.36	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	17.43	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	19.76	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	20.49	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	17.76	BAO STEEL	PLEASE CONTACT US

Q460C	6.00*1150*C	20.57	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	18.29	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	22.13	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	18.32	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	21.1	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	17.91	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	19.72	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	20.32	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	17.27	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	21.65	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1150*C	16.43	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	23.2	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	11.26	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	19.96	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	20.37	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	20.38	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	20.23	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	19.96	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	20.11	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	10.43	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	19.99	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	20.27	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	19.48	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	18.9	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	19.96	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	19.9	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	20.32	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	19.95	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	19.55	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	19.57	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	19.47	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	18.52	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	18.52	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	18.48	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	18.47	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	18.32	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	20.54	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	20.65	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	20.21	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	20.4	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	20.38	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	19.79	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	4.42	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	15.3	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	19.64	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	19.7	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	14.56	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	10.9	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	20	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	18.06	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	22.91	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	10.92	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	11.08	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	20.96	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	19.23	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	19.76	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	9.98	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	14.38	BAO STEEL	PLEASE CONTACT US

Q460C	6.00*1180*C	20.66	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	19.99	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	23.03	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	18.02	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	17.53	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	21.29	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	20.69	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	20.52	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	20.1	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	21.67	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	17.8	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	17.86	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	17.98	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	14.98	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	15.06	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	16.51	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	15.74	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	23.08	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	20.41	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1180*C	22.81	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	17.81	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	20.11	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	18.64	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	20.42	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	18.84	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	19.08	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	18.51	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	15.62	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	16.58	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	17.77	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	18.85	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	17.79	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	20.84	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	17.68	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	18.36	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	18.8	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	19.71	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	20.81	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	20.35	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	20.87	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	11.43	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	17.79	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	19.34	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	17.28	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	10.41	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	11.23	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	22.23	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1200*C	22.89	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1245*C	18.81	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1245*C	18.8	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	10.67	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	20.95	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	20.2	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	21.84	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	20.04	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	18.3	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	11.71	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	11.42	BAO STEEL	PLEASE CONTACT US

Q460C	6.00*1250*C	20.8	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	21.48	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	23.75	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	19.61	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	21.52	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	21.32	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	18.98	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	18.84	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	22.69	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	21.98	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	20.83	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	17.97	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	19	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	22.54	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	10.52	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	11.38	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	21.39	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	21.4	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	21.46	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	21.4	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	21.44	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	19.01	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	19.5	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	11.73	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	20.41	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	19.33	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	18.98	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	16.88	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	4.03	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	23.95	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	18.43	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	19.21	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	18.13	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	18.12	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	18.2	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	18.28	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	17.46	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	18.54	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1250*C	18.46	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1260*C	19.4	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1260*C	20.43	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1260*C	20.18	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1260*C	22.07	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1260*C	19.45	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1260*C	18.65	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1289*C	22.8	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1300*C	18.93	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1300*C	21.58	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1300*C	25.47	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1300*C	22.28	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1300*C	21.28	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1300*C	25.35	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1300*C	20.96	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1300*C	11.52	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1300*C	24.08	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1300*C	22.76	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1300*C	24.06	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1300*C	20.22	BAO STEEL	PLEASE CONTACT US

Q460C	6.00*1300*C	20.14	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1300*C	21.93	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1300*C	24.86	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1300*C	25.1	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1300*C	22.65	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1300*C	20.96	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1300*C	18.96	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	20.82	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	25.13	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	24.15	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	23.07	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	21.85	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	24.06	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	24.01	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	23.58	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	24.03	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	24.07	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	23.71	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	25.31	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	23.86	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	26.67	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	23.98	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	23.13	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	23.44	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	23.02	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	11.71	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	22.11	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	23.85	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	23.86	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	20.41	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	22.65	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	17.04	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	21.39	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1350*C	24	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1360*C	11.18	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1360*C	21.33	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1360*C	23.97	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1360*C	21.8	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1360*C	20.49	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1360*C	22.19	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1360*C	24.33	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1360*C	23.79	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1360*C	24.35	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1360*C	21.68	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1400*C	24.45	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1400*C	20.96	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1400*C	24.28	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1500*C	14.35	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1500*C	14.82	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1500*C	12.31	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1500*C	22.74	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*1550*C	26.65	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*930*C	15.19	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*930*C	11.92	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*930*C	14.16	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*940*C	15.58	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*950*C	14.45	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*950*C	18.67	BAO STEEL	PLEASE CONTACT US

Q460C	6.00*980*C	14.93	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*980*C	16.81	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*980*C	15.42	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*980*C	14.84	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*980*C	12.93	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*980*C	17.87	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*980*C	13.27	BAO STEEL	PLEASE CONTACT US
Q460C	6.00*990*C	15.25	BAO STEEL	PLEASE CONTACT US
Q460C	6.13*1137*C	5.85	BAO STEEL	PLEASE CONTACT US
Q460C	7.80*1200*C	6.62	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1100*C	19.35	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1100*C	16.37	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1100*C	20.22	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1100*C	20.31	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1150*C	19.38	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1150*C	17.94	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1150*C	17.94	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1150*C	21.69	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1150*C	22.11	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1150*C	21.4	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1150*C	21.21	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1150*C	17.87	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1180*C	18.37	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1180*C	18.25	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1180*C	18.5	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1180*C	19.54	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1180*C	18.94	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1180*C	19.97	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1180*C	19.79	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1180*C	20.97	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1180*C	17.18	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1180*C	17.13	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	18	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	19.85	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	11.35	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	20.85	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	20.31	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	19.29	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	18.54	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	21.35	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	21.32	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	16.83	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	18.6	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	22.46	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	10.93	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	10.96	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	19.56	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	10.34	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	10.15	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	5.8	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	17.96	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	21.29	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	21.64	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	21.49	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	21.37	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	21.62	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	19.12	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	19.91	BAO STEEL	PLEASE CONTACT US

Q460C	8.00*1200*C	19.91	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1200*C	24.05	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1250*C	12.04	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1250*C	7.93	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1250*C	9.08	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1250*C	17.85	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1250*C	19.22	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1250*C	23.93	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1250*C	19.43	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1250*C	21.16	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1250*C	18.89	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1250*C	17.87	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1250*C	21.16	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1250*C	21.94	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1250*C	21.11	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1250*C	17.56	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1250*C	15.25	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1250*C	19.08	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1250*C	18.84	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1250*C	17.63	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1250*C	18.68	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1260*C	21.49	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1260*C	20.89	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1280*C	10.91	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1280*C	11.14	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1280*C	20.02	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1300*C	23.07	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1300*C	25.14	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1300*C	25.19	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1300*C	24.48	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1300*C	22.78	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1300*C	22.5	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1300*C	21.59	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1300*C	18.75	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1300*C	24.71	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1300*C	23.27	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1300*C	11.44	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1300*C	23.95	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1350*C	13.16	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1350*C	12.72	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1350*C	12.95	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1350*C	12.22	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1350*C	12.41	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1350*C	12.31	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1350*C	19.23	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1400*C	25.09	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1400*C	24.24	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1400*C	23.86	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1450*C	25.26	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1450*C	25.58	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1450*C	22.74	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1450*C	23.03	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1450*C	12.76	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1450*C	23.83	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1450*C	23.5	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1450*C	25.94	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1450*C	25.81	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1450*C	25.85	BAO STEEL	PLEASE CONTACT US

Q460C	8.00*1450*C	26.77	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1550*C	27.67	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1550*C	27.57	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1550*C	22.98	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1600*C	22.88	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1600*C	22.94	BAO STEEL	PLEASE CONTACT US
Q460C	8.00*1600*C	23.01	BAO STEEL	PLEASE CONTACT US
QStE340TM	2.00*1010*C	7.14	BAO STEEL	PLEASE CONTACT US
QStE340TM	2.00*1010*C	10.7	BAO STEEL	PLEASE CONTACT US
QStE340TM	2.30*853*C	6.93	BAO STEEL	PLEASE CONTACT US
QStE340TM	2.30*853*C	6.29	BAO STEEL	PLEASE CONTACT US
QStE340TM	2.50*1050*C	16.85	BAO STEEL	PLEASE CONTACT US
QStE340TM	2.50*1082*C	15.22	BAO STEEL	PLEASE CONTACT US
QStE340TM	3.50*1100*C	19.88	BAO STEEL	PLEASE CONTACT US
QStE340TM	4.00*1250*C	10.8	BAO STEEL	PLEASE CONTACT US
QStE340TM	4.50*1250*C	8.43	BAO STEEL	PLEASE CONTACT US
QStE380TM	2.00*860*C	7.57	BAO STEEL	PLEASE CONTACT US
QStE380TM	2.10*905*C	12.79	BAO STEEL	PLEASE CONTACT US
QStE380TM	2.20*833*C	6.1	BAO STEEL	PLEASE CONTACT US
QStE380TM	2.30*907*C	7.83	BAO STEEL	PLEASE CONTACT US
QStE380TM	2.50*860*C	13.59	BAO STEEL	PLEASE CONTACT US
QStE380TM	2.50*860*C	13.56	BAO STEEL	PLEASE CONTACT US
QStE380TM	2.50*860*C	13.7	BAO STEEL	PLEASE CONTACT US
QStE380TM	2.50*860*C	13.71	BAO STEEL	PLEASE CONTACT US
QStE380TM	2.50*907*C	14.62	BAO STEEL	PLEASE CONTACT US
QStE380TM	2.75*907*C	14.58	BAO STEEL	PLEASE CONTACT US
QStE380TM	4.00*1000*C	13.84	BAO STEEL	PLEASE CONTACT US
QStE380TM	4.00*1250*C	10.23	BAO STEEL	PLEASE CONTACT US
QStE380TM	4.00*1425*C	28.04	BAO STEEL	PLEASE CONTACT US
QStE380TM	4.00*1500*C	24.13	BAO STEEL	PLEASE CONTACT US
QStE380TM	4.80*860*C	9.8	BAO STEEL	PLEASE CONTACT US
QStE380TM	6.00*1250*C	4.6	BAO STEEL	PLEASE CONTACT US
QStE420TM	2.00*860*C	13.41	BAO STEEL	PLEASE CONTACT US
QStE420TM	2.00*870*C	7.13	BAO STEEL	PLEASE CONTACT US
QStE420TM	2.00*870*C	5.51	BAO STEEL	PLEASE CONTACT US
QStE420TM	2.05*1103*C	17.37	BAO STEEL	PLEASE CONTACT US
QStE420TM	2.20*1160*C	6.08	BAO STEEL	PLEASE CONTACT US
QStE420TM	2.25*870*C	9.59	BAO STEEL	PLEASE CONTACT US
QStE420TM	2.50*1140*C	5.8	BAO STEEL	PLEASE CONTACT US
QStE420TM	3.00*940*C	14.26	BAO STEEL	PLEASE CONTACT US
QStE420TM	3.00*950*C	14.06	BAO STEEL	PLEASE CONTACT US
QStE420TM	3.20*1125*C	15.63	BAO STEEL	PLEASE CONTACT US
QStE420TM	4.00*900*C	15.67	BAO STEEL	PLEASE CONTACT US
QStE420TM	4.00*920*C	12.93	BAO STEEL	PLEASE CONTACT US
QStE420TM	4.00*920*C	14.38	BAO STEEL	PLEASE CONTACT US
QStE420TM	4.00*930*C	8.56	BAO STEEL	PLEASE CONTACT US
QStE420TM	4.50*1124*C	9.13	BAO STEEL	PLEASE CONTACT US
QStE420TM	4.80*1143*C	6.48	BAO STEEL	PLEASE CONTACT US
QStE420TM	5.00*930*C	8.21	BAO STEEL	PLEASE CONTACT US
QStE420TM	5.50*1105*C	6.14	BAO STEEL	PLEASE CONTACT US
QStE460TM	2.00*1228*C	19.95	BAO STEEL	PLEASE CONTACT US
QStE460TM	2.00*1228*C	19.92	BAO STEEL	PLEASE CONTACT US
QStE460TM	2.00*1228*C	20.15	BAO STEEL	PLEASE CONTACT US
QStE460TM	2.00*1228*C	20.15	BAO STEEL	PLEASE CONTACT US
QStE460TM	2.00*1228*C	20.06	BAO STEEL	PLEASE CONTACT US
QStE460TM	2.00*1228*C	20.13	BAO STEEL	PLEASE CONTACT US
QStE460TM	2.20*1260*C	18.57	BAO STEEL	PLEASE CONTACT US
QStE460TM	4.50*1000*C	14.53	BAO STEEL	PLEASE CONTACT US

QStE460TM	5.00*1450*C	25.71	BAO STEEL	PLEASE CONTACT US
QStE500TM	4.00*1500*C	13.67	BAO STEEL	PLEASE CONTACT US
QStE500TM	6.00*1245*C	4.29	BAO STEEL	PLEASE CONTACT US
QStE550TM	3.50*1230*C	11.32	BAO STEEL	PLEASE CONTACT US
QStE550TM	5*1130*C	18.15	BAO STEEL	PLEASE CONTACT US
QStE550TM	5.00*1150*C	8.2	BAO STEEL	PLEASE CONTACT US
S20C	3.00*1250*C	20.55	BAO STEEL	PLEASE CONTACT US
S20C	3.00*1250*C	22.64	BAO STEEL	PLEASE CONTACT US
S20C	3.00*1250*C	23.18	BAO STEEL	PLEASE CONTACT US
S20C	3.00*1250*C	23.12	BAO STEEL	PLEASE CONTACT US
S20C	3.75*1250*C	5.64	BAO STEEL	PLEASE CONTACT US
S20C	4.00*1300*C	23.14	BAO STEEL	PLEASE CONTACT US
S235JR	2.50*1050*C	7.33	BAO STEEL	PLEASE CONTACT US
S235JR	3.00*1145*C	7.59	BAO STEEL	PLEASE CONTACT US
S275-CN	5.00*1210*C	13.77	BAO STEEL	PLEASE CONTACT US
S275JR	5.00*1210*C	5.77	BAO STEEL	PLEASE CONTACT US
S355GP	8.00*1040*C	9.4	BAO STEEL	PLEASE CONTACT US
S355GP	8.00*1040*C	9.46	BAO STEEL	PLEASE CONTACT US
S355GP	8.00*1200*C	16.04	BAO STEEL	PLEASE CONTACT US
S355GP	8.00*1200*C	16.05	BAO STEEL	PLEASE CONTACT US
S355GP	8.00*1200*C	20.84	BAO STEEL	PLEASE CONTACT US
S355GP	8.00*1200*C	20.82	BAO STEEL	PLEASE CONTACT US
S355GP	8.00*1200*C	22.74	BAO STEEL	PLEASE CONTACT US
S355GP	8.00*1200*C	21.57	BAO STEEL	PLEASE CONTACT US
S355GP	8.00*1250*C	11.78	BAO STEEL	PLEASE CONTACT US
S355GP	8.00*1300*C	21.92	BAO STEEL	PLEASE CONTACT US
S355GP	8.00*950*C	8.15	BAO STEEL	PLEASE CONTACT US
S355GP	8.00*950*C	8.2	BAO STEEL	PLEASE CONTACT US
S355GP	8.00*950*C	12.82	BAO STEEL	PLEASE CONTACT US
S355GP	9.50*985*C	14.51	BAO STEEL	PLEASE CONTACT US
S355JR	3.00*1250*C	9.8	BAO STEEL	PLEASE CONTACT US
S355MC	3.50*1350*C	26.26	BAO STEEL	PLEASE CONTACT US
S355MC	3.50*1350*C	26.27	BAO STEEL	PLEASE CONTACT US
S35C	6.50*1122*C	19.75	BAO STEEL	PLEASE CONTACT US
S35C	6.50*1122*C	19.78	BAO STEEL	PLEASE CONTACT US
S35C	6.50*1122*C	19.84	BAO STEEL	PLEASE CONTACT US
S35C	6.50*1122*C	20.52	BAO STEEL	PLEASE CONTACT US
S35C	6.50*1130*C	17.98	BAO STEEL	PLEASE CONTACT US
S35C	6.50*1130*C	19.12	BAO STEEL	PLEASE CONTACT US
S35C	6.50*1130*C	18.04	BAO STEEL	PLEASE CONTACT US
S35C	6.50*1130*C	19.91	BAO STEEL	PLEASE CONTACT US
S35C	7.00*1240*C	21.85	BAO STEEL	PLEASE CONTACT US
S35C	8.01*1500*C	21.09	BAO STEEL	PLEASE CONTACT US
S35C	8.01*1500*C	24.83	BAO STEEL	PLEASE CONTACT US
S35C	8.01*1500*C	24.89	BAO STEEL	PLEASE CONTACT US
S35C	8.01*1500*C	24.75	BAO STEEL	PLEASE CONTACT US
S35C	8.01*1500*C	24.8	BAO STEEL	PLEASE CONTACT US
S35C	8.01*1500*C	24.4	BAO STEEL	PLEASE CONTACT US
S35C	9.00*1158*C	16.81	BAO STEEL	PLEASE CONTACT US
S35C	9.00*1158*C	19.98	BAO STEEL	PLEASE CONTACT US
S35C	9.00*1158*C	18.59	BAO STEEL	PLEASE CONTACT US
S35C	9.00*1158*C	17.13	BAO STEEL	PLEASE CONTACT US
S35C	9.00*1158*C	18.74	BAO STEEL	PLEASE CONTACT US
S35C	9.00*1158*C	18.64	BAO STEEL	PLEASE CONTACT US
S35C	9.00*1158*C	17.12	BAO STEEL	PLEASE CONTACT US
S35C	9.00*1158*C	18.71	BAO STEEL	PLEASE CONTACT US
S35C	9.00*1158*C	17.24	BAO STEEL	PLEASE CONTACT US
S35C	9.00*1158*C	18.59	BAO STEEL	PLEASE CONTACT US

S35C	9.00*1158*C	17.86	BAO STEEL	PLEASE CONTACT US
S35C	9.00*1158*C	17.87	BAO STEEL	PLEASE CONTACT US
S45C	2.00*1100*C	14.01	BAO STEEL	PLEASE CONTACT US
S45C	2.00*1110*C	17.31	BAO STEEL	PLEASE CONTACT US
S45C	2.50*1140*C	3.06	BAO STEEL	PLEASE CONTACT US
S45C	2.75*1118*C	17.59	BAO STEEL	PLEASE CONTACT US
S45C	2.75*1118*C	17.55	BAO STEEL	PLEASE CONTACT US
S45C	2.75*1118*C	17.55	BAO STEEL	PLEASE CONTACT US
S45C	2.75*1118*C	17.46	BAO STEEL	PLEASE CONTACT US
S45C	2.75*1118*C	15.43	BAO STEEL	PLEASE CONTACT US
S45C	2.75*1118*C	17.59	BAO STEEL	PLEASE CONTACT US
S45C	3.00*1500*C	22.89	BAO STEEL	PLEASE CONTACT US
S45C	3.00*1500*C	23.17	BAO STEEL	PLEASE CONTACT US
S45C	3.20*1500*C	24.89	BAO STEEL	PLEASE CONTACT US
S45C	3.20*1500*C	24.91	BAO STEEL	PLEASE CONTACT US
S45C	3.20*1500*C	24.69	BAO STEEL	PLEASE CONTACT US
S45C	3.20*1500*C	24.89	BAO STEEL	PLEASE CONTACT US
S45C	4.50*1300*C	22.45	BAO STEEL	PLEASE CONTACT US
S45C	4.50*1395*C	19.65	BAO STEEL	PLEASE CONTACT US
S45C	4.50*1395*C	26.18	BAO STEEL	PLEASE CONTACT US
S45C	4.50*1395*C	26.32	BAO STEEL	PLEASE CONTACT US
S45C	4.60*1150*C	17.95	BAO STEEL	PLEASE CONTACT US
S45C	7.50*1020*C	16.27	BAO STEEL	PLEASE CONTACT US
S45C	7.50*1020*C	16.12	BAO STEEL	PLEASE CONTACT US
S45C	7.50*1150*C	6.19	BAO STEEL	PLEASE CONTACT US
S45C	7.50*1150*C	12.37	BAO STEEL	PLEASE CONTACT US
S45C	7.50*1500*C	25.05	BAO STEEL	PLEASE CONTACT US
S45C	7.50*1500*C	24.92	BAO STEEL	PLEASE CONTACT US
S45C	7.50*1500*C	24.75	BAO STEEL	PLEASE CONTACT US
S45C	7.50*1500*C	24.82	BAO STEEL	PLEASE CONTACT US
S45C	7.50*1500*C	24.74	BAO STEEL	PLEASE CONTACT US
S45C	7.50*1500*C	24.8	BAO STEEL	PLEASE CONTACT US
S45C	7.50*1500*C	24.96	BAO STEEL	PLEASE CONTACT US
S45C	7.50*1500*C	23.27	BAO STEEL	PLEASE CONTACT US
S45C	7.50*1500*C	23.27	BAO STEEL	PLEASE CONTACT US
S45C	7.50*1500*C	23.8	BAO STEEL	PLEASE CONTACT US
S45C	7.50*1500*C	23.16	BAO STEEL	PLEASE CONTACT US
S45C	7.90*1140*C	3.02	BAO STEEL	PLEASE CONTACT US
S45C	8.00*1300*C	24.37	BAO STEEL	PLEASE CONTACT US
S45C	8.05*1250*C	21.16	BAO STEEL	PLEASE CONTACT US
S45C	8.05*1250*C	24.75	BAO STEEL	PLEASE CONTACT US
S45C	8.05*1250*C	24.77	BAO STEEL	PLEASE CONTACT US
S45C	8.30*1250*C	18.43	BAO STEEL	PLEASE CONTACT US
S50C	3.50*1220*C	3.84	BAO STEEL	PLEASE CONTACT US
S50C	3.50*1302*C	24.55	BAO STEEL	PLEASE CONTACT US
S50C	3.50*1330*C	22.57	BAO STEEL	PLEASE CONTACT US
S50C	6.00*1230*C	11.56	BAO STEEL	PLEASE CONTACT US
S50C	6.00*1250*C	9.76	BAO STEEL	PLEASE CONTACT US
S550MC	4.00*1000*C	3.84	BAO STEEL	PLEASE CONTACT US
S600MC	4.00*1175*C	17.91	BAO STEEL	PLEASE CONTACT US
S600MC	4.00*1175*C	17.93	BAO STEEL	PLEASE CONTACT US
S600MC	4.00*1175*C	17.94	BAO STEEL	PLEASE CONTACT US
S600MC	4.00*1175*C	18.01	BAO STEEL	PLEASE CONTACT US
S600MC	4.00*1175*C	17.82	BAO STEEL	PLEASE CONTACT US
S600MC	4.00*1175*C	17.88	BAO STEEL	PLEASE CONTACT US
S600MC	4.50*1140*C	8.71	BAO STEEL	PLEASE CONTACT US
S600MC	4.50*1140*C	8.36	BAO STEEL	PLEASE CONTACT US
S700MC	3.20*1225*C	4.34	BAO STEEL	PLEASE CONTACT US

S700MC	3.50*1410*C	13.17	BAO STEEL	PLEASE CONTACT US
S700MC	3.50*1410*C	13.18	BAO STEEL	PLEASE CONTACT US
S700MC	3.50*1410*C	13.2	BAO STEEL	PLEASE CONTACT US
S700MC	4.00*1045*C	5.28	BAO STEEL	PLEASE CONTACT US
S700MC	4.00*1045*C	4.84	BAO STEEL	PLEASE CONTACT US
S700MC	4.44*1100*C	19.27	BAO STEEL	PLEASE CONTACT US
S700MC	4.44*1100*C	19.47	BAO STEEL	PLEASE CONTACT US
S700MC	4.50*1055*C	8.22	BAO STEEL	PLEASE CONTACT US
S700MC	4.50*1055*C	6.62	BAO STEEL	PLEASE CONTACT US
S700MC	4.50*1055*C	3.73	BAO STEEL	PLEASE CONTACT US
S700MC	4.50*1219*C	21.31	BAO STEEL	PLEASE CONTACT US
S700MC	4.50*1250*C	9.42	BAO STEEL	PLEASE CONTACT US
S700MC	6.00*1000*C	6.55	BAO STEEL	PLEASE CONTACT US
SAE 1006	1.80*930*C	4.04	BAO STEEL	PLEASE CONTACT US
SAE 1006	1.80*930*C	5.1	BAO STEEL	PLEASE CONTACT US
SAE 1006	2.50*980*C	10.41	BAO STEEL	PLEASE CONTACT US
SAE 1006	2.75*1010*C	14.45	BAO STEEL	PLEASE CONTACT US
SAE 1006	2.75*1010*C	10.51	BAO STEEL	PLEASE CONTACT US
SAE 1006	2.75*1090*C	13.8	BAO STEEL	PLEASE CONTACT US
SAE 1006	2.75*1090*C	13.02	BAO STEEL	PLEASE CONTACT US
SAE 1006	2.75*1090*C	13.82	BAO STEEL	PLEASE CONTACT US
SAE 1006	2.75*1090*C	12.26	BAO STEEL	PLEASE CONTACT US
SAE 1006	2.75*1090*C	11.44	BAO STEEL	PLEASE CONTACT US
SAE 1006	2.75*1090*C	9.45	BAO STEEL	PLEASE CONTACT US
SAE 1006	2.75*1090*C	9.28	BAO STEEL	PLEASE CONTACT US
SAE 1006	2.75*1090*C	10.07	BAO STEEL	PLEASE CONTACT US
SAE 1006	2.75*1090*C	7.02	BAO STEEL	PLEASE CONTACT US
SAE 1006	2.75*1090*C	9.44	BAO STEEL	PLEASE CONTACT US
SAE 1006	2.75*1090*C	10.51	BAO STEEL	PLEASE CONTACT US
SAE 1006	2.75*1250*C	12.62	BAO STEEL	PLEASE CONTACT US
SAE 1006	2.75*1285*C	15.26	BAO STEEL	PLEASE CONTACT US
SAE 1006	2.75*1285*C	9.17	BAO STEEL	PLEASE CONTACT US
SAE 1006	2.75*910*C	9.75	BAO STEEL	PLEASE CONTACT US
SAE 1006	3.50*1010*C	7.87	BAO STEEL	PLEASE CONTACT US
SAE 1006	3.50*1219*C	14.78	BAO STEEL	PLEASE CONTACT US
SAE 1006	3.50*1219*C	15.23	BAO STEEL	PLEASE CONTACT US
SAE 1010	2.50*922*C	12.52	BAO STEEL	PLEASE CONTACT US
SAE 1010	2.50*922*C	12.44	BAO STEEL	PLEASE CONTACT US
SAE 1010	2.50*922*C	7.03	BAO STEEL	PLEASE CONTACT US
SAE 1010	2.50*922*C	13.79	BAO STEEL	PLEASE CONTACT US
SAE 1010	2.50*922*C	5.37	BAO STEEL	PLEASE CONTACT US
SAE 1010	2.50*922*C	7.87	BAO STEEL	PLEASE CONTACT US
SAE 1010	2.50*922*C	7.52	BAO STEEL	PLEASE CONTACT US
SAE 1010	2.50*922*C	7.48	BAO STEEL	PLEASE CONTACT US
SAE 1010	2.50*928*C	11.24	BAO STEEL	PLEASE CONTACT US
SAE 1010	2.50*928*C	9.15	BAO STEEL	PLEASE CONTACT US
SAE 1010	2.75*1150*C	22.12	BAO STEEL	PLEASE CONTACT US
SAE 1018	5.00*1312*C	16.94	BAO STEEL	PLEASE CONTACT US
SAE 1018	7.50*1130*C	16.37	BAO STEEL	PLEASE CONTACT US
SAE 1018	7.50*1130*C	17.5	BAO STEEL	PLEASE CONTACT US
SAE 1018 AK	5.00*1312*C	15.3	BAO STEEL	PLEASE CONTACT US
SAE 1018 AK	5.00*1312*C	13.75	BAO STEEL	PLEASE CONTACT US
SAE 1020	2.75*1040*C	9.57	BAO STEEL	PLEASE CONTACT US
SAE 1020	2.75*1450*C	24.25	BAO STEEL	PLEASE CONTACT US
SAE 1020	3.00*1360*C	20.5	BAO STEEL	PLEASE CONTACT US
SAE 1020	3.00*1370*C	21.96	BAO STEEL	PLEASE CONTACT US
SAE 1020	3.00*1400*C	20.87	BAO STEEL	PLEASE CONTACT US
SAE 1020	3.00*1400*C	20.45	BAO STEEL	PLEASE CONTACT US

SAE 1020	3.00*1500*C	24.13	BAO STEEL	PLEASE CONTACT US
SAE 1020	3.00*1500*C	24.31	BAO STEEL	PLEASE CONTACT US
SAE 1020	3.00*1500*C	20.86	BAO STEEL	PLEASE CONTACT US
SAE 1020	3.00*1500*C	22.96	BAO STEEL	PLEASE CONTACT US
SAE 1022	0.82*1022*C	10.99	BAO STEEL	PLEASE CONTACT US
SAE 1022	3.00*1030*C	16.96	BAO STEEL	PLEASE CONTACT US
SAE 1022	3.00*1030*C	16.48	BAO STEEL	PLEASE CONTACT US
SAE 1022	3.00*1350*C	13.1	BAO STEEL	PLEASE CONTACT US
SAE 1022	3.50*1200*C	16.59	BAO STEEL	PLEASE CONTACT US
SAE 1022	3.50*1200*C	16.62	BAO STEEL	PLEASE CONTACT US
SAE 1022	3.50*1200*C	16.55	BAO STEEL	PLEASE CONTACT US
SAE 1022	3.50*1200*C	15.95	BAO STEEL	PLEASE CONTACT US
SAE 1022	3.50*880*C	12.9	BAO STEEL	PLEASE CONTACT US
SAE 1022	3.50*880*C	13.35	BAO STEEL	PLEASE CONTACT US
SAE 1022	4.00*900*C	13.33	BAO STEEL	PLEASE CONTACT US
SAE 1022	4.00*900*C	13.65	BAO STEEL	PLEASE CONTACT US
SAE 1022	4.50*1050*C	12.52	BAO STEEL	PLEASE CONTACT US
SAE 1022	5.00*1245*C	15.83	BAO STEEL	PLEASE CONTACT US
SAE 1045	6.50*1275*C	19.87	BAO STEEL	PLEASE CONTACT US
SAE 1045	6.50*1275*C	21.78	BAO STEEL	PLEASE CONTACT US
SAE 1045	6.50*1275*C	23.58	BAO STEEL	PLEASE CONTACT US
SAE 1045	6.50*1275*C	23.68	BAO STEEL	PLEASE CONTACT US
SAE 1045	6.50*1275*C	23.77	BAO STEEL	PLEASE CONTACT US
SAE 1045	6.50*1275*C	23.63	BAO STEEL	PLEASE CONTACT US
SAE 1045	6.50*1275*C	23.65	BAO STEEL	PLEASE CONTACT US
SAE 1050	5.00*1228*C	11.35	BAO STEEL	PLEASE CONTACT US
SAE 1055	2.30*1275*C	11.87	BAO STEEL	PLEASE CONTACT US
SAE 1055	2.50*1302*C	6.45	BAO STEEL	PLEASE CONTACT US
SAE 1055	2.50*1302*C	11.29	BAO STEEL	PLEASE CONTACT US
SAE 1055	2.50*1302*C	10.28	BAO STEEL	PLEASE CONTACT US
SAE 1055	2.50*900*C	15.44	BAO STEEL	PLEASE CONTACT US
SAE 1055	3.00*1260*C	16.48	BAO STEEL	PLEASE CONTACT US
SAE 1055	3.00*1260*C	11.86	BAO STEEL	PLEASE CONTACT US
SAE 1055	5.00*1302*C	24.9	BAO STEEL	PLEASE CONTACT US
SAE 1055	5.00*1302*C	24.9	BAO STEEL	PLEASE CONTACT US
SAE 1055	5.00*1302*C	25.56	BAO STEEL	PLEASE CONTACT US
SAE 1055	6.00*1302*C	25.57	BAO STEEL	PLEASE CONTACT US
SAE 1055	6.00*1302*C	24.78	BAO STEEL	PLEASE CONTACT US
SAE 1055	6.13*1302*C	20.75	BAO STEEL	PLEASE CONTACT US
SAE 4140	2.47*1250*C	7.24	BAO STEEL	PLEASE CONTACT US
SAE 4140	3.43*1250*C	18.98	BAO STEEL	PLEASE CONTACT US
SAE 4140	5.09*1250*C	15.39	BAO STEEL	PLEASE CONTACT US
SAE 4140	5.09*1250*C	14.05	BAO STEEL	PLEASE CONTACT US
SAE1006	1.80*1230*C	13.24	BAO STEEL	PLEASE CONTACT US
SAE1006	8.00*1250*C	18.92	BAO STEEL	PLEASE CONTACT US
SAE1006	8.00*1250*C	18.69	BAO STEEL	PLEASE CONTACT US
SAE5120H	10.00*1150*C	17.88	BAO STEEL	PLEASE CONTACT US
SAE5120H	10.00*1150*C	19.25	BAO STEEL	PLEASE CONTACT US
SAE5120H	10.00*1150*C	17.22	BAO STEEL	PLEASE CONTACT US
SAE5120H	10.00*1150*C	19.28	BAO STEEL	PLEASE CONTACT US
SAPH310	3*1100*C	19.23	BAO STEEL	PLEASE CONTACT US
SAPH310	3*1350*C	24.5	BAO STEEL	PLEASE CONTACT US
SAPH310	3*1350*C	26.06	BAO STEEL	PLEASE CONTACT US
SAPH370	1.80*1070*C	15.84	BAO STEEL	PLEASE CONTACT US
SAPH370	1.80*1070*C	16.23	BAO STEEL	PLEASE CONTACT US
SAPH370	1.80*1070*C	15.99	BAO STEEL	PLEASE CONTACT US
SAPH370	2.00*1150*C	6.57	BAO STEEL	PLEASE CONTACT US
SAPH370	2.20*1250*C	21.36	BAO STEEL	PLEASE CONTACT US

SAPH370	2.20*1250*C	19.78	BAO STEEL	PLEASE CONTACT US
SAPH370	3.00*1030*C	15.44	BAO STEEL	PLEASE CONTACT US
SAPH370	3.00*1150*C	19.85	BAO STEEL	PLEASE CONTACT US
SAPH370	3.00*1150*C	19.86	BAO STEEL	PLEASE CONTACT US
SAPH370	3.00*1150*C	19.81	BAO STEEL	PLEASE CONTACT US
SAPH370	3.00*1245*C	18.82	BAO STEEL	PLEASE CONTACT US
SAPH370	3.00*1300*C	25.81	BAO STEEL	PLEASE CONTACT US
SAPH370	3.00*1350*C	13.08	BAO STEEL	PLEASE CONTACT US
SAPH370	3.00*1350*C	26.64	BAO STEEL	PLEASE CONTACT US
SAPH370	3.20*1050*C	16.84	BAO STEEL	PLEASE CONTACT US
SAPH370	3.20*1050*C	15.78	BAO STEEL	PLEASE CONTACT US
SAPH370	3.5*990*C	15.78	BAO STEEL	PLEASE CONTACT US
SAPH370	3.50*1050*C	16.61	BAO STEEL	PLEASE CONTACT US
SAPH370	3.50*970*C	16.65	BAO STEEL	PLEASE CONTACT US
SAPH370	3.50*980*C	13.12	BAO STEEL	PLEASE CONTACT US
SAPH370	4.00*1250*C	24.84	BAO STEEL	PLEASE CONTACT US
SAPH370	4.00*1250*C	24.82	BAO STEEL	PLEASE CONTACT US
SAPH370	4.00*1260*C	25.02	BAO STEEL	PLEASE CONTACT US
SAPH370	4.00*1260*C	25.03	BAO STEEL	PLEASE CONTACT US
SAPH370	4.00*1360*C	26.83	BAO STEEL	PLEASE CONTACT US
SAPH370	5.50*1250*C	22.35	BAO STEEL	PLEASE CONTACT US
SAPH370	5.50*1250*C	19.32	BAO STEEL	PLEASE CONTACT US
SAPH400	3.50*1320*C	24.41	BAO STEEL	PLEASE CONTACT US
SAPH400	3.50*1320*C	24.39	BAO STEEL	PLEASE CONTACT US
SAPH400	3.50*1320*C	24.41	BAO STEEL	PLEASE CONTACT US
SAPH440	1.60*1249*C	11.25	BAO STEEL	PLEASE CONTACT US
SAPH440	2.00*1100*C	16.31	BAO STEEL	PLEASE CONTACT US
SAPH440	2.00*1200*C	6.27	BAO STEEL	PLEASE CONTACT US
SAPH440	2.30*1135*C	16.72	BAO STEEL	PLEASE CONTACT US
SAPH440	2.60*1206*C	7.2	BAO STEEL	PLEASE CONTACT US
SAPH440	2.60*1250*C	21.85	BAO STEEL	PLEASE CONTACT US
SAPH440	3.00*1250*C	11.22	BAO STEEL	PLEASE CONTACT US
SAPH440	3.00*980*C	8.82	BAO STEEL	PLEASE CONTACT US
SAPH440	3.50*940*C	8.56	BAO STEEL	PLEASE CONTACT US
SAPH440	4.00*1180*C	11.48	BAO STEEL	PLEASE CONTACT US
SAPH440	4.00*1250*C	21.36	BAO STEEL	PLEASE CONTACT US
SAPH440	4.10*1285*C	9.77	BAO STEEL	PLEASE CONTACT US
SAPH440	4.50*1280*C	6.02	BAO STEEL	PLEASE CONTACT US
SAPH440	4.50*1280*C	6.16	BAO STEEL	PLEASE CONTACT US
SAPH440	4.50*1280*C	11.81	BAO STEEL	PLEASE CONTACT US
SAPH440	4.50*850*C	6.39	BAO STEEL	PLEASE CONTACT US
SAPH440	4.50*850*C	6.5	BAO STEEL	PLEASE CONTACT US
SAPH440	6.00*1080*C	10.23	BAO STEEL	PLEASE CONTACT US
SAPH440	6.00*1120*C	10.5	BAO STEEL	PLEASE CONTACT US
SAPH440	6.00*880*C	13.55	BAO STEEL	PLEASE CONTACT US
SAPH440	6.25*1000*C	9.36	BAO STEEL	PLEASE CONTACT US
SCM415	7.50*1240*C	19.29	BAO STEEL	PLEASE CONTACT US
SCM415	8.50*1100*C	19.7	BAO STEEL	PLEASE CONTACT US
SCM415	8.50*1165*C	19.38	BAO STEEL	PLEASE CONTACT US
SCM415	8.50*1165*C	23.14	BAO STEEL	PLEASE CONTACT US
SCM415	8.50*1165*C	23.05	BAO STEEL	PLEASE CONTACT US
SCM415	8.50*1200*C	20.17	BAO STEEL	PLEASE CONTACT US
SCM435	4.00*1275*C	21.99	BAO STEEL	PLEASE CONTACT US
SCM435	4.50*1390*C	21.65	BAO STEEL	PLEASE CONTACT US
SCM435	4.50*1390*C	21.64	BAO STEEL	PLEASE CONTACT US
SCM435	6.50*1285*C	11.74	BAO STEEL	PLEASE CONTACT US
SCM435	6.50*1285*C	14.52	BAO STEEL	PLEASE CONTACT US
SCM435	6.50*1285*C	5.16	BAO STEEL	PLEASE CONTACT US

SCM435	6.50*1285*C	11.49	BAO STEEL	PLEASE CONTACT US
SCM435	6.80*1290*C	23.33	BAO STEEL	PLEASE CONTACT US
SCM435	7.15*1410*C	3.96	BAO STEEL	PLEASE CONTACT US
SCM435	7.50*1400*C	4.54	BAO STEEL	PLEASE CONTACT US
SEDDQ-1	3.02*1272*C	24.11	BAO STEEL	PLEASE CONTACT US
SPFH590	2.60*1250*C	19.81	BAO STEEL	PLEASE CONTACT US
SPFH590	3.50*1050*C	14.28	BAO STEEL	PLEASE CONTACT US
SPFH590	3.60*1039*C	7.46	BAO STEEL	PLEASE CONTACT US
SPHC	1.60*1212*C	3.38	BAO STEEL	PLEASE CONTACT US
SPHC	1.60*1240*C	5.67	BAO STEEL	PLEASE CONTACT US
SPHC	1.60*1249*C	8.09	BAO STEEL	PLEASE CONTACT US
SPHC	1.60*1249*C	3.03	BAO STEEL	PLEASE CONTACT US
SPHC	1.60*1296*C	21.32	BAO STEEL	PLEASE CONTACT US
SPHC	1.60*1296*C	10.66	BAO STEEL	PLEASE CONTACT US
SPHC	1.60*1300*C	4.09	BAO STEEL	PLEASE CONTACT US
SPHC	1.60*930*C	11.49	BAO STEEL	PLEASE CONTACT US
SPHC	1.60*930*C	3.4	BAO STEEL	PLEASE CONTACT US
SPHC	1.62*1278*C	21.95	BAO STEEL	PLEASE CONTACT US
SPHC	1.62*930*C	16.24	BAO STEEL	PLEASE CONTACT US
SPHC	1.63*1194*C	20.16	BAO STEEL	PLEASE CONTACT US
SPHC	1.63*1194*C	20.37	BAO STEEL	PLEASE CONTACT US
SPHC	1.63*1230*C	20.95	BAO STEEL	PLEASE CONTACT US
SPHC	1.63*1274*C	22.05	BAO STEEL	PLEASE CONTACT US
SPHC	1.63*1278*C	19.98	BAO STEEL	PLEASE CONTACT US
SPHC	1.64*1015*C	18	BAO STEEL	PLEASE CONTACT US
SPHC	1.64*1015*C	17.97	BAO STEEL	PLEASE CONTACT US
SPHC	1.64*1060*C	17.96	BAO STEEL	PLEASE CONTACT US
SPHC	1.64*1070*C	18.54	BAO STEEL	PLEASE CONTACT US
SPHC	1.64*1300*C	22.04	BAO STEEL	PLEASE CONTACT US
SPHC	1.64*908*C	14.74	BAO STEEL	PLEASE CONTACT US
SPHC	1.64*908*C	15.81	BAO STEEL	PLEASE CONTACT US
SPHC	1.75*1250*C	21.98	BAO STEEL	PLEASE CONTACT US
SPHC	1.78*940*C	15.98	BAO STEEL	PLEASE CONTACT US
SPHC	1.80*1212*C	3.67	BAO STEEL	PLEASE CONTACT US
SPHC	1.80*905*C	4.81	BAO STEEL	PLEASE CONTACT US
SPHC	1.80*905*C	8.04	BAO STEEL	PLEASE CONTACT US
SPHC	1.84*1216*C	23.66	BAO STEEL	PLEASE CONTACT US
SPHC	1.84*1225*C	23.96	BAO STEEL	PLEASE CONTACT US
SPHC	1.84*1230*C	24.32	BAO STEEL	PLEASE CONTACT US
SPHC	1.84*1230*C	24.42	BAO STEEL	PLEASE CONTACT US
SPHC	1.86*1229*C	24.18	BAO STEEL	PLEASE CONTACT US
SPHC	1.86*1249*C	24.29	BAO STEEL	PLEASE CONTACT US
SPHC	1.96*827*C	13.41	BAO STEEL	PLEASE CONTACT US
SPHC	1.96*936*C	3.08	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*807*C	4.34	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*827*C	13.16	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*827*C	13.37	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*827*C	3.37	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*832*C	3.57	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*832*C	13.37	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*832*C	4.63	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*837*C	6.9	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*837*C	13.22	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*837*C	3.91	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*837*C	3.22	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*837*C	13.27	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*844*C	13.53	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*844*C	4.46	BAO STEEL	PLEASE CONTACT US

SPHC	1.98*844*C	5.42	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*852*C	3.78	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*858*C	14.05	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*870*C	3.2	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*872*C	14.31	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*872*C	14.37	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*872*C	14.29	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*872*C	14.41	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*872*C	14.31	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*872*C	14.36	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*905*C	5.48	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*919*C	5.62	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*919*C	3.03	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*926*C	3.62	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*927*C	4.81	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*927*C	3.33	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*937*C	15.02	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*937*C	3.99	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*937*C	4.49	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*938*C	3.24	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*938*C	3.25	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*944*C	13.1	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*946*C	4.28	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*946*C	15.39	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*948*C	3.36	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*952*C	4.79	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*952*C	15.8	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*952*C	15.78	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*954*C	5.6	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*958*C	15.2	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*959*C	15.62	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*968*C	14.86	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*968*C	14.81	BAO STEEL	PLEASE CONTACT US
SPHC	1.98*972*C	3.28	BAO STEEL	PLEASE CONTACT US
SPHC	14.50*1200*C	21.86	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*1002*C	4.06	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*1002*C	15.2	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*1015*C	11.71	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*1015*C	9.37	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*1015*C	18.1	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*1045*C	12.03	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*1220*C	17.84	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*1250*C	10.32	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*830*C	3.47	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*832*C	4.67	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*835*C	14.05	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*846*C	14.07	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*847*C	5.03	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*847*C	6.82	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*847*C	5.53	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*847*C	7.94	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*850*C	7.26	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*850*C	5.69	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*850*C	7.24	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*850*C	6.87	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*850*C	6.79	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*853*C	11.97	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*853*C	13.98	BAO STEEL	PLEASE CONTACT US

SPHC	2.00*853*C	4.32	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*853*C	13.6	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*853*C	3.41	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*853*C	7.68	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*853*C	4.25	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*853*C	13.47	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*853*C	13.59	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*853*C	3.23	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*853*C	6.61	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*853*C	5.57	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*853*C	3.47	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*853*C	6.32	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*853*C	12.1	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*854*C	6.56	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*854*C	6.53	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*854*C	12.54	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*854*C	13.38	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*854*C	13	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*854*C	3.76	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*854*C	3.14	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*854*C	7.2	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*857*C	3.65	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*857*C	6.33	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*858*C	13.63	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*858*C	3.94	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*860*C	4.3	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*860*C	11.86	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*862*C	6.23	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*862*C	13.3	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*862*C	7.47	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*862*C	6.27	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*862*C	7.41	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*862*C	6.83	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*862*C	7.21	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*862*C	6.3	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*862*C	13.55	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*862*C	9.9	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*862*C	6.18	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*862*C	7.35	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*862*C	4.83	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*862*C	6.66	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*862*C	5.98	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*862*C	5.77	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*862*C	7.47	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*862*C	4.75	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*865*C	4.98	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*869*C	3.2	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*869*C	13.98	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*869*C	14.31	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*869*C	14.38	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*870*C	4.48	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*872*C	5.89	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*888*C	4.18	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*888*C	11.43	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*888*C	3.21	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*890*C	5.14	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*890*C	6.24	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*890*C	6.23	BAO STEEL	PLEASE CONTACT US

SPHC	2.00*890*C	5.43	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*890*C	5.43	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*897*C	7.87	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*900*C	13.76	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*900*C	13.51	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*900*C	15.95	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*900*C	13.96	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*900*C	13.89	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*900*C	13.9	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*914*C	13.4	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*914*C	13.39	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*914*C	11.4	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*922*C	14.13	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*923*C	14.26	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*925*C	14.76	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*925*C	11.83	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*930*C	14.86	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*930*C	13.1	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*930*C	13.42	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*930*C	13.91	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*930*C	13.37	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*930*C	11.79	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*935*C	12.59	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*938*C	12.69	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*939*C	11.42	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*940*C	15.11	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*940*C	14.47	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*940*C	7.41	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*940*C	5.55	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*940*C	6.32	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*940*C	14.19	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*941*C	4.8	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*945*C	3.32	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*945*C	3.34	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*954*C	5.8	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*955*C	5.86	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*957*C	13.55	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*963*C	15.07	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*963*C	14.93	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*963*C	15.05	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*963*C	15.06	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*963*C	15.04	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*970*C	9.37	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*978*C	3.05	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*980*C	12.95	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*985*C	6.43	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*992*C	6.19	BAO STEEL	PLEASE CONTACT US
SPHC	2.00*992*C	4.23	BAO STEEL	PLEASE CONTACT US
SPHC	2.03*1250*C	10.65	BAO STEEL	PLEASE CONTACT US
SPHC	2.03*1278*C	3.51	BAO STEEL	PLEASE CONTACT US
SPHC	2.03*1355*C	3.42	BAO STEEL	PLEASE CONTACT US
SPHC	2.03*1355*C	8.05	BAO STEEL	PLEASE CONTACT US
SPHC	2.03*1482*C	4.52	BAO STEEL	PLEASE CONTACT US
SPHC	2.03*1490*C	3.68	BAO STEEL	PLEASE CONTACT US
SPHC	2.03*1500*C	3.51	BAO STEEL	PLEASE CONTACT US
SPHC	2.03*1500*C	4.15	BAO STEEL	PLEASE CONTACT US
SPHC	2.03*1500*C	3.59	BAO STEEL	PLEASE CONTACT US
SPHC	2.03*1500*C	3.69	BAO STEEL	PLEASE CONTACT US

SPHC	2.17*1362*C	20.39	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*1000*C	14.97	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*1001*C	3.06	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*1100*C	18.48	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*1100*C	19.39	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*1220*C	3.01	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*1230*C	3.6	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*1230*C	3.15	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*759*C	12.54	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*761*C	12.54	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*772*C	4.39	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*814*C	13.99	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*814*C	7.47	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*814*C	6.48	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*830*C	13.29	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*830*C	12.36	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*831*C	6.02	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*831*C	6.58	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*837*C	3.52	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*837*C	6.54	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*837*C	4.1	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*837*C	7.84	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*837*C	6.26	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*871*C	3.81	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*954*C	3.24	BAO STEEL	PLEASE CONTACT US
SPHC	2.20*978*C	5.34	BAO STEEL	PLEASE CONTACT US
SPHC	2.28*818*C	3.11	BAO STEEL	PLEASE CONTACT US
SPHC	2.28*832*C	12.23	BAO STEEL	PLEASE CONTACT US
SPHC	2.28*832*C	13.53	BAO STEEL	PLEASE CONTACT US
SPHC	2.28*832*C	3.37	BAO STEEL	PLEASE CONTACT US
SPHC	2.28*867*C	6.44	BAO STEEL	PLEASE CONTACT US
SPHC	2.28*874*C	12.66	BAO STEEL	PLEASE CONTACT US
SPHC	2.28*874*C	12.72	BAO STEEL	PLEASE CONTACT US
SPHC	2.28*878*C	14.35	BAO STEEL	PLEASE CONTACT US
SPHC	2.28*903*C	14.93	BAO STEEL	PLEASE CONTACT US
SPHC	2.28*942*C	3.68	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1022*C	15.41	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1022*C	15.37	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1022*C	7.42	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1023*C	6.16	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1023*C	7.8	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1023*C	14.51	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1023*C	4.63	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1023*C	7.07	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1023*C	5.38	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1023*C	7.51	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1023*C	6.8	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1023*C	7.13	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1023*C	8.81	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1023*C	4.01	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1030*C	16.33	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1031*C	16.77	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1039*C	5.89	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1039*C	7.99	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1039*C	5.88	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1210*C	3.07	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1217*C	8.58	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1220*C	19.69	BAO STEEL	PLEASE CONTACT US

SPHC	2.30*1221*C	6.29	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1222*C	21.55	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1223*C	3.56	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1223*C	6.46	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1223*C	21.51	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1223*C	3.03	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1223*C	8.39	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1223*C	3.17	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1223*C	5.83	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1224*C	6.4	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1224*C	6.3	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1224*C	3.78	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1224*C	7.16	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1224*C	17.52	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1224*C	6.06	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1224*C	19.54	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1224*C	3.28	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1230*C	19.48	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1534*C	28.52	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1539*C	27.71	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1589*C	6.42	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1589*C	8.33	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1589*C	28.91	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1589*C	13.45	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1589*C	13.96	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1589*C	28.65	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1604*C	28.97	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1614*C	13.8	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1614*C	13.28	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1614*C	26.51	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1614*C	28.89	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*1614*C	28.76	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*784*C	12.28	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*799*C	4.12	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*830*C	7.85	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*845*C	13.66	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*924*C	13.37	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*924*C	3.14	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*938*C	5.84	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*953*C	3.07	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*970*C	6.42	BAO STEEL	PLEASE CONTACT US
SPHC	2.30*971*C	3.58	BAO STEEL	PLEASE CONTACT US
SPHC	2.32*1056*C	3.055	BAO STEEL	PLEASE CONTACT US
SPHC	2.33*1050*C	16.96	BAO STEEL	PLEASE CONTACT US
SPHC	2.33*1500*C	5.06	BAO STEEL	PLEASE CONTACT US
SPHC	2.33*1500*C	3.14	BAO STEEL	PLEASE CONTACT US
SPHC	2.33*1500*C	10.07	BAO STEEL	PLEASE CONTACT US
SPHC	2.33*1624*C	30.5	BAO STEEL	PLEASE CONTACT US
SPHC	2.33*800*C	12.95	BAO STEEL	PLEASE CONTACT US
SPHC	2.45*1520*C	4.6	BAO STEEL	PLEASE CONTACT US
SPHC	2.48*1370*C	21.07	BAO STEEL	PLEASE CONTACT US
SPHC	2.48*852*C	13	BAO STEEL	PLEASE CONTACT US
SPHC	2.48*905*C	4.53	BAO STEEL	PLEASE CONTACT US
SPHC	2.48*907*C	6.94	BAO STEEL	PLEASE CONTACT US
SPHC	2.48*907*C	7.69	BAO STEEL	PLEASE CONTACT US
SPHC	2.48*907*C	7.36	BAO STEEL	PLEASE CONTACT US
SPHC	2.48*925*C	6.39	BAO STEEL	PLEASE CONTACT US
SPHC	2.48*925*C	14.75	BAO STEEL	PLEASE CONTACT US

SPHC	2.48*925*C	14.74	BAO STEEL	PLEASE CONTACT US
SPHC	2.48*927*C	5.08	BAO STEEL	PLEASE CONTACT US
SPHC	2.48*935*C	3.08	BAO STEEL	PLEASE CONTACT US
SPHC	2.48*935*C	5.82	BAO STEEL	PLEASE CONTACT US
SPHC	2.48*937*C	4.93	BAO STEEL	PLEASE CONTACT US
SPHC	2.48*937*C	3.84	BAO STEEL	PLEASE CONTACT US
SPHC	2.48*938*C	14.46	BAO STEEL	PLEASE CONTACT US
SPHC	2.48*960*C	6.65	BAO STEEL	PLEASE CONTACT US
SPHC	2.48*967*C	3.6	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	9.36	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	17.35	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	15.02	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	17.62	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	17.45	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	17.37	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	17.34	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	17.45	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	17.56	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	9.22	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	16.91	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	15.06	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	15.1	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	14.94	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	15.11	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	15.06	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	14.97	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	15.06	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	15.11	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	15.21	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	15.14	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	15.23	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	15.23	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	15.03	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	16.86	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	16.89	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	16.97	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	16.2	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	17.12	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	16.25	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	16.98	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1000*C	14.42	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1020*C	6.11	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1025*C	13.65	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1025*C	12.34	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1025*C	9.58	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1025*C	9.55	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1025*C	9.37	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1025*C	9.28	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1025*C	9.81	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1025*C	9.79	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1030*C	16.59	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1030*C	9.12	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1040*C	19.96	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1040*C	16.15	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1040*C	15.91	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1040*C	16.44	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1040*C	16.5	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1040*C	16.49	BAO STEEL	PLEASE CONTACT US

SPHC	2.50*1050*C	7.1	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1050*C	8.93	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1050*C	14.64	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1150*C	17.55	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1150*C	18.35	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1150*C	21.1	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1300*C	12.56	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1300*C	11.21	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1300*C	11.38	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1300*C	11.39	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1300*C	10.91	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1300*C	24.86	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1300*C	22.1	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1350*C	21.6	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1350*C	25.7	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1350*C	26.04	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1350*C	25.95	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1350*C	25.77	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1400*C	12.58	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1400*C	13.5	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1440*C	12.28	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1580*C	27.38	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1580*C	6.78	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1580*C	28.69	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1580*C	28.65	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1580*C	28.63	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*1580*C	28.81	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*705*C	10.73	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*705*C	11.86	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*705*C	11.88	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*705*C	11.87	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*710*C	9.87	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*710*C	9.73	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*710*C	9.77	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*710*C	11.32	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*710*C	11.93	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*750*C	3.93	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*750*C	7.95	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*760*C	11.73	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*780*C	12.22	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*785*C	12.9	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*785*C	12.39	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*790*C	12.21	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*790*C	12.64	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*790*C	12.62	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*800*C	13.59	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*800*C	13.23	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*800*C	13.05	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*800*C	13.12	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*800*C	12.47	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*800*C	12.55	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*800*C	13.08	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*800*C	13.04	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*800*C	13.16	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*800*C	13.12	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*800*C	11.71	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*800*C	11.86	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*800*C	12.77	BAO STEEL	PLEASE CONTACT US

SPHC	2.50*800*C	12.88	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*800*C	13.18	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*800*C	13.29	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*800*C	13.09	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*800*C	12.65	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*800*C	13.21	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*800*C	12.15	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*800*C	12.33	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*800*C	11.47	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*800*C	11.57	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*815*C	13.18	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*815*C	12.22	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*830*C	12.86	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*831*C	5.51	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*831*C	7.2	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*831*C	5.42	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*831*C	6.75	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*840*C	13.6	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*840*C	13.82	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*840*C	13.33	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*840*C	13.3	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*840*C	14.16	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*840*C	12.96	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*840*C	13.03	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*840*C	13.14	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*840*C	13.18	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*840*C	13.34	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*845*C	13.57	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*845*C	13.65	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*850*C	14.37	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	15.31	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	12.91	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	14.26	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	13.95	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	13.92	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	15.58	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	14.28	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	13.38	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	15.44	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	13.1	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	13.3	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	12.3	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	12.15	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	13.29	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	13.18	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	11.04	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	13.2	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	12.85	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	13.57	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	13.36	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	14.05	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	13.36	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	13.92	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	13.83	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	13.65	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	14.3	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	12.69	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	13.25	BAO STEEL	PLEASE CONTACT US

SPHC	2.50*860*C	12.99	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	14.27	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	12.86	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	11.67	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	11	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	11.02	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	11.02	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	11.12	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	15.37	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	12.67	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*860*C	12.99	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*900*C	8.4	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*900*C	7.73	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*900*C	12.59	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*900*C	14.05	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*900*C	13.28	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*900*C	13.25	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*900*C	14.3	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*900*C	13.19	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*900*C	14.46	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*900*C	12.63	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*900*C	13.3	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*900*C	12.67	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*900*C	12.93	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*900*C	13.7	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*900*C	13.39	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*900*C	14.84	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*900*C	14.04	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*908*C	7.51	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*919*C	12.54	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*920*C	13.59	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*920*C	13.8	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*920*C	13.98	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*925*C	3.31	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*939*C	8.79	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*939*C	7.82	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*940*C	11.05	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*940*C	11.66	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*940*C	12.08	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*940*C	11.77	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*945*C	14.37	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*950*C	12.55	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*980*C	13.75	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*980*C	11.45	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*980*C	16.94	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*980*C	15.01	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*980*C	15.93	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*980*C	15.95	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*980*C	14.94	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*980*C	17.47	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*980*C	17.98	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*980*C	17.07	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*980*C	13.15	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*980*C	14.36	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*980*C	6.97	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*980*C	17.48	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*980*C	17.5	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*980*C	17.35	BAO STEEL	PLEASE CONTACT US

SPHC	2.50*980*C	9.06	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*980*C	17.07	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*980*C	16.86	BAO STEEL	PLEASE CONTACT US
SPHC	2.50*980*C	16.81	BAO STEEL	PLEASE CONTACT US
SPHC	2.53*1551*C	7.82	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1010*C	11.74	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1010*C	11.28	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1010*C	9.3	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1070*C	20.84	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1070*C	9.81	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1070*C	7.61	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1070*C	13.53	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1070*C	7.88	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1090*C	10.86	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1160*C	13.23	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1160*C	9.82	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1160*C	7.88	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1160*C	11.05	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1160*C	13.92	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1210*C	3.57	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1260*C	4.33	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1260*C	6.78	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1429*C	3.46	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1460*C	9.71	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1460*C	3.15	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1529*C	15.06	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1544*C	8.88	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1600*C	9.58	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1600*C	16.12	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1604*C	29.11	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1604*C	28.84	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1604*C	7.97	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1604*C	12.29	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1604*C	7.4	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1604*C	15.89	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1604*C	28.85	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1604*C	28.86	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1604*C	28.84	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1604*C	28.75	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1604*C	7.89	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1604*C	17.75	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1604*C	8.74	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1604*C	8.9	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1604*C	8.88	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1604*C	15.9	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1604*C	6.92	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1614*C	29.05	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1614*C	28.87	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1614*C	27.29	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1624*C	6.81	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1624*C	4.05	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1624*C	28.96	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1624*C	3.53	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1624*C	9.51	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1624*C	13.88	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1624*C	29.67	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1625*C	4.72	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1629*C	7.59	BAO STEEL	PLEASE CONTACT US

SPHC	2.55*1630*C	7.85	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*1630*C	4.88	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*865*C	9.5	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*865*C	4	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*865*C	7.73	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*865*C	6.03	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*865*C	13.9	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*865*C	13.67	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*865*C	13.37	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*875*C	13.1	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*875*C	13.6	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*875*C	13.61	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*875*C	13.34	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*875*C	13.31	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*910*C	4	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*920*C	3.46	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*920*C	10.37	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*924*C	16.78	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*939*C	3.84	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*950*C	11.7	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*960*C	9.82	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*969*C	15.72	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*969*C	14.68	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*969*C	15.89	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*975*C	11.81	BAO STEEL	PLEASE CONTACT US
SPHC	2.55*979*C	16.8	BAO STEEL	PLEASE CONTACT US
SPHC	2.58*1014*C	13.52	BAO STEEL	PLEASE CONTACT US
SPHC	2.58*1155*C	3.56	BAO STEEL	PLEASE CONTACT US
SPHC	2.58*1220*C	3.21	BAO STEEL	PLEASE CONTACT US
SPHC	2.58*1220*C	6.47	BAO STEEL	PLEASE CONTACT US
SPHC	2.58*1230*C	6.33	BAO STEEL	PLEASE CONTACT US
SPHC	2.58*1250*C	5.71	BAO STEEL	PLEASE CONTACT US
SPHC	2.58*1290*C	12.95	BAO STEEL	PLEASE CONTACT US
SPHC	2.58*1290*C	3.92	BAO STEEL	PLEASE CONTACT US
SPHC	2.58*1290*C	3.54	BAO STEEL	PLEASE CONTACT US
SPHC	2.58*1320*C	4.56	BAO STEEL	PLEASE CONTACT US
SPHC	2.58*1330*C	5.98	BAO STEEL	PLEASE CONTACT US
SPHC	2.58*1330*C	7.46	BAO STEEL	PLEASE CONTACT US
SPHC	2.58*1330*C	5.86	BAO STEEL	PLEASE CONTACT US
SPHC	2.58*820*C	12.35	BAO STEEL	PLEASE CONTACT US
SPHC	2.58*820*C	5.08	BAO STEEL	PLEASE CONTACT US
SPHC	2.58*820*C	7.53	BAO STEEL	PLEASE CONTACT US
SPHC	2.58*979*C	4.64	BAO STEEL	PLEASE CONTACT US
SPHC	2.58*979*C	6.69	BAO STEEL	PLEASE CONTACT US
SPHC	2.60*1019*C	3.05	BAO STEEL	PLEASE CONTACT US
SPHC	2.60*1024*C	14.09	BAO STEEL	PLEASE CONTACT US
SPHC	2.60*1036*C	7.41	BAO STEEL	PLEASE CONTACT US
SPHC	2.60*1036*C	6.99	BAO STEEL	PLEASE CONTACT US
SPHC	2.60*1058*C	5.75	BAO STEEL	PLEASE CONTACT US
SPHC	2.60*1058*C	15.4	BAO STEEL	PLEASE CONTACT US
SPHC	2.60*1249*C	4.24	BAO STEEL	PLEASE CONTACT US
SPHC	2.60*1620*C	3.43	BAO STEEL	PLEASE CONTACT US
SPHC	2.60*782*C	10.21	BAO STEEL	PLEASE CONTACT US
SPHC	2.60*790*C	12.33	BAO STEEL	PLEASE CONTACT US
SPHC	2.60*802*C	3.29	BAO STEEL	PLEASE CONTACT US
SPHC	2.60*802*C	7.59	BAO STEEL	PLEASE CONTACT US
SPHC	2.60*819*C	10.68	BAO STEEL	PLEASE CONTACT US
SPHC	2.60*819*C	7.94	BAO STEEL	PLEASE CONTACT US

SPHC	2.60*831*C	3.81	BAO STEEL	PLEASE CONTACT US
SPHC	2.60*831*C	3.31	BAO STEEL	PLEASE CONTACT US
SPHC	2.60*874*C	3.11	BAO STEEL	PLEASE CONTACT US
SPHC	2.60*918*C	3.08	BAO STEEL	PLEASE CONTACT US
SPHC	2.60*932*C	7.25	BAO STEEL	PLEASE CONTACT US
SPHC	2.60*933*C	3.5	BAO STEEL	PLEASE CONTACT US
SPHC	2.60*958*C	14.62	BAO STEEL	PLEASE CONTACT US
SPHC	2.60*958*C	10.82	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1124*C	3.11	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1176*C	21.63	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1250*C	4.42	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1250*C	3.29	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1250*C	3.61	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1250*C	7.53	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1256*C	5.88	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1256*C	3.66	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1256*C	4.17	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1256*C	4.65	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1290*C	4.28	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1300*C	17.74	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1306*C	5.18	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1372*C	7	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1372*C	26.63	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1380*C	4.8	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1615*C	3.77	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1620*C	30.61	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1620*C	6.63	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1620*C	3.14	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1620*C	13.81	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1620*C	12.97	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1620*C	4.67	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*1620*C	5.32	BAO STEEL	PLEASE CONTACT US
SPHC	2.63*940*C	3.53	BAO STEEL	PLEASE CONTACT US
SPHC	2.68*1355*C	26.71	BAO STEEL	PLEASE CONTACT US
SPHC	2.71*1219*C	23.92	BAO STEEL	PLEASE CONTACT US
SPHC	2.71*1250*C	11.49	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*800*C	13.34	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*810*C	13.16	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*862*C	13.1	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*862*C	13.32	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*862*C	3.99	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*862*C	5.69	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*862*C	8.13	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*862*C	4.17	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*862*C	14.11	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*869*C	6.6	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*871*C	3.78	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*874*C	6.11	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*874*C	5.82	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*901*C	4.64	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*908*C	14.24	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*912*C	3.58	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*912*C	14.18	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*915*C	11.74	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*915*C	3.16	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*915*C	13.98	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*922*C	14.5	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*922*C	15.2	BAO STEEL	PLEASE CONTACT US

SPHC	2.72*922*C	15.2	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*932*C	13.75	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*932*C	14.65	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*944*C	5.34	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*946*C	5.69	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*946*C	4.9	BAO STEEL	PLEASE CONTACT US
SPHC	2.72*962*C	15.59	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1000*C	16.33	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1010*C	11.28	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1010*C	10.14	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1015*C	8.2	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1050*C	16.76	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1050*C	16.09	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1085*C	7.14	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1085*C	4.27	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1090*C	12.25	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1090*C	11.6	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1090*C	3.35	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1090*C	7.18	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1090*C	12.9	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1090*C	4.48	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1090*C	11.16	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1090*C	8.06	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1090*C	4	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1090*C	3.91	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1090*C	14.84	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1090*C	10.67	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1090*C	10.16	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1090*C	3.61	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1110*C	5.89	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1110*C	3.73	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1110*C	3.32	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1110*C	4.43	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1110*C	11.48	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1110*C	9.28	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1110*C	12.16	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1110*C	6.32	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1115*C	4.84	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1115*C	11.57	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1115*C	4	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1120*C	3.92	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1120*C	4.35	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1120*C	4.35	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1120*C	4.03	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1120*C	8.29	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1120*C	5.26	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1120*C	3.47	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1120*C	10.18	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1120*C	5.13	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1120*C	4.97	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1120*C	4.84	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1120*C	9.17	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1120*C	7.74	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1120*C	8.68	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1120*C	5.25	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1120*C	6.35	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1130*C	4.35	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1130*C	3.95	BAO STEEL	PLEASE CONTACT US

SPHC	2.75*1130*C	3.74	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1130*C	4.91	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1130*C	10.88	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1130*C	9.86	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1139*C	11.73	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1140*C	11.42	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1140*C	7.36	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1140*C	7.93	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1140*C	10.94	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1140*C	11.76	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1140*C	4.25	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1140*C	7.82	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1140*C	11.4	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1140*C	8.58	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1140*C	12.1	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1140*C	7.28	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1150*C	9.87	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1170*C	3.64	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1170*C	6.58	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1170*C	12.52	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1170*C	7.89	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1170*C	14.49	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1170*C	5.05	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1170*C	6.48	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1185*C	3.87	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1185*C	15.08	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1185*C	10.53	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1185*C	9.14	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1185*C	9.24	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1185*C	11.7	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1185*C	6.87	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1185*C	5.81	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1200*C	20.67	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1215*C	3.09	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1220*C	10.83	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1220*C	14.3	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1220*C	14.29	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1220*C	14.38	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1220*C	10.83	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1220*C	8.43	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1220*C	14.82	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1220*C	3.39	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1220*C	5.77	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1220*C	4.41	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1230*C	4.27	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1235*C	7.57	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1235*C	3.91	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1235*C	7.42	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1243*C	3.01	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1243*C	10.73	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1243*C	3.39	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1245*C	14.29	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1245*C	3	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1245*C	4.5	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1245*C	10.86	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1250*C	7.61	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1250*C	3.26	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1250*C	3.28	BAO STEEL	PLEASE CONTACT US

SPHC	2.75*1250*C	8.79	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1250*C	3.05	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1250*C	3.11	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1250*C	3.88	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1255*C	4.07	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1260*C	11.55	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1263*C	8.3	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1263*C	3.01	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1263*C	3.05	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1263*C	4.14	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1263*C	3.25	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1263*C	3.28	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1263*C	3.03	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1263*C	6.67	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1263*C	3.8	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1265*C	6.89	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1265*C	3.46	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1265*C	7.53	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1265*C	8.02	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1265*C	3.51	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1265*C	5.8	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1265*C	3.24	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1265*C	4.8	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1265*C	3.83	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1274*C	7.14	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1274*C	8.36	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1274*C	3.71	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1274*C	8.3	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1274*C	10.26	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1274*C	6.03	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1274*C	7.62	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1274*C	6.76	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1274*C	3.16	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1285*C	17.6	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1300*C	9.5	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1300*C	17.31	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1300*C	25.9	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1300*C	19.48	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1300*C	19.3	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1360*C	21.54	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1360*C	22.42	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1360*C	21.6	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1370*C	23.92	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1540*C	5.78	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1600*C	3.8	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1600*C	4.68	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1624*C	14.32	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*1624*C	14.86	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*715*C	6.08	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*715*C	6.65	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*715*C	3.64	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*715*C	3.67	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*740*C	11.37	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*740*C	8.3	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*740*C	11.21	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*740*C	10.37	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*750*C	12.03	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*750*C	11.45	BAO STEEL	PLEASE CONTACT US

SPHC	2.75*750*C	12.16	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*750*C	11.97	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*750*C	9.88	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*759*C	12.66	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*779*C	13.07	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*779*C	13.03	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*779*C	12.07	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*780*C	12.69	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*780*C	7.28	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*780*C	4.78	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*780*C	3.09	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*780*C	8.79	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*780*C	9.89	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*801*C	4.39	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*810*C	12.92	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*815*C	5.29	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*820*C	13.64	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*820*C	10.31	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*825*C	6.11	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*825*C	3.95	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*825*C	5.65	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*825*C	4.56	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*825*C	5.89	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*825*C	4.91	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*830*C	13.53	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*830*C	13.22	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*830*C	13.34	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*830*C	13.32	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*830*C	3.28	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*830*C	9.98	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*830*C	5.14	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*830*C	7.16	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*830*C	3.21	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*830*C	6.33	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*830*C	5.91	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*830*C	9.66	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*830*C	3.58	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*835*C	3.48	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*835*C	3.62	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*845*C	6.53	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*845*C	6.23	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*845*C	4.62	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*845*C	7.9	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*845*C	8.66	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*845*C	11.21	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*845*C	8.12	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	12.59	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	14.06	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	13.61	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	12.87	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	13.8	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	14.36	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	14.32	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	14.41	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	14.49	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	14.42	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	14.4	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	14.4	BAO STEEL	PLEASE CONTACT US

SPHC	2.75*850*C	14.18	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	13.16	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	13.65	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	14.28	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	13.61	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	12.75	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	12.7	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	12.7	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	12.7	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	12.76	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	9.51	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	3.83	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	7.49	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	5.04	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	13.7	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	13.9	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	13.97	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	13.58	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	13.53	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	13.25	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	13.46	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	13.28	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	13.97	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	14	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*850*C	13.81	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*870*C	9.11	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*870*C	3.42	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*870*C	4.48	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*870*C	4.11	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*870*C	9.42	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*870*C	7.02	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*870*C	13.82	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*870*C	13.95	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*870*C	7.46	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*870*C	6.14	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*870*C	9.43	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*870*C	5.09	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*870*C	8.02	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*870*C	5.85	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*870*C	5.49	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*870*C	4.38	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*870*C	6.4	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*870*C	7.36	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*870*C	8.95	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	14.17	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	13	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	14.61	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	14.45	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	13.78	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	12.53	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	3.65	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	12.76	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	14.7	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	13.51	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	12.22	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	13.04	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	14.21	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	14.52	BAO STEEL	PLEASE CONTACT US

SPHC	2.75*900*C	14.43	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	14.07	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	14.81	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	11.63	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	15	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	14.25	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	14.32	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	15.06	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	14.6	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	15.36	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	14.74	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	13.74	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	14.65	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	14.04	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	13.9	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	14.06	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	13.18	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	13.9	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	13.74	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	14.1	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	14.02	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	8.98	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	5.31	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	14.48	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	13.68	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	15.72	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	14.25	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	13.57	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	3.26	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	9.27	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	3.18	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	3.72	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	4.31	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	7.75	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	9.31	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	7.92	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	12.15	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*900*C	3.7	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*901*C	9.43	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*901*C	5.87	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*901*C	8.69	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*902*C	5.23	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*902*C	5.38	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*902*C	6.34	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*902*C	3	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*905*C	3.15	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*905*C	7.29	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*905*C	6.11	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*905*C	10.4	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*905*C	3.97	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*905*C	15.01	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*905*C	15.26	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*905*C	5.1	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*905*C	9.18	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*905*C	3.03	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*905*C	4.55	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*905*C	7.79	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*908*C	8.48	BAO STEEL	PLEASE CONTACT US

SPHC	2.75*908*C	5.88	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*910*C	14.68	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*910*C	14.63	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*910*C	14.07	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*910*C	14.11	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*910*C	7.43	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*910*C	6.34	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*910*C	14.58	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*914*C	6.99	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*914*C	3.81	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*914*C	15.88	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*915*C	9.88	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*915*C	3.81	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*915*C	3.61	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*915*C	8.76	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*915*C	8.71	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*915*C	6.88	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*920*C	4.99	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*920*C	10.06	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*920*C	8.13	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*920*C	6.31	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*925*C	7.67	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*925*C	3.98	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*930*C	4.79	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*930*C	4.81	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*930*C	4.36	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*930*C	8.26	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*930*C	6.6	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*930*C	11.99	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*930*C	6.65	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*930*C	9.05	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*930*C	4.03	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*930*C	3.27	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*930*C	4.86	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*930*C	3.34	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*935*C	3.92	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*935*C	9.3	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*935*C	3.72	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*940*C	4.62	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*940*C	8.58	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*940*C	5.99	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*940*C	4.06	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*940*C	4.27	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*945*C	7.26	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*950*C	12.47	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*950*C	13.72	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*950*C	15.44	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*950*C	15.57	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*950*C	12.7	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*950*C	8.89	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*950*C	7.39	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*955*C	4.26	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*970*C	4.72	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*970*C	7.56	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*970*C	4.3	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*975*C	15.63	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*980*C	8.06	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*980*C	8.15	BAO STEEL	PLEASE CONTACT US

SPHC	2.75*984*C	8.61	BAO STEEL	PLEASE CONTACT US
SPHC	2.75*984*C	9.21	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*1020*C	5.11	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*1023*C	3.34	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*1024*C	4.99	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*1144*C	15.59	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*1212*C	10.85	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*1220*C	21.52	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*1221*C	11.48	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*1230*C	7.83	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*772*C	7.06	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*799*C	10.69	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*799*C	5.74	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*809*C	13.04	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*819*C	6.45	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*819*C	4.22	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*819*C	10.95	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*819*C	6.7	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*819*C	4.29	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*819*C	7.17	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*819*C	6.69	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*819*C	4.49	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*819*C	11.05	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*839*C	9.81	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*839*C	4.86	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*839*C	4.26	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*839*C	10.98	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*839*C	7.15	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*839*C	7.32	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*839*C	7.61	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*839*C	7.82	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*864*C	6.13	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*864*C	6.31	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*909*C	5.14	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*909*C	3.79	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*954*C	7.28	BAO STEEL	PLEASE CONTACT US
SPHC	2.80*954*C	7.38	BAO STEEL	PLEASE CONTACT US
SPHC	2.82*1090*C	3.37	BAO STEEL	PLEASE CONTACT US
SPHC	2.82*1553*C	8.57	BAO STEEL	PLEASE CONTACT US
SPHC	2.82*1553*C	7	BAO STEEL	PLEASE CONTACT US
SPHC	2.82*1819*C	6.31	BAO STEEL	PLEASE CONTACT US
SPHC	2.82*817*C	18.54	BAO STEEL	PLEASE CONTACT US
SPHC	2.82*820*C	8.705	BAO STEEL	PLEASE CONTACT US
SPHC	2.82*820*C	9.22	BAO STEEL	PLEASE CONTACT US
SPHC	2.82*820*C	9.3	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*1060*C	8.02	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*1100*C	5.1	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*1100*C	3.38	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*1130*C	4.99	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*1130*C	12.69	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*1275*C	3.78	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*1310*C	13.07	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*1365*C	5.09	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*1365*C	4.81	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*1380*C	5.98	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*1380*C	5.58	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*1380*C	3.84	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*1397*C	5.78	BAO STEEL	PLEASE CONTACT US

SPHC	2.83*1454*C	3.02	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*1592*C	3.8	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*1607*C	7.3	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*1607*C	3.14	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*1607*C	9.41	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*1607*C	3.97	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*1608*C	6.24	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*820*C	4.35	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*820*C	8.89	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*820*C	3.74	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*830*C	9.12	BAO STEEL	PLEASE CONTACT US
SPHC	2.83*830*C	8.48	BAO STEEL	PLEASE CONTACT US
SPHC	2.90*1278*C	3.95	BAO STEEL	PLEASE CONTACT US
SPHC	2.93*1500*C	8.41	BAO STEEL	PLEASE CONTACT US
SPHC	2.98*1054*C	16.16	BAO STEEL	PLEASE CONTACT US
SPHC	2.98*1553*C	30.37	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	8.46	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	14.11	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	15.37	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	15.21	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	15.6	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	15.35	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	15.05	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	15.62	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	15.23	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	14.46	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	15.1	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	15.16	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	15.57	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	15.59	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	15.09	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	15.63	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	14.8	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	17.69	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	17.81	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	17.43	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	17.94	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	17.67	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	18.13	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	17.37	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	17.46	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	17.37	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	17.68	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	18.08	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	17.54	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	17.5	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	17.74	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	17.51	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	17.53	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	17.63	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	17.46	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	17.44	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	15.94	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	17.11	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1000*C	17.18	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1010*C	7.68	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1020*C	9.3	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1024*C	8.31	BAO STEEL	PLEASE CONTACT US

SPHC	3.00*1025*C	7.39	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1050*C	11.75	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1050*C	7.65	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1050*C	7.73	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1050*C	10.34	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1050*C	6.49	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1050*C	4.79	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1050*C	8.96	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1050*C	7.94	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1050*C	9.1	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1050*C	20.57	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1050*C	15.99	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1050*C	16.04	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1050*C	16.06	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1050*C	16.02	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1050*C	20.54	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1100*C	10.74	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1100*C	21.88	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1120*C	12.95	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1140*C	9.61	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1140*C	8.24	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1150*C	17.15	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1150*C	13.33	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1150*C	17	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1150*C	17.51	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1150*C	19.48	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1150*C	16.94	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1150*C	4.08	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1150*C	14.07	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1200*C	18.91	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1200*C	6.95	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1200*C	10.23	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1200*C	9.12	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1200*C	11.32	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1200*C	23.93	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1210*C	24.02	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1210*C	24.08	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1219*C	18.15	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1220*C	16.51	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1260*C	9.07	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1300*C	25	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1305*C	15.12	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1310*C	11.5	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1310*C	12.79	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1330*C	20.47	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1330*C	20.37	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1330*C	21.55	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1340*C	20.62	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1350*C	11.05	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1350*C	4.86	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1380*C	12.78	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1400*C	22.56	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1400*C	26.14	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1400*C	3.37	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1400*C	27.04	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1400*C	27.08	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1400*C	21.83	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1440*C	4.52	BAO STEEL	PLEASE CONTACT US

SPHC	3.00*1450*C	25.51	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1500*C	6.42	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1520*C	29.86	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1580*C	26.5	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1580*C	29.73	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1580*C	28.52	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1590*C	27.17	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1590*C	28.62	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1600*C	14.92	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1600*C	4.41	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1600*C	5.75	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1600*C	13.39	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*1600*C	29.61	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*721*C	11.74	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*723*C	12.02	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*730*C	12.06	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*730*C	11.83	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*750*C	6.25	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*750*C	4.2	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*750*C	8.55	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*750*C	12.46	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*750*C	10.5	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*750*C	12.23	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*750*C	12.12	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*750*C	12.32	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*780*C	12.39	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*790*C	12.41	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*800*C	13.1	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*800*C	13.63	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*800*C	13.42	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*800*C	13.47	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*800*C	12.78	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*800*C	12.85	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*800*C	11.7	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*800*C	12.58	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*800*C	12.88	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*800*C	12.69	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*800*C	12.19	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*800*C	12.45	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*800*C	12.51	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*800*C	11.18	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*800*C	13.57	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*800*C	13.32	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*800*C	13.09	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*800*C	12.59	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*800*C	13.24	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*810*C	6.54	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*825*C	12.73	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*825*C	12.87	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*825*C	6.16	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*827*C	9.84	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*827*C	9.89	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*830*C	13.74	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*830*C	13.54	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*830*C	12.8	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*830*C	11.99	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*830*C	11.35	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*830*C	11.34	BAO STEEL	PLEASE CONTACT US

SPHC	3.00*830*C	13.16	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*830*C	6.25	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*830*C	6.45	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*830*C	9.75	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*830*C	13.32	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*830*C	13.39	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*830*C	11.99	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*830*C	13.44	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*840*C	6.22	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*840*C	6.19	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*840*C	13.66	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*840*C	13.75	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*840*C	13.61	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*850*C	13.35	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*850*C	6.29	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*850*C	12.38	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*850*C	13.94	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*855*C	15.38	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*855*C	6.4	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*855*C	6.39	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*870*C	15.48	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*870*C	12.2	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*870*C	13.25	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*870*C	13.35	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*870*C	13.24	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*870*C	6.39	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	13.61	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	5	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	13.38	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	4.22	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	13.16	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	13.8	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	15.48	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	14.39	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	14.29	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	12.36	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	14.75	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	13.35	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	13.41	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	12.82	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	13.6	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	13.61	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	13.21	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	14.63	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	14.07	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	14.52	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	13.66	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	13.54	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	12.84	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	14.13	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	14.17	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	13.66	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	14.73	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	14.58	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*880*C	14.7	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	7.47	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	6.54	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	14.61	BAO STEEL	PLEASE CONTACT US

SPHC	3.00*900*C	4.73	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	12.83	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	12.82	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	12.84	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	12.82	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	14.16	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	12.89	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	14.35	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	14.22	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	13.02	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	12.81	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	12.87	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	12.87	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	12.82	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	12.47	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	12.83	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	12.83	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	12.82	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	14.26	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	14.24	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	14.6	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	14.49	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	13.4	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	13.75	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	13.59	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	13.59	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	12.77	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	13.65	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	12.21	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	13.9	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	15.99	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	6.8	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	6.55	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	17.48	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	13.29	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	14.98	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	14.32	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	14.38	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*900*C	15.74	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*910*C	14.21	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*910*C	14.46	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*910*C	15.14	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*910*C	15.17	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*910*C	15.17	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*910*C	14.71	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*910*C	14.77	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*920*C	13.03	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*920*C	14.72	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*920*C	14.11	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*920*C	14.17	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*920*C	14.4	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*920*C	13.98	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*920*C	14.91	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*920*C	15.09	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*920*C	14.26	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*930*C	6.94	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*930*C	6.82	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*930*C	12.16	BAO STEEL	PLEASE CONTACT US

SPHC	3.00*930*C	11.6	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*930*C	6.97	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*930*C	7.09	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*930*C	7	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*940*C	15.05	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*940*C	13.67	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*940*C	6.86	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*940*C	6.94	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*950*C	12.38	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*950*C	19.36	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*950*C	19.73	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*950*C	15.98	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*950*C	16.04	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*950*C	19.26	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*950*C	17.56	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*950*C	9.06	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*950*C	19.02	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*950*C	17.5	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*950*C	17.55	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*950*C	17.55	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*950*C	17.53	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*950*C	17.57	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*950*C	17.58	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*950*C	17.55	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*950*C	18.89	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*950*C	17.71	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*950*C	11.4	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*950*C	13.54	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*950*C	13.42	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*950*C	13.59	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*970*C	13.66	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*970*C	8.76	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*970*C	8.79	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*980*C	6.79	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*980*C	8.06	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*985*C	3.5	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*990*C	8.16	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*990*C	15.99	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*990*C	11.59	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*990*C	11.43	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*990*C	11.65	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*990*C	11.55	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*990*C	14.96	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*990*C	15	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*990*C	15.09	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*990*C	14.95	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*990*C	14.85	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*990*C	14.84	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*990*C	14.96	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*990*C	8.14	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*990*C	20.03	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*990*C	17.12	BAO STEEL	PLEASE CONTACT US
SPHC	3.00*990*C	15.64	BAO STEEL	PLEASE CONTACT US
SPHC	3.02*1018*C	4.89	BAO STEEL	PLEASE CONTACT US
SPHC	3.02*1060*C	4.8	BAO STEEL	PLEASE CONTACT US
SPHC	3.02*1141*C	5.2	BAO STEEL	PLEASE CONTACT US
SPHC	3.02*1160*C	23.24	BAO STEEL	PLEASE CONTACT US
SPHC	3.02*1450*C	5.58	BAO STEEL	PLEASE CONTACT US

SPHC	3.02*1545*C	6.12	BAO STEEL	PLEASE CONTACT US
SPHC	3.02*977*C	7.49	BAO STEEL	PLEASE CONTACT US
SPHC	3.03*1150*C	18.31	BAO STEEL	PLEASE CONTACT US
SPHC	3.03*1150*C	18.29	BAO STEEL	PLEASE CONTACT US
SPHC	3.03*1150*C	18.27	BAO STEEL	PLEASE CONTACT US
SPHC	3.03*1366*C	4.72	BAO STEEL	PLEASE CONTACT US
SPHC	3.03*1390*C	5.6	BAO STEEL	PLEASE CONTACT US
SPHC	3.03*1450*C	12.84	BAO STEEL	PLEASE CONTACT US
SPHC	3.03*1500*C	27.18	BAO STEEL	PLEASE CONTACT US
SPHC	3.03*1500*C	13.09	BAO STEEL	PLEASE CONTACT US
SPHC	3.03*1500*C	15.65	BAO STEEL	PLEASE CONTACT US
SPHC	3.03*1500*C	4.85	BAO STEEL	PLEASE CONTACT US
SPHC	3.03*1500*C	16.84	BAO STEEL	PLEASE CONTACT US
SPHC	3.03*1527*C	29.56	BAO STEEL	PLEASE CONTACT US
SPHC	3.03*1580*C	7.79	BAO STEEL	PLEASE CONTACT US
SPHC	3.05*1090*C	17.75	BAO STEEL	PLEASE CONTACT US
SPHC	3.05*950*C	15.59	BAO STEEL	PLEASE CONTACT US
SPHC	3.05*950*C	6.92	BAO STEEL	PLEASE CONTACT US
SPHC	3.05*950*C	12.56	BAO STEEL	PLEASE CONTACT US
SPHC	3.05*950*C	13.47	BAO STEEL	PLEASE CONTACT US
SPHC	3.05*950*C	15.2	BAO STEEL	PLEASE CONTACT US
SPHC	3.05*950*C	6.89	BAO STEEL	PLEASE CONTACT US
SPHC	3.14*1338*C	5.59	BAO STEEL	PLEASE CONTACT US
SPHC	3.14*1458*C	5.47	BAO STEEL	PLEASE CONTACT US
SPHC	3.14*1500*C	3.96	BAO STEEL	PLEASE CONTACT US
SPHC	3.14*1500*C	5.63	BAO STEEL	PLEASE CONTACT US
SPHC	3.14*1565*C	6.44	BAO STEEL	PLEASE CONTACT US
SPHC	3.14*1565*C	13.31	BAO STEEL	PLEASE CONTACT US
SPHC	3.14*1565*C	3.79	BAO STEEL	PLEASE CONTACT US
SPHC	3.14*1565*C	30.36	BAO STEEL	PLEASE CONTACT US
SPHC	3.14*1585*C	30.36	BAO STEEL	PLEASE CONTACT US
SPHC	3.18*1451*C	28.71	BAO STEEL	PLEASE CONTACT US
SPHC	3.20*1010*C	3.18	BAO STEEL	PLEASE CONTACT US
SPHC	3.20*1077*C	3.96	BAO STEEL	PLEASE CONTACT US
SPHC	3.20*1260*C	5.02	BAO STEEL	PLEASE CONTACT US
SPHC	3.20*1260*C	6.29	BAO STEEL	PLEASE CONTACT US
SPHC	3.20*1274*C	10.01	BAO STEEL	PLEASE CONTACT US
SPHC	3.20*935*C	5.38	BAO STEEL	PLEASE CONTACT US
SPHC	3.20*935*C	5.44	BAO STEEL	PLEASE CONTACT US
SPHC	3.22*1309*C	4.15	BAO STEEL	PLEASE CONTACT US
SPHC	3.22*1309*C	5.79	BAO STEEL	PLEASE CONTACT US
SPHC	3.22*1331*C	4.31	BAO STEEL	PLEASE CONTACT US
SPHC	3.22*1331*C	4.41	BAO STEEL	PLEASE CONTACT US
SPHC	3.22*1343*C	13.44	BAO STEEL	PLEASE CONTACT US
SPHC	3.22*1343*C	5.78	BAO STEEL	PLEASE CONTACT US
SPHC	3.22*1343*C	7.41	BAO STEEL	PLEASE CONTACT US
SPHC	3.22*1363*C	26.96	BAO STEEL	PLEASE CONTACT US
SPHC	3.22*1385*C	14.68	BAO STEEL	PLEASE CONTACT US
SPHC	3.22*1403*C	4.28	BAO STEEL	PLEASE CONTACT US
SPHC	3.22*1479*C	4.75	BAO STEEL	PLEASE CONTACT US
SPHC	3.22*1571*C	5.44	BAO STEEL	PLEASE CONTACT US
SPHC	3.22*1613*C	4.41	BAO STEEL	PLEASE CONTACT US
SPHC	3.22*1613*C	6.27	BAO STEEL	PLEASE CONTACT US
SPHC	3.22*1613*C	5.86	BAO STEEL	PLEASE CONTACT US
SPHC	3.24*1250*C	4.61	BAO STEEL	PLEASE CONTACT US
SPHC	3.24*1270*C	3.67	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1010*C	7.09	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1010*C	6.83	BAO STEEL	PLEASE CONTACT US

SPHC	3.25*1010*C	6.6	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1010*C	14.67	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1010*C	13.32	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1010*C	10.36	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1010*C	10.77	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1010*C	7.05	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1010*C	6.58	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1010*C	8.02	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1010*C	4.6	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1010*C	5.49	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1060*C	4.5	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1060*C	12.64	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1060*C	4.31	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1140*C	11.08	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1140*C	5.16	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1140*C	8.63	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1140*C	8.61	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1255*C	3.13	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1260*C	6.25	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1260*C	8.59	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1260*C	3.67	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1260*C	6.07	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*1260*C	9.32	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*910*C	7.11	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*910*C	7.58	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*910*C	5.35	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*910*C	9.71	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*910*C	12	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*910*C	7.02	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*910*C	7.06	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*910*C	7.81	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*910*C	6.69	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*910*C	12.4	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*910*C	11.48	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*930*C	4.62	BAO STEEL	PLEASE CONTACT US
SPHC	3.25*930*C	8.01	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*1010*C	9.16	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*1010*C	7.55	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*1010*C	11.12	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*1010*C	6.45	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*1010*C	8.88	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*1010*C	8.86	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*1010*C	9.33	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*1010*C	7.93	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*1010*C	9.76	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*1010*C	4.85	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*1260*C	4.94	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*1260*C	8.37	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*910*C	11.38	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*910*C	12.44	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*910*C	12.34	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*910*C	9.16	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*910*C	3.72	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*910*C	14.12	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*910*C	7.81	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*910*C	7.2	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*910*C	3.98	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*910*C	8.79	BAO STEEL	PLEASE CONTACT US

SPHC	3.30*910*C	13.65	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*910*C	3.26	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*910*C	9.79	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*910*C	10.27	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*910*C	4.22	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*910*C	10.7	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*910*C	3.23	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*910*C	3.13	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*910*C	11.2	BAO STEEL	PLEASE CONTACT US
SPHC	3.30*910*C	6.6	BAO STEEL	PLEASE CONTACT US
SPHC	3.31*836*C	12.99	BAO STEEL	PLEASE CONTACT US
SPHC	3.31*836*C	3.33	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*1000*C	9.25	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*1000*C	9.41	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*1058*C	4.33	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*1080*C	3.09	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*1150*C	3.32	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*1200*C	3.22	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*1220*C	8.17	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*1250*C	3.68	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*1285*C	5.06	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*1285*C	3.53	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*1290*C	19.48	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*1290*C	19.4	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*1290*C	15.45	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*1330*C	4.59	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*1330*C	5.31	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*800*C	13.55	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*800*C	10.46	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*800*C	3.06	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*800*C	9.52	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*830*C	5.16	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*900*C	3.13	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*900*C	4.04	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*900*C	3.74	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*900*C	3.93	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*900*C	4.93	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*900*C	14.4	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*920*C	4.74	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*930*C	3.97	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*930*C	4.5	BAO STEEL	PLEASE CONTACT US
SPHC	3.33*950*C	4.49	BAO STEEL	PLEASE CONTACT US
SPHC	3.34*1300*C	9.05	BAO STEEL	PLEASE CONTACT US
SPHC	3.38*1277*C	3.15	BAO STEEL	PLEASE CONTACT US
SPHC	3.39*1319*C	4.69	BAO STEEL	PLEASE CONTACT US
SPHC	3.44*1500*C	28.13	BAO STEEL	PLEASE CONTACT US
SPHC	3.44*1500*C	25.22	BAO STEEL	PLEASE CONTACT US
SPHC	3.44*1500*C	3	BAO STEEL	PLEASE CONTACT US
SPHC	3.44*1500*C	28.34	BAO STEEL	PLEASE CONTACT US
SPHC	3.44*1500*C	14.13	BAO STEEL	PLEASE CONTACT US
SPHC	3.44*1500*C	15.38	BAO STEEL	PLEASE CONTACT US
SPHC	3.44*1500*C	17.87	BAO STEEL	PLEASE CONTACT US
SPHC	3.44*1500*C	29.48	BAO STEEL	PLEASE CONTACT US
SPHC	3.44*1500*C	29.65	BAO STEEL	PLEASE CONTACT US
SPHC	3.44*1565*C	30.21	BAO STEEL	PLEASE CONTACT US
SPHC	3.44*1565*C	7.46	BAO STEEL	PLEASE CONTACT US
SPHC	3.46*1010*C	4.24	BAO STEEL	PLEASE CONTACT US
SPHC	3.46*1250*C	4.76	BAO STEEL	PLEASE CONTACT US

SPHC	3.49*1054*C	3.38	BAO STEEL	PLEASE CONTACT US
SPHC	3.49*1054*C	7.73	BAO STEEL	PLEASE CONTACT US
SPHC	3.49*1054*C	16.02	BAO STEEL	PLEASE CONTACT US
SPHC	3.49*1054*C	14.8	BAO STEEL	PLEASE CONTACT US
SPHC	3.49*1563*C	30.56	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1010*C	3.9	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1123*C	7.66	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1123*C	5.54	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1123*C	8.58	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1168*C	18.95	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1200*C	24.01	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1204*C	5.71	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1212*C	24.15	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1220*C	9.43	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1223*C	4.52	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1243*C	8.91	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1245*C	4.47	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1245*C	4.03	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1249*C	7.38	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1250*C	9.16	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1250*C	9.09	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1250*C	9.34	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1250*C	9.21	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1250*C	9.38	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1250*C	25.24	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1250*C	9.17	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1260*C	3.86	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1279*C	3.38	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1279*C	7.26	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1290*C	25.16	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1295*C	4.36	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1300*C	22.45	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1350*C	21.81	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1350*C	21.69	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1350*C	21.85	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1350*C	21.79	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1350*C	21.7	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1350*C	21.67	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1350*C	21.7	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1460*C	13.44	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1500*C	22.72	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1550*C	6.51	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*1585*C	6.2	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*800*C	6.56	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*820*C	6.18	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*837*C	6.19	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*839*C	6.15	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*850*C	13.62	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*850*C	13.67	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*860*C	7.49	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*860*C	7.17	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*888*C	10.25	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*888*C	4.03	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*900*C	15.53	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*900*C	16.23	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*900*C	15.87	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*937*C	13.03	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*937*C	12.33	BAO STEEL	PLEASE CONTACT US

SPHC	3.50*937*C	11.62	BAO STEEL	PLEASE CONTACT US
SPHC	3.50*970*C	18.81	BAO STEEL	PLEASE CONTACT US
SPHC	3.52*1079*C	24.26	BAO STEEL	PLEASE CONTACT US
SPHC	3.52*1225*C	5.79	BAO STEEL	PLEASE CONTACT US
SPHC	3.52*1236*C	3.63	BAO STEEL	PLEASE CONTACT US
SPHC	3.52*1238*C	9.37	BAO STEEL	PLEASE CONTACT US
SPHC	3.52*1306*C	6.17	BAO STEEL	PLEASE CONTACT US
SPHC	3.52*1372*C	5.98	BAO STEEL	PLEASE CONTACT US
SPHC	3.52*1374*C	8.93	BAO STEEL	PLEASE CONTACT US
SPHC	3.52*1485*C	5.14	BAO STEEL	PLEASE CONTACT US
SPHC	3.52*1493*C	10.01	BAO STEEL	PLEASE CONTACT US
SPHC	3.52*1493*C	10.62	BAO STEEL	PLEASE CONTACT US
SPHC	3.52*1493*C	6.52	BAO STEEL	PLEASE CONTACT US
SPHC	3.52*1517*C	7.18	BAO STEEL	PLEASE CONTACT US
SPHC	3.52*1523*C	3.57	BAO STEEL	PLEASE CONTACT US
SPHC	3.52*1607*C	11.55	BAO STEEL	PLEASE CONTACT US
SPHC	3.53*1003*C	7.23	BAO STEEL	PLEASE CONTACT US
SPHC	3.53*1269*C	9.59	BAO STEEL	PLEASE CONTACT US
SPHC	3.53*1440*C	4.34	BAO STEEL	PLEASE CONTACT US
SPHC	3.53*1440*C	9.05	BAO STEEL	PLEASE CONTACT US
SPHC	3.53*1456*C	11.01	BAO STEEL	PLEASE CONTACT US
SPHC	3.53*1480*C	9.14	BAO STEEL	PLEASE CONTACT US
SPHC	3.53*1600*C	5.11	BAO STEEL	PLEASE CONTACT US
SPHC	3.54*1010*C	7.79	BAO STEEL	PLEASE CONTACT US
SPHC	3.54*1188*C	3.71	BAO STEEL	PLEASE CONTACT US
SPHC	3.54*1250*C	3.35	BAO STEEL	PLEASE CONTACT US
SPHC	3.54*1355*C	5.54	BAO STEEL	PLEASE CONTACT US
SPHC	3.54*1460*C	8.13	BAO STEEL	PLEASE CONTACT US
SPHC	3.54*1500*C	4.1	BAO STEEL	PLEASE CONTACT US
SPHC	3.54*1511*C	7.02	BAO STEEL	PLEASE CONTACT US
SPHC	3.54*1512*C	5.24	BAO STEEL	PLEASE CONTACT US
SPHC	3.54*1512*C	12.31	BAO STEEL	PLEASE CONTACT US
SPHC	3.54*1580*C	5.95	BAO STEEL	PLEASE CONTACT US
SPHC	3.54*1618*C	13.5	BAO STEEL	PLEASE CONTACT US
SPHC	3.70*1100*C	16.73	BAO STEEL	PLEASE CONTACT US
SPHC	3.75*1480*C	25.67	BAO STEEL	PLEASE CONTACT US
SPHC	3.84*1275*C	7.32	BAO STEEL	PLEASE CONTACT US
SPHC	3.90*1572*C	25.96	BAO STEEL	PLEASE CONTACT US
SPHC	3.94*1426*C	10.64	BAO STEEL	PLEASE CONTACT US
SPHC	3.94*1545*C	6.92	BAO STEEL	PLEASE CONTACT US
SPHC	3.94*1545*C	7.95	BAO STEEL	PLEASE CONTACT US
SPHC	3.94*1607*C	30.19	BAO STEEL	PLEASE CONTACT US
SPHC	3.94*1607*C	3.23	BAO STEEL	PLEASE CONTACT US
SPHC	3.98*1397*C	27.04	BAO STEEL	PLEASE CONTACT US
SPHC	4.0*1050*C	20.27	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1010*C	12.19	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1010*C	12.99	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1010*C	3.14	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1015*C	8.08	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1018*C	4.37	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1100*C	16.57	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1100*C	16.76	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1140*C	15.98	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1140*C	9.44	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1140*C	6.81	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1140*C	9.52	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1140*C	22.1	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1155*C	23.14	BAO STEEL	PLEASE CONTACT US

SPHC	4.00*1170*C	8.55	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1220*C	9.22	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1221*C	7.87	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1225*C	8.86	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1225*C	8.17	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1250*C	14.55	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1250*C	21.36	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1250*C	21.63	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1260*C	24.8	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1260*C	23.88	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1270*C	18.82	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1270*C	20.05	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1270*C	21.79	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1277*C	7.65	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1277*C	8.86	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1277*C	3.01	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1389*C	6.91	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1460*C	11.76	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1460*C	12.62	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1490*C	12.78	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1490*C	26.11	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1500*C	13.71	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1500*C	22.7	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1500*C	22.84	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1500*C	22.75	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*1500*C	22.95	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*852*C	12.73	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*900*C	6.89	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*910*C	13.91	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*918*C	7.93	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*918*C	18.39	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*937*C	12.71	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*937*C	12.22	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*945*C	15.02	BAO STEEL	PLEASE CONTACT US
SPHC	4.00*968*C	3.38	BAO STEEL	PLEASE CONTACT US
SPHC	4.02*1172*C	4.45	BAO STEEL	PLEASE CONTACT US
SPHC	4.02*1223*C	10.65	BAO STEEL	PLEASE CONTACT US
SPHC	4.02*1230*C	10.01	BAO STEEL	PLEASE CONTACT US
SPHC	4.02*1245*C	6.12	BAO STEEL	PLEASE CONTACT US
SPHC	4.02*1268*C	23.57	BAO STEEL	PLEASE CONTACT US
SPHC	4.02*1268*C	5.59	BAO STEEL	PLEASE CONTACT US
SPHC	4.02*1270*C	3.38	BAO STEEL	PLEASE CONTACT US
SPHC	4.02*1343*C	6.73	BAO STEEL	PLEASE CONTACT US
SPHC	4.02*1409*C	3.37	BAO STEEL	PLEASE CONTACT US
SPHC	4.02*1451*C	6.2	BAO STEEL	PLEASE CONTACT US
SPHC	4.02*1451*C	5.14	BAO STEEL	PLEASE CONTACT US
SPHC	4.02*1460*C	11.57	BAO STEEL	PLEASE CONTACT US
SPHC	4.02*1493*C	5.37	BAO STEEL	PLEASE CONTACT US
SPHC	4.02*1552*C	30.15	BAO STEEL	PLEASE CONTACT US
SPHC	4.03*1297*C	9.57	BAO STEEL	PLEASE CONTACT US
SPHC	4.04*1025*C	20.01	BAO STEEL	PLEASE CONTACT US
SPHC	4.04*1245*C	3.55	BAO STEEL	PLEASE CONTACT US
SPHC	4.04*1250*C	6.17	BAO STEEL	PLEASE CONTACT US
SPHC	4.04*1250*C	3.38	BAO STEEL	PLEASE CONTACT US
SPHC	4.04*1274*C	15.23	BAO STEEL	PLEASE CONTACT US
SPHC	4.04*1296*C	15.19	BAO STEEL	PLEASE CONTACT US
SPHC	4.04*1296*C	6.24	BAO STEEL	PLEASE CONTACT US
SPHC	4.04*1465*C	29.27	BAO STEEL	PLEASE CONTACT US

SPHC	4.04*1525*C	4.21	BAO STEEL	PLEASE CONTACT US
SPHC	4.04*1530*C	3.46	BAO STEEL	PLEASE CONTACT US
SPHC	4.04*1530*C	25.19	BAO STEEL	PLEASE CONTACT US
SPHC	4.04*1530*C	4.16	BAO STEEL	PLEASE CONTACT US
SPHC	4.04*1530*C	7.37	BAO STEEL	PLEASE CONTACT US
SPHC	4.04*1530*C	29.53	BAO STEEL	PLEASE CONTACT US
SPHC	4.04*1550*C	30.47	BAO STEEL	PLEASE CONTACT US
SPHC	4.04*1550*C	30.41	BAO STEEL	PLEASE CONTACT US
SPHC	4.06*1225*C	16.83	BAO STEEL	PLEASE CONTACT US
SPHC	4.06*854*C	4.27	BAO STEEL	PLEASE CONTACT US
SPHC	4.06*854*C	14.4	BAO STEEL	PLEASE CONTACT US
SPHC	4.10*1500*C	9.85	BAO STEEL	PLEASE CONTACT US
SPHC	4.13*1145*C	6.15	BAO STEEL	PLEASE CONTACT US
SPHC	4.13*1145*C	8.16	BAO STEEL	PLEASE CONTACT US
SPHC	4.15*1269*C	16.47	BAO STEEL	PLEASE CONTACT US
SPHC	4.40*1375*C	21.29	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1000*C	14.94	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1050*C	7.69	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1050*C	7.74	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1050*C	7.7	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1050*C	7.64	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1067*C	3.96	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1085*C	17.49	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1100*C	4.49	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1100*C	8.26	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1100*C	8.12	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1100*C	8.25	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1110*C	9.43	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1110*C	9.3	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1150*C	8.55	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1200*C	9.43	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1230*C	9.17	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1243*C	13.85	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1250*C	9.2	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1250*C	9.45	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1259*C	3.36	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1265*C	9.24	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1274*C	6.1	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1274*C	13.23	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1450*C	15.92	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1580*C	30.82	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1580*C	28.87	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1580*C	28.79	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1580*C	28.71	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1580*C	28.84	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1580*C	29.09	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1580*C	29.06	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1580*C	29.04	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1580*C	28.97	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1580*C	27.17	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*1580*C	25.68	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*750*C	6.45	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*850*C	6.92	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*900*C	7.24	BAO STEEL	PLEASE CONTACT US
SPHC	4.50*930*C	15.41	BAO STEEL	PLEASE CONTACT US
SPHC	4.52*1003*C	8.23	BAO STEEL	PLEASE CONTACT US
SPHC	4.52*1026*C	19.01	BAO STEEL	PLEASE CONTACT US
SPHC	4.52*1061*C	5.1	BAO STEEL	PLEASE CONTACT US

SPHC	4.52*1069*C	3.32	BAO STEEL	PLEASE CONTACT US
SPHC	4.52*1079*C	9.37	BAO STEEL	PLEASE CONTACT US
SPHC	4.52*1144*C	5.38	BAO STEEL	PLEASE CONTACT US
SPHC	4.52*1179*C	3.61	BAO STEEL	PLEASE CONTACT US
SPHC	4.52*1182*C	8.28	BAO STEEL	PLEASE CONTACT US
SPHC	4.52*1184*C	21.26	BAO STEEL	PLEASE CONTACT US
SPHC	4.52*1210*C	6.34	BAO STEEL	PLEASE CONTACT US
SPHC	4.52*1239*C	6.58	BAO STEEL	PLEASE CONTACT US
SPHC	4.52*1282*C	3.18	BAO STEEL	PLEASE CONTACT US
SPHC	4.52*1293*C	5.88	BAO STEEL	PLEASE CONTACT US
SPHC	4.52*1480*C	7.59	BAO STEEL	PLEASE CONTACT US
SPHC	4.52*932*C	8.635	BAO STEEL	PLEASE CONTACT US
SPHC	4.52*937*C	4.95	BAO STEEL	PLEASE CONTACT US
SPHC	4.53*1265*C	6.83	BAO STEEL	PLEASE CONTACT US
SPHC	4.53*1269*C	9.2	BAO STEEL	PLEASE CONTACT US
SPHC	4.53*1269*C	13.7	BAO STEEL	PLEASE CONTACT US
SPHC	4.53*1269*C	25.19	BAO STEEL	PLEASE CONTACT US
SPHC	4.53*1269*C	7.35	BAO STEEL	PLEASE CONTACT US
SPHC	4.53*1269*C	6.28	BAO STEEL	PLEASE CONTACT US
SPHC	4.53*1345*C	9.16	BAO STEEL	PLEASE CONTACT US
SPHC	4.53*1500*C	8.22	BAO STEEL	PLEASE CONTACT US
SPHC	4.53*1560*C	30.33	BAO STEEL	PLEASE CONTACT US
SPHC	4.53*1600*C	11.06	BAO STEEL	PLEASE CONTACT US
SPHC	4.55*1025*C	14.63	BAO STEEL	PLEASE CONTACT US
SPHC	4.55*1250*C	6.3	BAO STEEL	PLEASE CONTACT US
SPHC	4.55*1250*C	17.7	BAO STEEL	PLEASE CONTACT US
SPHC	4.55*1250*C	4.71	BAO STEEL	PLEASE CONTACT US
SPHC	4.55*1500*C	4.07	BAO STEEL	PLEASE CONTACT US
SPHC	4.58*827*C	13.51	BAO STEEL	PLEASE CONTACT US
SPHC	4.60*1000*C	17.32	BAO STEEL	PLEASE CONTACT US
SPHC	4.65*1220*C	17.71	BAO STEEL	PLEASE CONTACT US
SPHC	4.65*1411*C	27.25	BAO STEEL	PLEASE CONTACT US
SPHC	4.65*1486*C	22.65	BAO STEEL	PLEASE CONTACT US
SPHC	4.65*1580*C	30.41	BAO STEEL	PLEASE CONTACT US
SPHC	4.70*1260*C	17.43	BAO STEEL	PLEASE CONTACT US
SPHC	4.75*1050*C	20.77	BAO STEEL	PLEASE CONTACT US
SPHC	4.75*1100*C	8.24	BAO STEEL	PLEASE CONTACT US
SPHC	4.75*1100*C	21.33	BAO STEEL	PLEASE CONTACT US
SPHC	4.75*1225*C	19.43	BAO STEEL	PLEASE CONTACT US
SPHC	4.75*1275*C	21.6	BAO STEEL	PLEASE CONTACT US
SPHC	4.75*1360*C	25.69	BAO STEEL	PLEASE CONTACT US
SPHC	4.75*1360*C	25.91	BAO STEEL	PLEASE CONTACT US
SPHC	4.75*1393*C	27.08	BAO STEEL	PLEASE CONTACT US
SPHC	4.75*1393*C	24.04	BAO STEEL	PLEASE CONTACT US
SPHC	4.75*1480*C	23	BAO STEEL	PLEASE CONTACT US
SPHC	4.75*1500*C	28.82	BAO STEEL	PLEASE CONTACT US
SPHC	4.75*1500*C	29.44	BAO STEEL	PLEASE CONTACT US
SPHC	4.75*1500*C	29.61	BAO STEEL	PLEASE CONTACT US
SPHC	4.75*1500*C	29.62	BAO STEEL	PLEASE CONTACT US
SPHC	5.03*1510*C	7.2	BAO STEEL	PLEASE CONTACT US
SPHC	5.15*1230*C	10.93	BAO STEEL	PLEASE CONTACT US
SPHC	5.52*1011*C	4.67	BAO STEEL	PLEASE CONTACT US
SPHC	5.52*1071*C	4.37	BAO STEEL	PLEASE CONTACT US
SPHC	5.52*1101*C	22.22	BAO STEEL	PLEASE CONTACT US
SPHC	5.52*1121*C	8.39	BAO STEEL	PLEASE CONTACT US
SPHC	5.52*1156*C	3.9	BAO STEEL	PLEASE CONTACT US
SPHC	5.52*1192*C	5.95	BAO STEEL	PLEASE CONTACT US
SPHC	5.52*1261*C	7.135	BAO STEEL	PLEASE CONTACT US

SPHC	5.52*1261*C	5.105	BAO STEEL	PLEASE CONTACT US
SPHC	5.52*1261*C	9.775	BAO STEEL	PLEASE CONTACT US
SPHC	5.52*1270*C	5.66	BAO STEEL	PLEASE CONTACT US
SPHC	5.52*1294*C	25.19	BAO STEEL	PLEASE CONTACT US
SPHC	5.52*1294*C	8.21	BAO STEEL	PLEASE CONTACT US
SPHC	5.52*1294*C	10	BAO STEEL	PLEASE CONTACT US
SPHC	5.52*1523*C	10.37	BAO STEEL	PLEASE CONTACT US
SPHC	5.52*1566*C	26.39	BAO STEEL	PLEASE CONTACT US
SPHC	5.53*1271*C	6.48	BAO STEEL	PLEASE CONTACT US
SPHC	5.53*1271*C	19.23	BAO STEEL	PLEASE CONTACT US
SPHC	5.53*1271*C	6.22	BAO STEEL	PLEASE CONTACT US
SPHC	5.53*1340*C	6.96	BAO STEEL	PLEASE CONTACT US
SPHC	5.53*1561*C	12.54	BAO STEEL	PLEASE CONTACT US
SPHC	5.72*1222*C	6.69	BAO STEEL	PLEASE CONTACT US
SPHC	5.72*1347*C	4.69	BAO STEEL	PLEASE CONTACT US
SPHC	5.72*1380*C	26.54	BAO STEEL	PLEASE CONTACT US
SPHC	5.75*1010*C	16.76	BAO STEEL	PLEASE CONTACT US
SPHC	6.00*1130*C	18.22	BAO STEEL	PLEASE CONTACT US
SPHC	6.00*1130*C	17.03	BAO STEEL	PLEASE CONTACT US
SPHC	6.00*1130*C	18.19	BAO STEEL	PLEASE CONTACT US
SPHC	6.00*1130*C	17.01	BAO STEEL	PLEASE CONTACT US
SPHC	6.00*1130*C	16.52	BAO STEEL	PLEASE CONTACT US
SPHC	6.00*1130*C	16.65	BAO STEEL	PLEASE CONTACT US
SPHC	6.06*1470*C	6.62	BAO STEEL	PLEASE CONTACT US
SPHC	6.06*1500*C	29.91	BAO STEEL	PLEASE CONTACT US
SPHC	6.06*1525*C	26.6	BAO STEEL	PLEASE CONTACT US
SPHC	6.06*800*C	13.01	BAO STEEL	PLEASE CONTACT US
SPHC	6.09*861*C	14.6	BAO STEEL	PLEASE CONTACT US
SPHC	6.09*861*C	14.58	BAO STEEL	PLEASE CONTACT US
SPHC	6.09*861*C	14.05	BAO STEEL	PLEASE CONTACT US
SPHC	8.00*1435*C	28.4	BAO STEEL	PLEASE CONTACT US
SPHD	2.00*874*C	6.21	BAO STEEL	PLEASE CONTACT US
SPHD	2.00*874*C	6.52	BAO STEEL	PLEASE CONTACT US
SPHD	2.28*955*C	14.49	BAO STEEL	PLEASE CONTACT US
SPHD	2.30*945*C	14.73	BAO STEEL	PLEASE CONTACT US
SPHD	2.30*955*C	9.1	BAO STEEL	PLEASE CONTACT US
SPHD	2.30*970*C	15.57	BAO STEEL	PLEASE CONTACT US
SPHD	2.30*970*C	15.54	BAO STEEL	PLEASE CONTACT US
SPHD	2.50*925*C	8.43	BAO STEEL	PLEASE CONTACT US
SPHD	2.50*940*C	7.91	BAO STEEL	PLEASE CONTACT US
SPHD	2.50*950*C	17.55	BAO STEEL	PLEASE CONTACT US
SPHD	2.50*960*C	7.75	BAO STEEL	PLEASE CONTACT US
SPHD	2.75*1010*C	5.93	BAO STEEL	PLEASE CONTACT US
SPHD	2.75*1020*C	9.5	BAO STEEL	PLEASE CONTACT US
SPHD	2.75*1020*C	18.54	BAO STEEL	PLEASE CONTACT US
SPHD	2.75*750*C	12	BAO STEEL	PLEASE CONTACT US
SPHD	2.75*810*C	12.45	BAO STEEL	PLEASE CONTACT US
SPHD	2.75*830*C	12.4	BAO STEEL	PLEASE CONTACT US
SPHD	2.75*830*C	8.72	BAO STEEL	PLEASE CONTACT US
SPHD	2.75*850*C	12.23	BAO STEEL	PLEASE CONTACT US
SPHD	2.75*850*C	13.1	BAO STEEL	PLEASE CONTACT US
SPHD	2.75*850*C	12.53	BAO STEEL	PLEASE CONTACT US
SPHD	2.75*850*C	12.21	BAO STEEL	PLEASE CONTACT US
SPHD	2.75*870*C	13.52	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*1020*C	20.32	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*1050*C	15.76	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*1050*C	18.01	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*1050*C	20.78	BAO STEEL	PLEASE CONTACT US

SPHE	2.50*1060*C	21.27	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*1200*C	18.62	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*1200*C	18.54	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*1200*C	18.57	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*1200*C	18.57	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*1200*C	18.46	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*1200*C	18.57	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*1200*C	18.59	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*1200*C	18.57	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*1200*C	18.57	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*1200*C	18.58	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*1245*C	19.68	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*1290*C	22	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*1290*C	21.99	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*1310*C	18.93	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*1350*C	20.74	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*860*C	12.74	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*930*C	12.18	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*930*C	12.25	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*930*C	12.28	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*930*C	12.1	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*950*C	15.17	BAO STEEL	PLEASE CONTACT US
SPHE	2.50*950*C	16.25	BAO STEEL	PLEASE CONTACT US
SPHE	2.63*1240*C	20.01	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*1000*C	15.73	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*1010*C	16.37	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*1010*C	17.42	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*1050*C	7.63	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*1050*C	9.54	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*1050*C	9.53	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*1100*C	18.29	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*1150*C	14.78	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*1150*C	22.29	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*1245*C	20.94	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*1300*C	25.9	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*1300*C	26.11	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*1400*C	22.56	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*1400*C	22.78	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*1500*C	23.34	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*1600*C	30.57	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*1600*C	30.29	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*1600*C	30.32	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*800*C	12.51	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*810*C	11.62	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*810*C	10.69	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*830*C	14.48	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*840*C	11.38	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*910*C	11.95	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*910*C	11.94	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*980*C	17.99	BAO STEEL	PLEASE CONTACT US
SPHE	2.75*990*C	15.74	BAO STEEL	PLEASE CONTACT US
SPHE	3.06*1300*C	16.76	BAO STEEL	PLEASE CONTACT US
SPHE	3.33*1300*C	7.8	BAO STEEL	PLEASE CONTACT US
SPHE	3.82*1323*C	22.64	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1050*C	20.31	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1050*C	20.3	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1050*C	20.39	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1050*C	20.34	BAO STEEL	PLEASE CONTACT US

SPHE	4.00*1100*C	15.99	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1100*C	17.76	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1100*C	17.73	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1350*C	26.99	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1350*C	26.82	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1450*C	26.61	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1450*C	22.84	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1450*C	22.8	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1450*C	28.13	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1450*C	28.22	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1450*C	27.94	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1450*C	28.16	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1450*C	26.16	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1500*C	29.78	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1500*C	29.94	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1500*C	23.32	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1500*C	23.24	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1500*C	23.22	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1500*C	23.26	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1500*C	23.26	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1500*C	23.17	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1500*C	29.48	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1500*C	29.34	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1500*C	29.52	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1500*C	29.61	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1500*C	27.32	BAO STEEL	PLEASE CONTACT US
SPHE	4.00*1500*C	13.83	BAO STEEL	PLEASE CONTACT US
SPHE	4.50*1350*C	26.69	BAO STEEL	PLEASE CONTACT US
SPHE	4.50*1350*C	26.12	BAO STEEL	PLEASE CONTACT US
SPHE	4.50*1350*C	26.16	BAO STEEL	PLEASE CONTACT US
SPHE	4.50*1350*C	26.11	BAO STEEL	PLEASE CONTACT US
SPHE	4.50*1450*C	22.83	BAO STEEL	PLEASE CONTACT US
SPHE	4.50*1450*C	22.82	BAO STEEL	PLEASE CONTACT US
SPHE	4.50*1450*C	22.85	BAO STEEL	PLEASE CONTACT US
SPHE	4.50*1500*C	29.72	BAO STEEL	PLEASE CONTACT US
SPHE	4.50*1550*C	14.52	BAO STEEL	PLEASE CONTACT US
SPHE	4.52*1227*C	20.65	BAO STEEL	PLEASE CONTACT US
SPHT1	2.65*1220*C	8.2	BAO STEEL	PLEASE CONTACT US
SPHT1	4.50*1250*C	9.02	BAO STEEL	PLEASE CONTACT US
SS330	3.52*1216*C	5.725	BAO STEEL	PLEASE CONTACT US
SS330-P	2.83*1140*C	3.88	BAO STEEL	PLEASE CONTACT US
SS330-P	2.83*1310*C	7.29	BAO STEEL	PLEASE CONTACT US
SS330-P	2.83*890*C	12.85	BAO STEEL	PLEASE CONTACT US
SS330-P	3.00*1300*C	25.1	BAO STEEL	PLEASE CONTACT US
SS330-P	3.00*1300*C	20.46	BAO STEEL	PLEASE CONTACT US
SS330-P	3.00*1300*C	25.87	BAO STEEL	PLEASE CONTACT US
SS330-P	3.00*1300*C	24.49	BAO STEEL	PLEASE CONTACT US
SS330-P	3.00*1300*C	25.21	BAO STEEL	PLEASE CONTACT US
SS330-P	3.00*1350*C	11.1	BAO STEEL	PLEASE CONTACT US
SS330-P	3.00*1350*C	11.18	BAO STEEL	PLEASE CONTACT US
SS330-P	3.00*1350*C	26.06	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1150*C	9.39	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1250*C	25.06	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1250*C	25.16	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1250*C	25.25	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1250*C	25.22	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1250*C	25.23	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1250*C	25.21	BAO STEEL	PLEASE CONTACT US

SS330-P	3.50*1250*C	25.1	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1250*C	24.96	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1250*C	25.27	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1250*C	25.2	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1250*C	25.24	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1250*C	25.13	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1250*C	25.17	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1300*C	21.28	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1300*C	22.77	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1300*C	25.22	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1300*C	25.59	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1300*C	25.92	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1300*C	25.2	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1345*C	3.96	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1345*C	3.92	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1350*C	24.42	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1350*C	26.11	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1350*C	27.02	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1350*C	27.01	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1350*C	26.89	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1350*C	27.03	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1350*C	21.88	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1350*C	21.21	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1350*C	22.57	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1350*C	21.14	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1350*C	25.97	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1400*C	27.39	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1400*C	26.19	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1440*C	25.97	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*1500*C	28.9	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*860*C	13.17	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*880*C	13.77	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*880*C	13.74	BAO STEEL	PLEASE CONTACT US
SS330-P	3.50*880*C	13.79	BAO STEEL	PLEASE CONTACT US
SS330-P	3.52*1708*C	8.15	BAO STEEL	PLEASE CONTACT US
SS330-P	3.52*1760*C	10.425	BAO STEEL	PLEASE CONTACT US
SS330-P	3.53*1577*C	7.4	BAO STEEL	PLEASE CONTACT US
SS330-P	3.53*1610*C	8.67	BAO STEEL	PLEASE CONTACT US
SS330-P	3.80*1680*C	5.9	BAO STEEL	PLEASE CONTACT US
SS330-P	3.82*1211*C	27.42	BAO STEEL	PLEASE CONTACT US
SS330-P	3.82*1620*C	34.12	BAO STEEL	PLEASE CONTACT US
SS330-P	3.82*910*C	16.76	BAO STEEL	PLEASE CONTACT US
SS330-P	4.02*1636*C	7.08	BAO STEEL	PLEASE CONTACT US
SS330-P	4.02*1636*C	5.35	BAO STEEL	PLEASE CONTACT US
SS330-P	5.02*852*C	5.81	BAO STEEL	PLEASE CONTACT US
SS330-P	5.72*1370*C	26.96	BAO STEEL	PLEASE CONTACT US
SS400	1.60*1092*C	3.3	BAO STEEL	PLEASE CONTACT US
SS400	1.60*1213*C	4.74	BAO STEEL	PLEASE CONTACT US
SS400	1.60*1220*C	16.48	BAO STEEL	PLEASE CONTACT US
SS400	1.60*1220*C	3.65	BAO STEEL	PLEASE CONTACT US
SS400	1.60*1249*C	3.57	BAO STEEL	PLEASE CONTACT US
SS400	1.60*925*C	5.76	BAO STEEL	PLEASE CONTACT US
SS400	1.60*925*C	7.94	BAO STEEL	PLEASE CONTACT US
SS400	1.8*1250*C	17.35	BAO STEEL	PLEASE CONTACT US
SS400	1.8*1250*C	19.51	BAO STEEL	PLEASE CONTACT US
SS400	1.8*1250*C	17.64	BAO STEEL	PLEASE CONTACT US
SS400	1.8*1250*C	17.83	BAO STEEL	PLEASE CONTACT US
SS400	1.8*1250*C	17.37	BAO STEEL	PLEASE CONTACT US

SS400	1.8*1250*C	19.45	BAO STEEL	PLEASE CONTACT US
SS400	1.8*1250*C	17.56	BAO STEEL	PLEASE CONTACT US
SS400	1.8*1250*C	18.01	BAO STEEL	PLEASE CONTACT US
SS400	1.83*1116*C	3.04	BAO STEEL	PLEASE CONTACT US
SS400	1.83*1215*C	19.9	BAO STEEL	PLEASE CONTACT US
SS400	1.83*1245*C	4.08	BAO STEEL	PLEASE CONTACT US
SS400	1.83*1245*C	3.11	BAO STEEL	PLEASE CONTACT US
SS400	1.83*1245*C	5.27	BAO STEEL	PLEASE CONTACT US
SS400	1.83*1250*C	3.79	BAO STEEL	PLEASE CONTACT US
SS400	1.83*888*C	6.75	BAO STEEL	PLEASE CONTACT US
SS400	1.83*888*C	4.76	BAO STEEL	PLEASE CONTACT US
SS400	1.83*888*C	8.33	BAO STEEL	PLEASE CONTACT US
SS400	1.83*888*C	7.28	BAO STEEL	PLEASE CONTACT US
SS400	1.83*888*C	7.66	BAO STEEL	PLEASE CONTACT US
SS400	1.83*985*C	6.94	BAO STEEL	PLEASE CONTACT US
SS400	1.85*936*C	10.34	BAO STEEL	PLEASE CONTACT US
SS400	1.85*936*C	4.19	BAO STEEL	PLEASE CONTACT US
SS400	10.20*1230*C	4.44	BAO STEEL	PLEASE CONTACT US
SS400	19.00*1350*C	20.52	BAO STEEL	PLEASE CONTACT US
SS400	19.00*1350*C	20.59	BAO STEEL	PLEASE CONTACT US
SS400	2.00*1000*C	4.29	BAO STEEL	PLEASE CONTACT US
SS400	2.00*1060*C	4.94	BAO STEEL	PLEASE CONTACT US
SS400	2.00*1095*C	7.94	BAO STEEL	PLEASE CONTACT US
SS400	2.00*1095*C	4.39	BAO STEEL	PLEASE CONTACT US
SS400	2.00*1095*C	4.72	BAO STEEL	PLEASE CONTACT US
SS400	2.00*1145*C	5.75	BAO STEEL	PLEASE CONTACT US
SS400	2.00*1180*C	4.06	BAO STEEL	PLEASE CONTACT US
SS400	2.00*1221*C	3.11	BAO STEEL	PLEASE CONTACT US
SS400	2.00*1230*C	4.83	BAO STEEL	PLEASE CONTACT US
SS400	2.00*1250*C	3.59	BAO STEEL	PLEASE CONTACT US
SS400	2.00*1250*C	4.95	BAO STEEL	PLEASE CONTACT US
SS400	2.00*1300*C	3.76	BAO STEEL	PLEASE CONTACT US
SS400	2.00*1300*C	3.36	BAO STEEL	PLEASE CONTACT US
SS400	2.00*936*C	7.21	BAO STEEL	PLEASE CONTACT US
SS400	2.10*1210*C	3.38	BAO STEEL	PLEASE CONTACT US
SS400	2.13*888*C	12.84	BAO STEEL	PLEASE CONTACT US
SS400	2.13*888*C	14.36	BAO STEEL	PLEASE CONTACT US
SS400	2.16*1325*C	3.91	BAO STEEL	PLEASE CONTACT US
SS400	2.16*1340*C	4.85	BAO STEEL	PLEASE CONTACT US
SS400	2.20*1185*C	17.14	BAO STEEL	PLEASE CONTACT US
SS400	2.30*742*C	3.06	BAO STEEL	PLEASE CONTACT US
SS400	2.30*742*C	12.51	BAO STEEL	PLEASE CONTACT US
SS400	2.30*742*C	12.57	BAO STEEL	PLEASE CONTACT US
SS400	2.30*742*C	12.59	BAO STEEL	PLEASE CONTACT US
SS400	2.30*742*C	12.6	BAO STEEL	PLEASE CONTACT US
SS400	2.30*742*C	12.54	BAO STEEL	PLEASE CONTACT US
SS400	2.30*742*C	12.52	BAO STEEL	PLEASE CONTACT US
SS400	2.32*1060*C	16.59	BAO STEEL	PLEASE CONTACT US
SS400	2.32*1060*C	16.72	BAO STEEL	PLEASE CONTACT US
SS400	2.37*1165*C	6.4	BAO STEEL	PLEASE CONTACT US
SS400	2.40*1000*C	4.68	BAO STEEL	PLEASE CONTACT US
SS400	2.40*1172*C	4.01	BAO STEEL	PLEASE CONTACT US
SS400	2.45*922*C	3.28	BAO STEEL	PLEASE CONTACT US
SS400	2.45*922*C	3.29	BAO STEEL	PLEASE CONTACT US
SS400	2.45*922*C	8.38	BAO STEEL	PLEASE CONTACT US
SS400	2.45*928*C	6.62	BAO STEEL	PLEASE CONTACT US
SS400	2.45*928*C	4.33	BAO STEEL	PLEASE CONTACT US
SS400	2.46*1360*C	4.53	BAO STEEL	PLEASE CONTACT US

SS400	2.50*1157*C	3.22	BAO STEEL	PLEASE CONTACT US
SS400	2.50*1157*C	4.97	BAO STEEL	PLEASE CONTACT US
SS400	2.50*1177*C	3.4	BAO STEEL	PLEASE CONTACT US
SS400	2.60*1040*C	17.97	BAO STEEL	PLEASE CONTACT US
SS400	2.60*1040*C	4.05	BAO STEEL	PLEASE CONTACT US
SS400	2.60*1060*C	8.77	BAO STEEL	PLEASE CONTACT US
SS400	2.60*1060*C	8.34	BAO STEEL	PLEASE CONTACT US
SS400	2.60*1210*C	4.79	BAO STEEL	PLEASE CONTACT US
SS400	2.60*934*C	6.03	BAO STEEL	PLEASE CONTACT US
SS400	2.62*1085*C	16.99	BAO STEEL	PLEASE CONTACT US
SS400	2.70*1148*C	17.99	BAO STEEL	PLEASE CONTACT US
SS400	2.70*1305*C	3.71	BAO STEEL	PLEASE CONTACT US
SS400	2.72*874*C	7.22	BAO STEEL	PLEASE CONTACT US
SS400	2.75*1000*C	15	BAO STEEL	PLEASE CONTACT US
SS400	2.75*1000*C	16.04	BAO STEEL	PLEASE CONTACT US
SS400	2.75*1000*C	16.09	BAO STEEL	PLEASE CONTACT US
SS400	2.75*1290*C	6.38	BAO STEEL	PLEASE CONTACT US
SS400	2.75*840*C	13.15	BAO STEEL	PLEASE CONTACT US
SS400	2.75*840*C	11.67	BAO STEEL	PLEASE CONTACT US
SS400	2.75*840*C	12.97	BAO STEEL	PLEASE CONTACT US
SS400	2.75*850*C	13.19	BAO STEEL	PLEASE CONTACT US
SS400	2.75*850*C	12.79	BAO STEEL	PLEASE CONTACT US
SS400	2.75*850*C	12.85	BAO STEEL	PLEASE CONTACT US
SS400	2.75*850*C	12.28	BAO STEEL	PLEASE CONTACT US
SS400	2.75*850*C	13.29	BAO STEEL	PLEASE CONTACT US
SS400	2.75*850*C	13.66	BAO STEEL	PLEASE CONTACT US
SS400	2.75*850*C	13.95	BAO STEEL	PLEASE CONTACT US
SS400	2.75*850*C	12.67	BAO STEEL	PLEASE CONTACT US
SS400	2.75*850*C	13.44	BAO STEEL	PLEASE CONTACT US
SS400	2.75*870*C	11.68	BAO STEEL	PLEASE CONTACT US
SS400	2.75*870*C	12.13	BAO STEEL	PLEASE CONTACT US
SS400	2.75*880*C	13.87	BAO STEEL	PLEASE CONTACT US
SS400	2.75*880*C	13.94	BAO STEEL	PLEASE CONTACT US
SS400	2.75*880*C	14.17	BAO STEEL	PLEASE CONTACT US
SS400	2.75*880*C	14.36	BAO STEEL	PLEASE CONTACT US
SS400	2.75*880*C	14.1	BAO STEEL	PLEASE CONTACT US
SS400	2.75*880*C	13.25	BAO STEEL	PLEASE CONTACT US
SS400	2.75*880*C	12.56	BAO STEEL	PLEASE CONTACT US
SS400	2.75*880*C	12.64	BAO STEEL	PLEASE CONTACT US
SS400	2.75*880*C	13.8	BAO STEEL	PLEASE CONTACT US
SS400	2.75*880*C	13.55	BAO STEEL	PLEASE CONTACT US
SS400	2.75*888*C	13.31	BAO STEEL	PLEASE CONTACT US
SS400	2.75*975*C	17.48	BAO STEEL	PLEASE CONTACT US
SS400	2.80*1250*C	9.66	BAO STEEL	PLEASE CONTACT US
SS400	2.80*1250*C	9.48	BAO STEEL	PLEASE CONTACT US
SS400	2.80*1250*C	9.68	BAO STEEL	PLEASE CONTACT US
SS400	2.80*1250*C	9.56	BAO STEEL	PLEASE CONTACT US
SS400	2.80*1263*C	19.22	BAO STEEL	PLEASE CONTACT US
SS400	2.80*1263*C	20.32	BAO STEEL	PLEASE CONTACT US
SS400	2.80*1263*C	23.76	BAO STEEL	PLEASE CONTACT US
SS400	2.80*1280*C	7.81	BAO STEEL	PLEASE CONTACT US
SS400	2.80*1283*C	4.3	BAO STEEL	PLEASE CONTACT US
SS400	2.82*1082*C	18.88	BAO STEEL	PLEASE CONTACT US
SS400	2.95*975*C	14.96	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1000*C	7.57	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1010*C	7.71	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1029*C	5.59	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1029*C	7.15	BAO STEEL	PLEASE CONTACT US

SS400	3.00*1029*C	3.07	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1050*C	8.89	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1050*C	7.6	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1050*C	16.01	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1050*C	16	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1050*C	16.17	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1090*C	18.44	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1100*C	15.28	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1100*C	15.22	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1100*C	16.08	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1100*C	17.8	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1100*C	16.12	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1100*C	18.33	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1100*C	17.65	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1100*C	21.62	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1100*C	21.97	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1106*C	3.41	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1106*C	16.26	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1200*C	10.61	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1230*C	17.6	BAO STEEL	PLEASE CONTACT US
SS400	3.00*1480*C	15.27	BAO STEEL	PLEASE CONTACT US
SS400	3.00*770*C	6.29	BAO STEEL	PLEASE CONTACT US
SS400	3.00*770*C	12.55	BAO STEEL	PLEASE CONTACT US
SS400	3.00*770*C	11.51	BAO STEEL	PLEASE CONTACT US
SS400	3.00*800*C	12.8	BAO STEEL	PLEASE CONTACT US
SS400	3.00*800*C	12.6	BAO STEEL	PLEASE CONTACT US
SS400	3.00*800*C	12.78	BAO STEEL	PLEASE CONTACT US
SS400	3.00*810*C	13.05	BAO STEEL	PLEASE CONTACT US
SS400	3.00*820*C	13.2	BAO STEEL	PLEASE CONTACT US
SS400	3.00*830*C	14.27	BAO STEEL	PLEASE CONTACT US
SS400	3.00*830*C	13.74	BAO STEEL	PLEASE CONTACT US
SS400	3.00*830*C	12.11	BAO STEEL	PLEASE CONTACT US
SS400	3.00*830*C	13.18	BAO STEEL	PLEASE CONTACT US
SS400	3.00*830*C	12.17	BAO STEEL	PLEASE CONTACT US
SS400	3.00*830*C	12.66	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	12.08	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	12.05	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	12.2	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	12.74	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	10.03	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	12.85	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	13.14	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	14.1	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	13.28	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	12.59	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	12.94	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	13.53	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	12.71	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	13.58	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	13.98	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	13.39	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	13.3	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	13.72	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	12.88	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	13.27	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	13.32	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	12.27	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	12.79	BAO STEEL	PLEASE CONTACT US

SS400	3.00*850*C	12.7	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	13.7	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	13.8	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	13.37	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	13.77	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	12.91	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	13.27	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	12.98	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	12.67	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	12.4	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	12.75	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	13.2	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	13.01	BAO STEEL	PLEASE CONTACT US
SS400	3.00*850*C	13	BAO STEEL	PLEASE CONTACT US
SS400	3.00*860*C	13.8	BAO STEEL	PLEASE CONTACT US
SS400	3.00*860*C	13.06	BAO STEEL	PLEASE CONTACT US
SS400	3.00*860*C	13.2	BAO STEEL	PLEASE CONTACT US
SS400	3.00*860*C	13.98	BAO STEEL	PLEASE CONTACT US
SS400	3.00*860*C	12.15	BAO STEEL	PLEASE CONTACT US
SS400	3.00*860*C	12.92	BAO STEEL	PLEASE CONTACT US
SS400	3.00*860*C	12.45	BAO STEEL	PLEASE CONTACT US
SS400	3.00*860*C	12.31	BAO STEEL	PLEASE CONTACT US
SS400	3.00*860*C	13.83	BAO STEEL	PLEASE CONTACT US
SS400	3.00*860*C	11.93	BAO STEEL	PLEASE CONTACT US
SS400	3.00*860*C	14.04	BAO STEEL	PLEASE CONTACT US
SS400	3.00*860*C	13	BAO STEEL	PLEASE CONTACT US
SS400	3.00*860*C	12.81	BAO STEEL	PLEASE CONTACT US
SS400	3.00*860*C	12.29	BAO STEEL	PLEASE CONTACT US
SS400	3.00*860*C	13.13	BAO STEEL	PLEASE CONTACT US
SS400	3.00*860*C	13.2	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	12.95	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	13.33	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	13.24	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	13.2	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	13.52	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	13.61	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	13.92	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	12.67	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	13.15	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	12.95	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	12.44	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	13.05	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	13.33	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	13.58	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	12.47	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	13.28	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	13.2	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	13.28	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	12.92	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	13.09	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	13.94	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	13.62	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	13.13	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	14.41	BAO STEEL	PLEASE CONTACT US
SS400	3.00*880*C	13.43	BAO STEEL	PLEASE CONTACT US
SS400	3.00*890*C	14.03	BAO STEEL	PLEASE CONTACT US
SS400	3.00*890*C	13.62	BAO STEEL	PLEASE CONTACT US
SS400	3.00*890*C	13.53	BAO STEEL	PLEASE CONTACT US

SS400	3.00*900*C	7.77	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	14.4	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	14.36	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	15.47	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	14.42	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	14.38	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	14.54	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	13.18	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	14.91	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	14.06	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	13.69	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	12.99	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	13.32	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	13.23	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	12.85	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	12.23	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	14.46	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	13.96	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	12.54	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	12.73	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	13.67	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	13.63	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	12.87	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	12.51	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	13.61	BAO STEEL	PLEASE CONTACT US
SS400	3.00*900*C	13.66	BAO STEEL	PLEASE CONTACT US
SS400	3.00*910*C	12.5	BAO STEEL	PLEASE CONTACT US
SS400	3.00*910*C	14.05	BAO STEEL	PLEASE CONTACT US
SS400	3.00*910*C	14.03	BAO STEEL	PLEASE CONTACT US
SS400	3.00*910*C	14.44	BAO STEEL	PLEASE CONTACT US
SS400	3.00*910*C	12.55	BAO STEEL	PLEASE CONTACT US
SS400	3.00*910*C	14.12	BAO STEEL	PLEASE CONTACT US
SS400	3.00*910*C	12.59	BAO STEEL	PLEASE CONTACT US
SS400	3.00*910*C	13.96	BAO STEEL	PLEASE CONTACT US
SS400	3.00*910*C	14.17	BAO STEEL	PLEASE CONTACT US
SS400	3.00*910*C	14.22	BAO STEEL	PLEASE CONTACT US
SS400	3.00*920*C	14.03	BAO STEEL	PLEASE CONTACT US
SS400	3.00*940*C	13.7	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.32	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.79	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	12.81	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.72	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.65	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.5	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.91	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.43	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.59	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	15.23	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	15.18	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.41	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	12.89	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	17.01	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.21	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.05	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.79	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.42	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	12.41	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	11.59	BAO STEEL	PLEASE CONTACT US

SS400	3.00*950*C	12.27	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	12.4	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.61	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.73	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.8	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	12.33	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	12.36	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.02	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.54	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.49	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.34	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.55	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.65	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.53	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.41	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	13.57	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	13.9	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	14.39	BAO STEEL	PLEASE CONTACT US
SS400	3.00*950*C	13.25	BAO STEEL	PLEASE CONTACT US
SS400	3.00*955*C	18.95	BAO STEEL	PLEASE CONTACT US
SS400	3.00*960*C	15.88	BAO STEEL	PLEASE CONTACT US
SS400	3.00*960*C	16.39	BAO STEEL	PLEASE CONTACT US
SS400	3.00*960*C	14.79	BAO STEEL	PLEASE CONTACT US
SS400	3.00*960*C	14.17	BAO STEEL	PLEASE CONTACT US
SS400	3.00*960*C	14.53	BAO STEEL	PLEASE CONTACT US
SS400	3.00*960*C	18.57	BAO STEEL	PLEASE CONTACT US
SS400	3.03*1480*C	4.97	BAO STEEL	PLEASE CONTACT US
SS400	3.05*1030*C	18.3	BAO STEEL	PLEASE CONTACT US
SS400	3.05*1030*C	18.43	BAO STEEL	PLEASE CONTACT US
SS400	3.05*1030*C	17.96	BAO STEEL	PLEASE CONTACT US
SS400	3.05*1030*C	17.95	BAO STEEL	PLEASE CONTACT US
SS400	3.05*1030*C	16.4	BAO STEEL	PLEASE CONTACT US
SS400	3.05*1030*C	12.55	BAO STEEL	PLEASE CONTACT US
SS400	3.05*1030*C	14.18	BAO STEEL	PLEASE CONTACT US
SS400	3.05*1030*C	12.25	BAO STEEL	PLEASE CONTACT US
SS400	3.05*1030*C	12.59	BAO STEEL	PLEASE CONTACT US
SS400	3.05*1100*C	10.28	BAO STEEL	PLEASE CONTACT US
SS400	3.05*1100*C	10.51	BAO STEEL	PLEASE CONTACT US
SS400	3.20*1212*C	21.65	BAO STEEL	PLEASE CONTACT US
SS400	3.20*1212*C	21.74	BAO STEEL	PLEASE CONTACT US
SS400	3.20*1212*C	21.73	BAO STEEL	PLEASE CONTACT US
SS400	3.20*1274*C	3.09	BAO STEEL	PLEASE CONTACT US
SS400	3.20*1294*C	14.32	BAO STEEL	PLEASE CONTACT US
SS400	3.20*1294*C	16.48	BAO STEEL	PLEASE CONTACT US
SS400	3.20*1294*C	5.8	BAO STEEL	PLEASE CONTACT US
SS400	3.22*908*C	8.73	BAO STEEL	PLEASE CONTACT US
SS400	3.30*1250*C	24.07	BAO STEEL	PLEASE CONTACT US
SS400	3.30*1250*C	20.69	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1116*C	17.86	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1240*C	24.31	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1250*C	3.8	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1250*C	18.98	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1250*C	24.5	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1250*C	24.42	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1250*C	24.41	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1250*C	6.53	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1250*C	24.45	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1250*C	18.95	BAO STEEL	PLEASE CONTACT US

SS400	3.50*1250*C	18.95	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1250*C	18.98	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1250*C	18.97	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1250*C	18.71	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1250*C	20.97	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1250*C	20.38	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1250*C	20.2	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1250*C	24.79	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1250*C	24.08	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1260*C	18.96	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1310*C	25.75	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1350*C	20.43	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1350*C	23.81	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1380*C	20.07	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1380*C	20.27	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1380*C	25.44	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1380*C	26.97	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1380*C	26.45	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1425*C	21.62	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1450*C	24.78	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1450*C	26.42	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1450*C	23.01	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1450*C	22.21	BAO STEEL	PLEASE CONTACT US
SS400	3.50*1500*C	3.04	BAO STEEL	PLEASE CONTACT US
SS400	3.50*850*C	10.08	BAO STEEL	PLEASE CONTACT US
SS400	3.50*850*C	12.97	BAO STEEL	PLEASE CONTACT US
SS400	3.50*850*C	12.27	BAO STEEL	PLEASE CONTACT US
SS400	3.50*880*C	13.33	BAO STEEL	PLEASE CONTACT US
SS400	3.50*880*C	13.42	BAO STEEL	PLEASE CONTACT US
SS400	3.50*880*C	12.96	BAO STEEL	PLEASE CONTACT US
SS400	3.50*940*C	14.34	BAO STEEL	PLEASE CONTACT US
SS400	3.50*950*C	14.09	BAO STEEL	PLEASE CONTACT US
SS400	3.50*950*C	14.37	BAO STEEL	PLEASE CONTACT US
SS400	3.50*950*C	14.61	BAO STEEL	PLEASE CONTACT US
SS400	3.50*950*C	14.3	BAO STEEL	PLEASE CONTACT US
SS400	3.50*950*C	14.71	BAO STEEL	PLEASE CONTACT US
SS400	3.50*950*C	14.33	BAO STEEL	PLEASE CONTACT US
SS400	3.50*950*C	14.79	BAO STEEL	PLEASE CONTACT US
SS400	3.50*950*C	12.59	BAO STEEL	PLEASE CONTACT US
SS400	3.50*950*C	12.36	BAO STEEL	PLEASE CONTACT US
SS400	3.50*950*C	14.74	BAO STEEL	PLEASE CONTACT US
SS400	3.50*950*C	17.6	BAO STEEL	PLEASE CONTACT US
SS400	3.50*950*C	13.93	BAO STEEL	PLEASE CONTACT US
SS400	3.50*952*C	14.34	BAO STEEL	PLEASE CONTACT US
SS400	3.53*1210*C	20.78	BAO STEEL	PLEASE CONTACT US
SS400	3.53*1561*C	6.7	BAO STEEL	PLEASE CONTACT US
SS400	3.58*1388*C	8.59	BAO STEEL	PLEASE CONTACT US
SS400	3.58*1388*C	12.28	BAO STEEL	PLEASE CONTACT US
SS400	3.58*1388*C	30.31	BAO STEEL	PLEASE CONTACT US
SS400	3.60*1380*C	25.6	BAO STEEL	PLEASE CONTACT US
SS400	3.60*1380*C	25.86	BAO STEEL	PLEASE CONTACT US
SS400	3.60*1380*C	26.6	BAO STEEL	PLEASE CONTACT US
SS400	3.60*1380*C	22.98	BAO STEEL	PLEASE CONTACT US
SS400	3.60*925*C	14.05	BAO STEEL	PLEASE CONTACT US
SS400	3.75*1000*C	18.53	BAO STEEL	PLEASE CONTACT US
SS400	3.75*1030*C	15.51	BAO STEEL	PLEASE CONTACT US
SS400	3.75*1030*C	9.71	BAO STEEL	PLEASE CONTACT US
SS400	3.75*1030*C	9.72	BAO STEEL	PLEASE CONTACT US

SS400	3.75*1030*C	16.15	BAO STEEL	PLEASE CONTACT US
SS400	3.75*1100*C	19.37	BAO STEEL	PLEASE CONTACT US
SS400	3.75*1100*C	20.71	BAO STEEL	PLEASE CONTACT US
SS400	3.75*1100*C	18.66	BAO STEEL	PLEASE CONTACT US
SS400	3.75*1140*C	19.64	BAO STEEL	PLEASE CONTACT US
SS400	3.75*1140*C	18.38	BAO STEEL	PLEASE CONTACT US
SS400	3.75*1140*C	16.9	BAO STEEL	PLEASE CONTACT US
SS400	3.75*1180*C	23.01	BAO STEEL	PLEASE CONTACT US
SS400	3.75*880*C	13.2	BAO STEEL	PLEASE CONTACT US
SS400	3.75*900*C	13.15	BAO STEEL	PLEASE CONTACT US
SS400	3.75*900*C	13.55	BAO STEEL	PLEASE CONTACT US
SS400	3.75*920*C	16.12	BAO STEEL	PLEASE CONTACT US
SS400	3.75*930*C	7.25	BAO STEEL	PLEASE CONTACT US
SS400	3.75*950*C	13.84	BAO STEEL	PLEASE CONTACT US
SS400	3.75*950*C	14.51	BAO STEEL	PLEASE CONTACT US
SS400	3.75*950*C	14.92	BAO STEEL	PLEASE CONTACT US
SS400	3.75*950*C	16.65	BAO STEEL	PLEASE CONTACT US
SS400	3.75*950*C	18.27	BAO STEEL	PLEASE CONTACT US
SS400	3.75*950*C	15.46	BAO STEEL	PLEASE CONTACT US
SS400	3.75*990*C	15.05	BAO STEEL	PLEASE CONTACT US
SS400	3.75*990*C	14.84	BAO STEEL	PLEASE CONTACT US
SS400	3.75*990*C	15.07	BAO STEEL	PLEASE CONTACT US
SS400	3.75*990*C	14.71	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1000*C	17.55	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1040*C	18.53	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1050*C	17.61	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1060*C	16.84	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1060*C	20.78	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1100*C	18.8	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1100*C	18.77	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1100*C	18.96	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1100*C	17.84	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1168*C	17.61	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1168*C	17.93	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1190*C	20.17	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1200*C	18.16	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1200*C	17.94	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1200*C	17.89	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1200*C	17.19	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1200*C	21.07	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1200*C	19.25	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1200*C	20.81	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1200*C	20.03	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1200*C	23.19	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1200*C	21.5	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1352*C	5.98	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1380*C	20.7	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1380*C	25.03	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1380*C	26.01	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1380*C	23.59	BAO STEEL	PLEASE CONTACT US
SS400	4.00*1595*C	4.82	BAO STEEL	PLEASE CONTACT US
SS400	4.00*770*C	12.14	BAO STEEL	PLEASE CONTACT US
SS400	4.00*780*C	12.62	BAO STEEL	PLEASE CONTACT US
SS400	4.00*780*C	12.66	BAO STEEL	PLEASE CONTACT US
SS400	4.00*860*C	13.34	BAO STEEL	PLEASE CONTACT US
SS400	4.00*860*C	12.78	BAO STEEL	PLEASE CONTACT US
SS400	4.00*860*C	12.97	BAO STEEL	PLEASE CONTACT US
SS400	4.00*860*C	12.98	BAO STEEL	PLEASE CONTACT US

SS400	4.00*860*C	13.45	BAO STEEL	PLEASE CONTACT US
SS400	4.00*860*C	14.46	BAO STEEL	PLEASE CONTACT US
SS400	4.00*900*C	13.73	BAO STEEL	PLEASE CONTACT US
SS400	4.00*900*C	13.68	BAO STEEL	PLEASE CONTACT US
SS400	4.00*900*C	13.04	BAO STEEL	PLEASE CONTACT US
SS400	4.00*900*C	11.42	BAO STEEL	PLEASE CONTACT US
SS400	4.00*900*C	11.59	BAO STEEL	PLEASE CONTACT US
SS400	4.00*900*C	13.05	BAO STEEL	PLEASE CONTACT US
SS400	4.00*900*C	16.33	BAO STEEL	PLEASE CONTACT US
SS400	4.00*900*C	12.71	BAO STEEL	PLEASE CONTACT US
SS400	4.00*900*C	11.45	BAO STEEL	PLEASE CONTACT US
SS400	4.00*900*C	14.89	BAO STEEL	PLEASE CONTACT US
SS400	4.00*900*C	14.94	BAO STEEL	PLEASE CONTACT US
SS400	4.00*900*C	13.69	BAO STEEL	PLEASE CONTACT US
SS400	4.00*900*C	14.3	BAO STEEL	PLEASE CONTACT US
SS400	4.00*940*C	14.79	BAO STEEL	PLEASE CONTACT US
SS400	4.00*940*C	13.85	BAO STEEL	PLEASE CONTACT US
SS400	4.00*940*C	13.74	BAO STEEL	PLEASE CONTACT US
SS400	4.00*940*C	13.84	BAO STEEL	PLEASE CONTACT US
SS400	4.00*940*C	13.8	BAO STEEL	PLEASE CONTACT US
SS400	4.00*940*C	13.84	BAO STEEL	PLEASE CONTACT US
SS400	4.00*940*C	13.79	BAO STEEL	PLEASE CONTACT US
SS400	4.00*960*C	13.8	BAO STEEL	PLEASE CONTACT US
SS400	4.02*1414*C	5.32	BAO STEEL	PLEASE CONTACT US
SS400	4.20*1293*C	7.2	BAO STEEL	PLEASE CONTACT US
SS400	4.50*1050*C	18.29	BAO STEEL	PLEASE CONTACT US
SS400	4.50*1050*C	18.39	BAO STEEL	PLEASE CONTACT US
SS400	4.50*1100*C	16.8	BAO STEEL	PLEASE CONTACT US
SS400	4.50*1100*C	21.66	BAO STEEL	PLEASE CONTACT US
SS400	4.50*1100*C	12.06	BAO STEEL	PLEASE CONTACT US
SS400	4.50*1100*C	7.95	BAO STEEL	PLEASE CONTACT US
SS400	4.50*1160*C	13.6	BAO STEEL	PLEASE CONTACT US
SS400	4.50*1200*C	17.92	BAO STEEL	PLEASE CONTACT US
SS400	4.50*1200*C	7.2	BAO STEEL	PLEASE CONTACT US
SS400	4.50*1200*C	14.99	BAO STEEL	PLEASE CONTACT US
SS400	4.50*1200*C	21.56	BAO STEEL	PLEASE CONTACT US
SS400	4.50*1200*C	17.84	BAO STEEL	PLEASE CONTACT US
SS400	4.50*1245*C	9.4	BAO STEEL	PLEASE CONTACT US
SS400	4.50*1250*C	24.6	BAO STEEL	PLEASE CONTACT US
SS400	4.50*1340*C	19.42	BAO STEEL	PLEASE CONTACT US
SS400	4.50*1340*C	25.72	BAO STEEL	PLEASE CONTACT US
SS400	4.50*760*C	6.55	BAO STEEL	PLEASE CONTACT US
SS400	4.50*760*C	6.53	BAO STEEL	PLEASE CONTACT US
SS400	4.50*790*C	6.34	BAO STEEL	PLEASE CONTACT US
SS400	4.50*950*C	14.66	BAO STEEL	PLEASE CONTACT US
SS400	4.50*960*C	7.57	BAO STEEL	PLEASE CONTACT US
SS400	4.50*960*C	7.86	BAO STEEL	PLEASE CONTACT US
SS400	4.52*1340*C	11.56	BAO STEEL	PLEASE CONTACT US
SS400	4.55*1152*C	3.12	BAO STEEL	PLEASE CONTACT US
SS400	4.75*1150*C	20.72	BAO STEEL	PLEASE CONTACT US
SS400	4.75*1150*C	16.85	BAO STEEL	PLEASE CONTACT US
SS400	4.75*1500*C	23.91	BAO STEEL	PLEASE CONTACT US
SS400	4.75*1500*C	14.04	BAO STEEL	PLEASE CONTACT US
SS400	4.75*855*C	14.1	BAO STEEL	PLEASE CONTACT US
SS400	4.75*855*C	14.37	BAO STEEL	PLEASE CONTACT US
SS400	4.75*900*C	15.36	BAO STEEL	PLEASE CONTACT US
SS400	4.75*900*C	14.21	BAO STEEL	PLEASE CONTACT US
SS400	4.75*900*C	13.7	BAO STEEL	PLEASE CONTACT US

SS400	4.75*900*C	13.47	BAO STEEL	PLEASE CONTACT US
SS400	4.75*900*C	14.35	BAO STEEL	PLEASE CONTACT US
SS400	4.75*900*C	13.98	BAO STEEL	PLEASE CONTACT US
SS400	4.75*900*C	14.2	BAO STEEL	PLEASE CONTACT US
SS400	4.75*900*C	14.01	BAO STEEL	PLEASE CONTACT US
SS400	4.75*900*C	14.02	BAO STEEL	PLEASE CONTACT US
SS400	4.75*900*C	14.42	BAO STEEL	PLEASE CONTACT US
SS400	4.75*950*C	14.71	BAO STEEL	PLEASE CONTACT US
SS400	4.75*950*C	14.71	BAO STEEL	PLEASE CONTACT US
SS400	4.75*950*C	13.92	BAO STEEL	PLEASE CONTACT US
SS400	4.90*1198*C	18.41	BAO STEEL	PLEASE CONTACT US
SS400	4.90*1198*C	21.09	BAO STEEL	PLEASE CONTACT US
SS400	4.90*1198*C	20.1	BAO STEEL	PLEASE CONTACT US
SS400	4.90*1198*C	20.28	BAO STEEL	PLEASE CONTACT US
SS400	4.90*1198*C	20.28	BAO STEEL	PLEASE CONTACT US
SS400	4.90*1198*C	22.11	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1000*C	15.33	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1000*C	15.2	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1000*C	15.3	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1000*C	15.3	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1000*C	15.32	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1000*C	16.71	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1000*C	15.55	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1000*C	15.47	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1000*C	15.63	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1000*C	15.65	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1000*C	15.97	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1000*C	16.01	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1000*C	17.45	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1000*C	17.36	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1180*C	17.77	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1180*C	17.53	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1180*C	23.45	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1190*C	18.18	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1190*C	23.5	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1198*C	18.71	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1210*C	17.87	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1290*C	23.37	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1290*C	24.93	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1540*C	23.06	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1540*C	24.26	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1540*C	25.97	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1540*C	25.96	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1540*C	26.03	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1540*C	26.03	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1540*C	26.02	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1540*C	25.95	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1540*C	26.01	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1540*C	26.03	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1540*C	25.95	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1540*C	25.98	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1540*C	25.99	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1540*C	25.4	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1540*C	26.04	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1540*C	25.97	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1540*C	25.96	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1540*C	25.98	BAO STEEL	PLEASE CONTACT US
SS400	5.00*1540*C	25.84	BAO STEEL	PLEASE CONTACT US

SS400	5.00*1540*C	25.89	BAO STEEL	PLEASE CONTACT US
SS400	5.00*900*C	13.58	BAO STEEL	PLEASE CONTACT US
SS400	5.55*1185*C	3.85	BAO STEEL	PLEASE CONTACT US
SS400	5.55*1190*C	4.31	BAO STEEL	PLEASE CONTACT US
SS400	5.58*1287*C	3.29	BAO STEEL	PLEASE CONTACT US
SS400	6.00*1190*C	5.03	BAO STEEL	PLEASE CONTACT US
SS400	6.00*1250*C	3.67	BAO STEEL	PLEASE CONTACT US
SS400	6.00*1310*C	6.87	BAO STEEL	PLEASE CONTACT US
SS400	6.00*1485*C	6.14	BAO STEEL	PLEASE CONTACT US
SS400	6.15*1400*C	20.83	BAO STEEL	PLEASE CONTACT US
SS400	6.15*1400*C	3.36	BAO STEEL	PLEASE CONTACT US
SS400	7.75*1040*C	16.15	BAO STEEL	PLEASE CONTACT US
SS400	7.75*1430*C	22.1	BAO STEEL	PLEASE CONTACT US
SS400	7.75*1450*C	21.57	BAO STEEL	PLEASE CONTACT US
SS400	7.80*1500*C	4.51	BAO STEEL	PLEASE CONTACT US
SS400	8.00*1230*C	15.93	BAO STEEL	PLEASE CONTACT US
SS490-P	3.22*1283*C	7.47	BAO STEEL	PLEASE CONTACT US
SS490-P	3.23*1507*C	11.465	BAO STEEL	PLEASE CONTACT US
SS490-P	3.52*1266*C	5.625	BAO STEEL	PLEASE CONTACT US
SS490-P	3.82*1160*C	6.1	BAO STEEL	PLEASE CONTACT US
SS490-P	5.52*1178*C	6.815	BAO STEEL	PLEASE CONTACT US
St52-3	1.80*1174*C	16.42	BAO STEEL	PLEASE CONTACT US
St52-3	2.75*1250*C	19.6	BAO STEEL	PLEASE CONTACT US
St52-3	3.00*1050*C	14.04	BAO STEEL	PLEASE CONTACT US
St52-3	3.00*1230*C	21.27	BAO STEEL	PLEASE CONTACT US
St52-3	3.00*1250*C	11.36	BAO STEEL	PLEASE CONTACT US
St52-3	3.00*1250*C	11.4	BAO STEEL	PLEASE CONTACT US
St52-3	4.00*1000*C	14.45	BAO STEEL	PLEASE CONTACT US
St52-3	4.00*1000*C	14.54	BAO STEEL	PLEASE CONTACT US
St52-3	4.00*1000*C	14.5	BAO STEEL	PLEASE CONTACT US
St52-3	4.00*1000*C	14.61	BAO STEEL	PLEASE CONTACT US
St52-3	4.00*1000*C	14.69	BAO STEEL	PLEASE CONTACT US
St52-3	4.00*1000*C	14.52	BAO STEEL	PLEASE CONTACT US
St52-3	4.00*1000*C	14.46	BAO STEEL	PLEASE CONTACT US
St52-3	4.00*1000*C	14.71	BAO STEEL	PLEASE CONTACT US
St52-3	4.00*1000*C	14.52	BAO STEEL	PLEASE CONTACT US
St52-3	4.00*1250*C	11.23	BAO STEEL	PLEASE CONTACT US
St52-3	4.75*940*C	12.36	BAO STEEL	PLEASE CONTACT US
St52-3	6.00*1150*C	10.8	BAO STEEL	PLEASE CONTACT US
St52-3	6.00*1150*C	10.77	BAO STEEL	PLEASE CONTACT US
SY295	12.90*1380*C	26.35	BAO STEEL	PLEASE CONTACT US
W600	2.61*1132*C	7.12	BAO STEEL	PLEASE CONTACT US
W600	3.50*1247*C	13.41	BAO STEEL	PLEASE CONTACT US
W600	3.50*1247*C	20.04	BAO STEEL	PLEASE CONTACT US
W600	4.50*1230*C	4.23	BAO STEEL	PLEASE CONTACT US
W600	4.50*1247*C	14.11	BAO STEEL	PLEASE CONTACT US
W600	4.50*1247*C	17.98	BAO STEEL	PLEASE CONTACT US
W800	2.61*1132*C	4.13	BAO STEEL	PLEASE CONTACT US
W800	2.61*1212*C	5.77	BAO STEEL	PLEASE CONTACT US
W800	2.61*1240*C	7.03	BAO STEEL	PLEASE CONTACT US
W800	2.61*1263*C	4.67	BAO STEEL	PLEASE CONTACT US
W800	2.61*1263*C	7.34	BAO STEEL	PLEASE CONTACT US
W800	2.61*1263*C	4.95	BAO STEEL	PLEASE CONTACT US
W800	2.61*1263*C	3.05	BAO STEEL	PLEASE CONTACT US
W800	2.75*1010*C	4.02	BAO STEEL	PLEASE CONTACT US
W800	3.50*1232*C	19.79	BAO STEEL	PLEASE CONTACT US
W800	3.80*1157*C	18.88	BAO STEEL	PLEASE CONTACT US
W800	4.50*1212*C	14.63	BAO STEEL	PLEASE CONTACT US