

HENAN BEBON INTERNATIONAL CO.,LTD.

Adress: 33#BUILDING.ENTERPRISES HEADQUARTERS BASE,RUIDA ROAD,NATIONAL HIGH-TECH INDUSTRIAL DEVELOPMENT ZONE ,ZHENGZHOU CITY 450000, CHINA.



Email: bb@bebonchina.com

Phone: +86-371-86097200 Fax:+86-371-86011881

Web: www.bebonchina.com, www.steel-plate-sheet.com

OD	Wall Thickness	Prices FOB Tianjin,China		OD	Wall Thickness	Prices FOB Tianjin,China		OD	Wall Thickness	Prices FOB Tianjin,China	
		ST37-2	ASTM A106Gr.B			ST37-2	ASTM A106Gr.B			ST37-2	ASTM A106Gr.B
Φ33.4 (1")	2.1-2.4	379.69	454.69	Φ108	3.0-4.5	367.19	417.19	Φ165	6.25-7.0	382.81	428.13
	2.5-3.25	373.44	450.00		4.75-5.75	370.31	423.44		3.5-5.75	375.00	426.56
	3.5-4.0	392.19	465.63		6.0-6.25	398.44	439.06		6.0-8	381.25	434.38
Φ42.3 (1.2")	2.1-2.4	384.38	459.38	Φ114.3 (4")	6.5-9.0	414.06	454.69	Φ168.3	8.25-8.75	393.75	440.63
	2.5-3.5	379.69	454.69		3.0-4.0	362.50	423.44		9.0-9.75	404.69	454.69
	3.75	382.81	457.81		4.25-4.75	367.19	428.13		10.0-11.75	429.69	470.31
48.3 (1.5")	4.0-5.0	428.13	465.63	Φ127	5.0-6.0	378.13	435.94	Φ177.8 (Φ180)	3.75-5.75	367.19	423.44
	2.1-2.4	376.56	450.00		6.25-7.75	393.75	446.88		6.0-7.75	375.00	431.25
	2.5-3.25	367.19	443.75		8.0-10	421.88	454.69		8.0-8.75	371.88	439.06
Φ60.3 (2")	3.5-3.75	384.38	446.88	Φ133	3.0-4.75	387.50	428.13	Φ193.7	9.0-9.75	390.63	446.88
	4.0-4.25	403.13	476.56		5.0-5.75	395.31	435.94		10.0-11.75	406.25	454.69
	4.5-6.0	437.50	507.81		3.0-5.75	367.19	428.13		4.0-6.75	379.69	423.44
Φ73	3.0-4.0	373.44	450.00	Φ139.7 (5")	6.0-7.75	378.13	443.75	Φ203	6.8-7.75	387.50	431.25
	4.25-4.75	384.38	457.81		8.0-10	418.75	454.69		8.0-9.75	398.44	446.88
	5.0-5.75	406.25	481.25		3.0-4.5	367.19	423.44		10.0-11.75	417.19	454.69
Φ76.1 (2.5")	3.0-4.75	385.94	450.00	Φ152	4.75-5.75	375.00	431.25	Φ219 (8")	3.0-6.75	385.94	431.25
	4.8-5.25	406.25	465.63		6.0-7.75	395.31	454.69		6.8-7.75	393.75	439.06
	5.5-7.0	421.88	481.25		8.0-10.0	437.50	470.31		8.0-9.75	371.88	439.06
Φ88.9 (3")	3.0-4.0	365.63	425.00	Φ159	3.0-4.5	379.69	423.44	Φ244.5	3.25-6.75	367.19	423.44
	4.25-4.75	368.75	428.13		4.75-5.75	387.50	431.25		6.8-7.75	368.75	431.25
	5.0-5.25	379.69	439.06		6.0-7.75	410.94	454.69		8.0-9.75	371.88	439.06
Φ88.9 (3")	5.5-7.0	400.00	446.88	Φ159	8.0-10.0	426.56	470.31	Φ273 (10")	10.0-11.75	387.50	446.88
	3.0-4.0	367.19	425.00		3.25-6.75	365.63	423.44		3.0-4.75	396.88	446.88
	4.25-4.75	370.31	428.13		6.8-7.75	373.44	429.69		5.0-7.75	387.50	439.06
	5.0-5.25	382.81	439.06		8.0-10.0	384.38	446.88		8.0-9.75	387.50	446.88
8	431.25	470.31	Φ165	10.0-11.75	450.00	462.50	4.75*7.75	387.50	439.06		
					3.0-6.0	375.00	423.44	8.0*9.75	390.63	446.88	

Length: 5800mm, 6000mm

Thickness: SCH10, SCH20, SCH30, SCH40, SCH60, SCH80, SCH100, SCH120, SCH140, SCH160

For Galvanized pipe price, please sent inquiry details to us

HENAN BEBON INTERNATIONAL CO.,LTD.

Adress: 33HEX BUILDING, ENTERPRISES HEADQUARTERS BASE, NATIONAL HIGH-TECH

Email: bb@bebonchina.com

Phone: +86-371-86151627 Fax:+86-371-86011881

Web: www.bebonchina.com, www.steel-plate-sheet.com

GRADE	SIZE	MT FOB CHINA	GRADE	SIZE	\$/MT FOB CHINA
ASTM A36	2.0*1260*2500	443.41	SS400	0*2200*1000	423.26
ASTM A36	2.5*1260*2500	382.68	SS400	8*2500*1200	390.70
ASTM A36	2.75*1260*6000	404.72	SS400	0*2500*1200	431.01
ASTM A36	3.0*1260*6000	436.22	ST52-3	5*2000*10000	468.22
ASTM A36	3.5*1260*6000	401.57	ST52-3	5*2200*10000	468.22
ASTM A36	3.75*1260*6000	423.62	ST52-3	8*2200*10000	437.21
ASTM A36	4.0*1260*6000	442.52	ST52-3	8*2000*10000	437.21
ASTM A36	4.75*1260*6000	418.90	ST52-3	0*2000*1000	431.01
ASTM A36	2.0*1500*6000	451.97	ST52-3	4*2500*1200	423.26
ASTM A36	2.5*1500*6000	376.38	ST52-3	8*2500*1200	412.40
ASTM A36	2.75*1500*6000	403.15	ST52-3	6*2500*1200	421.71
ASTM A36	3.0*1500*6000	433.07	ST52-3	0*2500*1000	427.91
ASTM A36	3.5*1500*6000	392.13	S355J2	5*2200*10000	469.77
ASTM A36	3.75*1500*6000	412.60	S355J2	8*2200*10000	462.02
ASTM A36	4.0*1500*6000	434.65	S355J2	0*2200*1000	454.26
ASTM A36	5.0*1500*6000	434.65	S355J2	2*2500*1200	448.06
ASTM A36	6.0*1500*6000	439.37	S355J2	4*2500*1200	440.31
ASTM A36	6.5*1500*6000	418.90	S355J2	4*2200*1200	440.31
ASTM A36	8.0*1500*6000	442.52	S355J2	5*2500*1200	440.31
ASTM A36	4.25*1500*6000	395.28	S355J2	6*2500*1200	437.21
ASTM A36	4.5*1500*6000	403.15	S355J2	0*2200*1200	437.21
ASTM A36	4.75*1500*6000	422.05	S355J2	0*2500*1200	437.21
ASTM A36	5.5*1500*6000	404.72	S355J2	0*2500*1200	440.31
ASTM A36	5.75*1500*6000	423.62	S355J2	0*2500*1200	455.81
ASTM A36	7.5*1500*6000	412.60	S355J2	5*2500*1200	455.81
ASTM A36	7.75*1500*6000	422.05	S355J2	0*2500*1200	455.81
ASTM A36	9.5*1500*6000	415.75	S355J2	5*2500*1200	455.81
ASTM A36	9.75*1500*6000	425.20	S355J2	0*2500*1000	463.57
ASTM A36	11.5*1500*6000	417.32			
ASTM A36	11.75*1500*6000	423.62			
ASTM A36	13.5*1500*6000	431.50			

ASTM A36	13.75*1500*6000	437.80				
ASTM A36	15.5*1500*6000	436.22				
ASTM A36	15.75*1500*6000	448.82				
ASTM A36	4.5*1800*8000	406.30				
ASTM A36	4.75*1800*8000	418.90				
ASTM A36	5.5*1800*8000	400.00				
ASTM A36	5.75*1800*8000	425.20				
ASTM A36	7.5*1800*8000	411.02				
ASTM A36	7.75*1800*8000	422.05				
ASTM A36	9.5*1800*8000	417.32				
ASTM A36	9.75*1800*8000	425.20				
ASTM A36	11.5*1800*8000	418.90				
ASTM A36	11.75*1800*8000	429.92				
ASTM A36	4.75*2000*8000	429.92				
ASTM A36	5.75*2000*8000	418.90				

ASTM A36	7.5*2000*8000	418.90				
ASTM A36	7.75*2000*8000	420.47				
ASTM A36	9.5*2000*8000	417.32				
ASTM A36	9.75*2000*8000	423.62				
ASTM A36	11.5*2000*8000	425.20				
ASTM A36	11.75*2000*8000	431.50				
S355JR	3.0*1500*6000	453.54				
S355JR	3.5*1500*6000	409.45				
S355JR	3.75*1500*6000	425.20				
S355JR	4.0*1500*6000	445.67				
S355JR	4.5*1500*6000	409.45				
S355JR	4.75*1500*6000	425.20				
S355JR	5.0*1500*6000	450.39				
S355JR	5.5*1500*6000	417.32				
S355JR	5.75*1500*6000	428.35				
S355JR	6.0*1500*6000	450.39				
S355JR	7.5*1500*6000	422.05				
S355JR	7.75*1500*6000	431.50				
S355JR	9.5*1500*6000	426.77				
S355JR	9.75*1500*6000	434.65				
S355JR	11.5*1500*6000	431.50				
S355JR	11.75*1500*6000	440.94				
S355JR	13.5*1500*6000	439.37				
S355JR	13.75*1500*6000	445.67				
S355JR	15.75*1500*6000	448.82				
S355JR	4.75*1800*8000	429.92				
S355JR	5.5*1800*8000	414.17				
S355JR	5.75*1800*8000	429.92				
S355JR	7.5*1800*8000	429.92				
S355JR	7.75*1800*8000	434.65				
S355JR	9.5*1800*8000	429.92				
S355JR	9.75*1800*8000	436.22				
S355JR	11.5*1800*8000	440.94				
S355JR	11.75*1800*8000	445.67				
S355JR	5.75*2000*8000	431.50				
S355JR	7.75*2000*8000	431.50				
S355JR	9.5*2000*8000	422.05				

S355JR	9.75*2000*8000	434.65				
S355JR	11.75*2000*8000	431.50				

HENAN BEBON INTERNATIONAL CO.,LTD.

Address: 33HEX BUILDING, ENTERPRISES HEADQUARTERS BASE, NATIONAL HIGH-TECH

Email: bb@bebonchina.com

Phone: +86-371-86151627 Fax:+86-371-86011881

Web: www.bebonchina.com, www.steel-plate-sheet.com

GRADE	SIZE	MT FOB CHINA	GRADE	SIZE	\$/MT FOB CHINA
ASTM A36	2.0*1260*2500	443.41	SS400	0*2200*1000	423.26
ASTM A36	2.5*1260*2500	382.68	SS400	8*2500*1200	390.70
ASTM A36	2.75*1260*6000	404.72	SS400	0*2500*1200	431.01
ASTM A36	3.0*1260*6000	436.22	ST52-3	5*2000*10000	468.22
ASTM A36	3.5*1260*6000	401.57	ST52-3	5*2200*10000	468.22
ASTM A36	3.75*1260*6000	423.62	ST52-3	8*2200*10000	437.21
ASTM A36	4.0*1260*6000	442.52	ST52-3	8*2000*10000	437.21
ASTM A36	4.75*1260*6000	418.90	ST52-3	0*2000*1000	431.01
ASTM A36	2.0*1500*6000	451.97	ST52-3	4*2500*1200	423.26
ASTM A36	2.5*1500*6000	376.38	ST52-3	8*2500*1200	412.40
ASTM A36	2.75*1500*6000	403.15	ST52-3	6*2500*1200	421.71
ASTM A36	3.0*1500*6000	433.07	ST52-3	0*2500*1000	427.91
ASTM A36	3.5*1500*6000	392.13	S355J2	5*2200*10000	469.77
ASTM A36	3.75*1500*6000	412.60	S355J2	8*2200*10000	462.02
ASTM A36	4.0*1500*6000	434.65	S355J2	0*2200*1000	454.26
ASTM A36	5.0*1500*6000	434.65	S355J2	2*2500*1200	448.06
ASTM A36	6.0*1500*6000	439.37	S355J2	4*2500*1200	440.31
ASTM A36	6.5*1500*6000	418.90	S355J2	4*2200*1200	440.31
ASTM A36	8.0*1500*6000	442.52	S355J2	5*2500*1200	440.31
ASTM A36	4.25*1500*6000	395.28	S355J2	6*2500*1200	437.21
ASTM A36	4.5*1500*6000	403.15	S355J2	0*2200*1200	437.21
ASTM A36	4.75*1500*6000	422.05	S355J2	0*2500*1200	437.21
ASTM A36	5.5*1500*6000	404.72	S355J2	0*2500*1200	440.31
ASTM A36	5.75*1500*6000	423.62	S355J2	0*2500*1200	455.81
ASTM A36	7.5*1500*6000	412.60	S355J2	5*2500*1200	455.81
ASTM A36	7.75*1500*6000	422.05	S355J2	0*2500*1200	455.81
ASTM A36	9.5*1500*6000	415.75	S355J2	5*2500*1200	455.81
ASTM A36	9.75*1500*6000	425.20	S355J2	0*2500*1000	463.57

ASTM A36	11.5*1500*6000	417.32				
ASTM A36	11.75*1500*6000	423.62				
ASTM A36	13.5*1500*6000	431.50				
ASTM A36	13.75*1500*6000	437.80				
ASTM A36	15.5*1500*6000	436.22				
ASTM A36	15.75*1500*6000	448.82				
ASTM A36	4.5*1800*8000	406.30				
ASTM A36	4.75*1800*8000	418.90				
ASTM A36	5.5*1800*8000	400.00				
ASTM A36	5.75*1800*8000	425.20				
ASTM A36	7.5*1800*8000	411.02				
ASTM A36	7.75*1800*8000	422.05				
ASTM A36	9.5*1800*8000	417.32				
ASTM A36	9.75*1800*8000	425.20				
ASTM A36	11.5*1800*8000	418.90				
ASTM A36	11.75*1800*8000	429.92				
ASTM A36	4.75*2000*8000	429.92				
ASTM A36	5.75*2000*8000	418.90				
ASTM A36	7.5*2000*8000	418.90				
ASTM A36	7.75*2000*8000	420.47				
ASTM A36	9.5*2000*8000	417.32				
ASTM A36	9.75*2000*8000	423.62				
ASTM A36	11.5*2000*8000	425.20				
ASTM A36	11.75*2000*8000	431.50				
S355JR	3.0*1500*6000	453.54				
S355JR	3.5*1500*6000	409.45				
S355JR	3.75*1500*6000	425.20				
S355JR	4.0*1500*6000	445.67				
S355JR	4.5*1500*6000	409.45				
S355JR	4.75*1500*6000	425.20				
S355JR	5.0*1500*6000	450.39				
S355JR	5.5*1500*6000	417.32				
S355JR	5.75*1500*6000	428.35				
S355JR	6.0*1500*6000	450.39				
S355JR	7.5*1500*6000	422.05				
S355JR	7.75*1500*6000	431.50				
S355JR	9.5*1500*6000	426.77				

S355JR	9.75*1500*6000	434.65				
S355JR	11.5*1500*6000	431.50				
S355JR	11.75*1500*6000	440.94				
S355JR	13.5*1500*6000	439.37				
S355JR	13.75*1500*6000	445.67				
S355JR	15.75*1500*6000	448.82				
S355JR	4.75*1800*8000	429.92				
S355JR	5.5*1800*8000	414.17				
S355JR	5.75*1800*8000	429.92				
S355JR	7.5*1800*8000	429.92				
S355JR	7.75*1800*8000	434.65				
S355JR	9.5*1800*8000	429.92				
S355JR	9.75*1800*8000	436.22				
S355JR	11.5*1800*8000	440.94				
S355JR	11.75*1800*8000	445.67				
S355JR	5.75*2000*8000	431.50				
S355JR	7.75*2000*8000	431.50				
S355JR	9.5*2000*8000	422.05				
S355JR	9.75*2000*8000	434.65				
S355JR	11.75*2000*8000	431.50				