


## HENAN BEBON INTERNATIONAL CO., LTD.

Address: 33HEX BUILDING, ENTERPRISES HEADQUARTERS BASE, NATIONAL HIGH-TECH INDUSTRIAL DEVELOPMENT ZONE  
ZHENGZHOU, CHINA

Email: [carrie@bebonchina.com](mailto:carrie@bebonchina.com) Mobile: +86-13526723480

Phone: +86-371-86151527 Fax: +86-371-86011881

Web: [www.bebonchina.com](http://www.bebonchina.com), [www.steel-plate-sheet.com](http://www.steel-plate-sheet.com)

 BEBON	T (mm)	FOB USD/TON
MS STEEL	1.8*1260*2500	466.15
MS STEEL	1.8*1260*4000	466.15
MS STEEL	2.0*1260*2500	489.23
MS STEEL	2.0*1260*4000	489.23
MS STEEL	2.5*1260*6000	416.92
MS STEEL	2.75*1260*6000	438.46
MS STEEL	3.0*1260*6000	469.23
MS STEEL	3.75*1260*6000	432.31
MS STEEL	4.0*1260*6000	469.23
MS STEEL	4.5*1260*6000	435.38
MS STEEL	4.75*1260*6000	449.23
MS STEEL	5.5*1260*6000	433.85
MS STEEL	5.75*1260*6000	449.23
MS STEEL	1.5*1500*6600	438.46
MS STEEL	1.8*1500*6000	480.00
MS STEEL	2.0*1500*6000	516.92
MS STEEL	2.5*1500*6000	435.38
MS STEEL	2.75*1500*6000	467.69
MS STEEL	3.0*1500*6000	498.46
MS STEEL	3.5*1500*6000	436.92
MS STEEL	3.75*1500*6000	464.62
MS STEEL	4.0*1500*6000	489.23
MS STEEL	4.5*1500*6000	450.77
MS STEEL	4.75*1500*6000	469.23
MS STEEL	5.0*1500*6000	489.23
MS STEEL	5.5*1500*6000	460.00
MS STEEL	5.75*1500*2000	449.23
MS STEEL	5.75*1500*6000	473.85
MS STEEL	6.0*1500*6000	489.23
MS STEEL	7.5*1500*6000	464.62
MS STEEL	7.75*1500*6000	476.92
MS STEEL	8.0*1500*6000	489.23
MS STEEL	9.5*1500*6000	469.23
MS STEEL	9.75*1500*6000	480.00
MS STEEL	11.25*1500*6000	464.62
MS STEEL	11.5*1500*6000	475.38
MS STEEL	11.75*1500*6000	481.54
MS STEEL	13.5*1500*6000	483.08
MS STEEL	13.75*1500*6000	489.23
MS STEEL	15.5*1500*6000	484.62
MS STEEL	15.75*1500*6000	490.77
MS STEEL	3.75*1800*8000	0.00
MS STEEL	5.5*1800*8000	0.00
MS STEEL	5.75*1800*8000	500.00
MS STEEL	7.5*1800*8000	486.15
MS STEEL	7.75*1800*8000	498.46
MS STEEL	9.5*1800*8000	490.77
MS STEEL	9.75*1800*8000	501.54
MS STEEL	11.5*1800*8000	495.38
MS STEEL	11.75*1800*8000	503.08
MS STEEL	13.5*1800*8000	498.46
MS STEEL	13.75*1800*8000	0.00
MS STEEL	4.75*2000*8000	490.77
MS STEEL	5.5*2000*8000	0.00
MS STEEL	5.75*2000*8000	513.85
MS STEEL	7.5*2000*8000	486.15
MS STEEL	7.75*2000*8000	498.46
MS STEEL	9.5*2000*8000	490.77
MS STEEL	9.75*2000*8000	501.54
MS STEEL	11.5*2000*8000	493.85
MS STEEL	11.75*2000*8000	503.08
LOW ALLOY STEEL	4.75*1500*6000	503.08
LOW ALLOY STEEL	5.5*1500*6000	487.69
LOW ALLOY STEEL	5.75*1500*6000	506.15
LOW ALLOY STEEL	7.5*1250*6000	498.46
LOW ALLOY STEEL	7.5*1500*6000	498.46
LOW ALLOY STEEL	7.75*1500*6000	510.77
LOW ALLOY STEEL	9.5*1500*6000	503.08
LOW ALLOY STEEL	9.75*1500*6000	513.85
LOW ALLOY STEEL	11.5*1500*6000	506.15
LOW ALLOY STEEL	11.75*1500*6000	515.38
LOW ALLOY STEEL	5.5*1800*8000	495.38

LOW ALLOY STEEL	5.75*1800*8000	513.85	
LOW ALLOY STEEL	7.5*1800*8000	504.62	
LOW ALLOY STEEL	7.75*1800*8000	526.15	
LOW ALLOY STEEL	9.5*1800*8000	510.77	
LOW ALLOY STEEL	9.75*1800*8000	520.00	
LOW ALLOY STEEL	11.5*1800*8000	513.85	
LOW ALLOY STEEL	11.75*1800*8000	518.46	
HMS STEEL	2.3*1250*6000	350.77	
HMS STEEL	2.75*1250*6000	404.62	
HMS STEEL	3.5*1250*6000	400.00	
HMS STEEL	3.75*1250*6000	440.00	
HMS STEEL	3.75*1500*6000	440.00	
HMS STEEL	4.0*1500*6000	455.38	
HMS STEEL	4.5*1260*6000	440.00	
HMS STEEL	4.75*1260*6000	455.38	
HMS STEEL	4.75*1500*6000	455.38	
HMS STEEL	5.5*1260*6000	447.69	
HMS STEEL	5.75*1260*6000	460.00	
HMS STEEL	5.25*1500*6000	432.31	
HMS STEEL	5.75*1500*6000	460.00	
HMS STEEL	7.5*1250*6000	435.38	
SPCC	0.2*900*C	25.549	735.63
SPCC	0.2*930*C	7.08	720.00
SPCC	0.25*1000*C	10.56	727.81
SPCC	0.25*1016*C	13.766	683.75
SPCC	0.25*925*C	23.15	630.63
SPCC	0.3*1000*C	67.564	610.31
SPCC	0.3*1016*C	7.49	618.44
SPCC	0.3*1020*C	49.882	644.69
SPCC	0.32*940*C	4.537	641.56
SPCC	0.33*720*C	7.65	652.50
SPCC	0.35*1000*C	29.345	657.19
SPCC	0.35*989*C	10.898	615.00
SPCC	0.4*1000*C	7.144	633.75
SPCC	0.4*1003*C	46.476	657.50
SPCC	0.4*1230*C	9.29	657.19
SPCC	0.438*1000*C	6.634	688.75
SPCC	0.48*1250*C	4.77	618.13
SPCC	0.5*1000*C	16.928	602.50
SPCC	0.5*1005*C	8.167	618.44
SPCC	0.5*1150*C	2.355	586.88
SPCC	0.5*1151*C	10.01	610.31
SPCC	0.5*1205*C	4.735	610.31
SPCC	0.5*1250*C	49.31	618.13
SPCC	0.5*1499*C	13.92	625.94
SPCC	0.55*900*C	9.66	594.69
SPCC	0.6*1000*C	41.885	625.94
SPCC	0.6*1022*C	2.445	586.88
SPCC	0.6*1106*C	11.435	586.88
SPCC	0.6*1250*C	75.43	610.31
SPCC	0.6*1499*C	8.32	641.88
SPCC	0.65*1015*C	9.2	579.38
SPCC	0.68*1000*C	10.78	610.31
SPCC	0.68*1250*C	7.61	571.25
SPCC	0.7*1000*C	17.911	602.50
SPCC	0.7*1035*C	7.25	602.50
SPCC	0.7*1210*C	8.51	602.50
SPCC	0.7*1490*C	2.69	579.06
SPCC	0.7*1490*C	23.87	602.50
SPCC	0.75*1000*C	13.48	559.06
SPCC	0.75*1183*C	11.14	559.06
SPCC	0.75*1250*C	4.97	551.25
SPCC	0.78*1250*C	8.16	602.50
SPCC	0.78*1250*C	7.67	602.50
SPCC	0.8*1000*C	89.897	579.06
SPCC	0.8*1080*2590	7.271	586.88
SPCC	0.8*1100*C	57.205	610.31
SPCC	0.8*1150*C	3.06	571.25
SPCC	0.8*1219*C	8.74	610.31
SPCC	0.8*1250*C	103.2	610.31
SPCC	0.8*1330*C	8.02	586.88
SPCC	0.8*1400*C	8.83	610.31
SPCC	0.8*1490*C	93.96	586.88
SPCC	0.8*1500*C	174.495	594.69
SPCC	0.81*1000*C	8.46	582.19

SPCC	0.9*1050*C	12.67	571.25
SPCC	0.9*1250*C	12.47	625.94
SPCC	0.94*1500*C	9.075	543.44
SPCC	1.0*1000*C	95.02	563.75
SPCC	1.0*1200*C	8.01	602.81
SPCC	1.0*1219*C	12.33	610.31
SPCC	1.0*1250*2500	25.829	684.06
SPCC	1.0*1250*C	24.2	594.69
SPCC	1.0*1435*C	12.795	547.81
SPCC	1.0*1499*C	58.7	602.50
SPCC	1.0*1500*C	71.63	579.06
SPCC	1.0*930*C	9.24	563.44
SPCC	1.15*1219*C	8.74	555.94
SPCC	1.17*917*C	3.165	540.00
SPCC	1.18*1217*C	13.27	563.44
SPCC	1.18*1219*C	37.815	577.50
SPCC	1.18*1225*C	9.515	569.69
SPCC	1.2*1000*2000	8.496	547.81
SPCC	1.2*1000*C	34.97	586.88
SPCC	1.2*1145*C	11.27	587.19
SPCC	1.2*1250*C	124.665	586.88
SPCC	1.2*1270*C	4.35	579.06
SPCC	1.2*1499*C	13.55	586.88
SPCC	1.2*1500*C	8.86	579.06
SPCC	1.25*1185*C	2.785	540.00
SPCC	1.3*1025*C	11.22	563.44
SPCC	1.4*1212*C	7.92	583.75
SPCC	1.4*1229*C	11.14	571.25
SPCC	1.4*1250*C	56.39	563.75
SPCC	1.5*1214*C	3.625	602.50
SPCC	1.5*1250*2500	44.775	641.56
SPCC	1.5*1250*C	100.47	586.88
SPCC	1.5*1499*C	9.7	587.19
SPCC	1.5*1500*C	46.89	571.25
SPCC	1.58*1120*C	9.34	579.06
SPCC	1.58*1131*C	11.37	579.06
SPCC	1.6*1250*2500	39.246	618.13
SPCC	1.6*1250*C	114.88	586.88
SPCC	1.77*983*C	4.1	555.63
SPCC	1.8*1250*2500	10.96	634.06
SPCC	1.8*1250*C	8.48	563.75
SPCC	1.85*1300*2500	4.814	547.81
SPCC	1.92*1250*C	12.71	555.94
SPCC	1.97*1000*C	10.23	582.19
SPCC	2.0*1000*C	45.19	586.88
SPCC	2.0*1240*C	7.68	591.88
SPCC	2.0*1250*2500	16.434	657.19
SPCC	2.0*1250*C	126.78	594.69
SPCC	2.0*1390*C	8.16	618.13
SPCC	2.0*1499*3000	7.906	680.94
SPCC	2.0*1499*C	57.99	594.69
SPCC	2.2*1250*C	80.3	555.63
SPCC	2.3*1250*C	71.3	602.50
SPCC	2.49*1250*2500	21.498	711.88
SPCC	2.49*1250*C	103.115	665.00
SPCC	2.5*1219*C	7.44	680.63
SPCC	2.5*1250*2500	24.223	738.75
SPCC	2.5*1250*C	39.77	665.31
SPCC	2.56*1219*C	9.47	641.56
SPCC	2.6*1250*C	7.25	688.75
SPCC	2.6*1820*C	35.315	657.19
SPCC	2.75*1790*C	11.965	610.31
SPCC	2.9*910*C	8.61	449.38
SPCC	2.965*1524*C	8.385	649.38
SPCC	3.0*1250*C	81.615	670.00
SPCC	3.0*1499*3000	21.389	754.38
SPCC	3.0*1499*C	62.655	688.44
SPCC	3.2*1250	8.985	720.00

SPCC	3.5*1250*2500	3.434	750.94				
SPCC	3.5*1250*C	40.025	719.69				
SPCC	3.5*1499*C	24.52	719.69				
DC01	0.35*1005*C	6.856	633.75				
DC01	0.68*1645*C	11.32	610.31				
DC01	0.7*1820*C	10.78	610.31				
DC01	0.75*1250*1590	9.35	610.31				
DC01	0.8*1090*C	3.568	532.19				
DC01	0.8*1250*C	6.615	633.75				
DC01	0.85*980*2270	3.14	594.69				
DC01	1.0*1046*C	4.928	540.00				
DC01	1.0*1115*C	10.07	597.81				
DC01	1.0*1240*C	10.46	594.69				
DC01	1.0*1250*2500	12.56	594.69				
DC01	1.0*1250*C	12.25	610.31				
DC01	1.2*1250*2500	11.83	597.81				
DC01	1.2*1250*C	11.97	597.81				
DC01	1.5*1085*C	8.19	622.81				
DC01	1.5*1250*1700	11.53	633.75				
DC01	1.5*1250*2500	9.55	602.50				
DC01	1.5*1250*C	4.93	649.38				
DC01	1.6*1250*C	11.98	625.94				
DC01	1.77*1243*C	12.57	625.94				
DC01	1.8*1250*2500	11.4	625.94				
DC01	2.0*1000*2000	12.53	558.75				
DC01	2.0*1250*C	3.483	672.81				
DC01	2.49*1250*2500	7.2	605.94				
DC01	2.49*1250*C	3.054	732.50				
DC01	2.49*1499*C	4.764	735.63				
DC01	2.9*1420*C	13.11	696.25				
DC01	3.0*1250*2500	12.81	704.06				
DC01	3.0*1250*C	3.164	782.19				
DC01	3.0*1330*C	11.03	704.06				
DC01	3.0*1499*C	11.045	704.06				
DC01	3.2*1250*C	7.985	711.88				
DC01	3.5*1499*C	7.515	750.94				
AB/DH36N	14	2500	10000	2.748	5	13.738	558.14
AB/DH36N	15	2500	10000	2.944	4	11.775	558.14
AB/DH36N	15	2200	10000	2.591	8	20.724	558.14
AB/DH36N	20	2200	10000	3.454	3	10.362	558.14
AB/DH36N	20	2500	10000	3.925	12	47.100	558.14
AB/DH36N	22	2200	10000	3.799	4	15.198	558.14
AB/DH36N	22	2500	10000	4.318	1	4.318	558.14
KD36	25	2300	6000	2.708	1	2.708	558.14
KD36	25	2200	9300	4.015	1	4.015	558.14
AB/DH36N	25	2200	10000	4.318	4	17.270	558.14
AB/DH36N	25	2500	10000	4.906	9	44.156	558.14
AB/DH36N	30	2200	10000	5.181	2	10.362	565.89
AB/DH36N	35	2500	10000	6.869	2	13.738	573.64
AB/DH36N	40	2200	10000	6.908	9	62.172	573.64
AB/DH36N-Z35	40	1800	9200	5.200	1	5.200	635.66
AB/EH36	40	2500	10000	7.850	2	15.700	604.65
LREH40	40	2500	9800	7.693	1	7.693	643.41
AB/DH36N	50	2500	10000	9.813	3	29.438	604.65
AB/EH36N	55	2200	12000	11.398	1	11.398	682.17
AB/DH36N	60	2200	10000	10.362	1	10.362	620.16
AB/EH36	60	2200	10000	10.362	2	20.724	651.16
LREH36	65	1800	7450	6.842	1	6.842	697.67
AB/EH36N	65	1980	7800	7.880	1	7.880	697.67
AB/EH36N	65	2000	6800	6.939	1	6.939	697.67
AB/EH36N	75	2000	10000	11.775	1	11.775	720.93
AB/DH36N	80	2000	8000	10.048	2	20.096	689.92
AB/EH36N	80	2000	8000	10.048	1	10.048	720.93
AB/EH36N	85	2200	10000	14.680	1	14.680	790.70
LREH36	90	2200	7000	10.880	1	10.880	790.70
AB/EH36N	100	2200	8000	13.816	2	27.632	837.21
Q345B	105	2000	7150	11.787	3	35.360	516.28
AB/EH36N	110	2000	10000	17.270	1	17.270	1031.01

AB/EH36N	120	2000	10000	18.840	1	18.840	1062.02
AB/EH36N	130	2000	10000	20.410	1	20.410	1139.53