

HENAN BEBON INTERNATIONAL CO.,LTD.

Adress: 2nd Floor, No. 33 Hex Building, Enterprises Head Quarters Base, National High-Tech

Email: bb@bebonchina.com

Phone: +86-371-86097200 Fax:+86-371-86011881

Web: www.bebonchina.com, www.steel-plate-sheet.com

GRADE	Specification(mm)	Weight(mt)	FOB PRICE (USD/KG)
430/BA	0.2*60*C	0.047	1736.434
430/BA	0.39*46*C	0.046	1426.357
430/BA	0.24*385*C	0.805	1395.349
430/BA	0.085*608*C	0.813	2232.558
430/BA	0.285*271*C	1.078	1410.853
430/BA	0.26*636*C	0.807	1410.853
430/BA	0.293*358*C	2.304	1410.853
430/BA	0.38*340*C	1.409	1348.837
304/TR	0.15*627*C	0.924	3209.302
SUS430/2B	0.51*1000*c	5.433	1519.690
304/2B	1.96*1250*C	10.41	2000.000
304/2B	0.9*1250*C(1.0)	9.983	2077.519
304	1.2*1219*2438	5.458	3286.822
SUS430/2B	0.8*233*C	0.22	775.194
254SMO/2B	0.8*1219*C	4.22	11162.791
904L/NO.4	2*1500*860	0.021	9302.326
304/2B	1*1000*2000	0.017	1860.465
310S/2B	3*1219*1438	0.043	3875.969
430/BA	0.39*46*C	0.046	1426.357
430/BA	0.285*330*C	1.107	1410.853
430/BA	0.35*106*C	0.623	1395.349
430/BA	0.39*405*C	0.94	1348.837
304/TR	0.15*618*C	1.581	3209.302
304/TR	0.15*611*C	0.622	3209.302
430/BA	0.39*623*C	0.657	1348.837
SUS301L	2*1219*2440	0.01	4961.240
SUS301L	2.5*1219*2440	0.01	4961.240
SUS430/2B	0.51*1000*c	5.29	1519.690
304/2B	1.86*1250*C (2.0)	10.298	2000.000
304/2B	0.71*1250*C (0.8)	10.729	2093.023
SUS430/2B	0.8*160*C	0.256	775.194
304	3.0*1219*2438	2.41	2093.023
316TI/2B	4*1500*3000	0.148	3875.969
904L/2B	0.6*1219*C	3	13953.488
409L	2*1000*4357	0.72	1395.349
430/BA	0.085*618*C	0.437	2232.558
430/BA	0.39*46*C	0.046	1426.357
430/BA	0.1*150*C	0.234	2279.070
430/BA	0.285*330*C	1.107	1410.853
430/BA	0.35*106*C	0.623	1395.349
430/BA	0.39*405*C	0.94	1348.837
304/TR	0.15*618*C	1.581	3209.302
304/TR	0.15*611*C	0.622	3209.302
430/BA	0.39*623*C	0.657	1348.837
SUS301L	2*1219*2440	0.01	4961.240
SUS301L	2.5*1219*2440	0.01	4961.240

SUS430/2B	0.8*190.0*C	0.17	775.194
SUS430/2B	0.8*235*C	0.39	775.194
317L/2B	1.5*1219*2170	0.033	6976.744
304/2B	0.6*105*C	8	2015.504
800/2B	1*1219*2438	0.075	17054.264
316L/2B	2*1500*3000	0.074	2325.581
N08825/2B	8*1500*3000	0.297	17829.457
2205	10*1930*5520	5.018	2015.504
SUS304/2B	0.75*1000*C	6.046	2170.543
304/BA1	1.2*1219*C	4.468	2201.550
304/2B	0.5*1250*C	3.996	2201.550
SUS304/2B	0.7*1219*C	5.423	2069.457
SUS430/2B	0.51*1160*C	3.653	1107.597
SUS430/BA1	0.51*1000*C	5.508	1210.233
SUS304/2B	0.31*1140*C	3.417	2325.581
SUS304/2B	0.7*1219*C	4.787	2069.457
430/TR	0.085*605*C	0.619	2232.558
430/TR	0.065*620*C	0.93	2232.558
304/TR	0.2*296*C	0.832	3000.000
M A 240/A 240M 43	1.2*1300*C	3.622	1364.341
SUS430/2B	0.51*1000*c	5.199	1519.690
304/2B	1.39*1250*C (1.5)	10.999	2015.504
06CR19NI10	1*1500*3000	0.749	3286.822
SUS430/2B	1*56*C	0.115	775.194
SUS430/2B	0.8*205*C	0.18	775.194
254SMO/NO.4	3*1500*6000	1.78	11162.791
N8800/2B	1*1219*2438	0.075	17054.264
304/2B	1*1219*2438	0.025	1860.465
304/2B	1*1219*2438	0.025	1550.388
1.4529/N08926/2B	5.0*1219*L	3.366	15503.876
201/2B	3*1500*6000	0.89	1240.310
2205	10*1930*7560	6.872	2015.504
POS441/NO.1	4*1230*2100	2.135	1565.891
2507	5*1500*900	0.054	6201.550
825	10*235*1075	0.021	17829.457
POS441/NO.1	4.0*1230*2100	2.089	1705.426
POS441/NO.1	4.0*1230*2100	2.135	1674.419
2507	8*410*3250	0.086	6201.550
2205	2*1219*1115	0.22	4341.085
2205	8*1250*1250	0.1	3100.775
304H/2B	32*1500*6000	2.373	2093.023
304/2B	5*1500*3000	0.185	1860.465
304/2B	8*1500*1200	0.119	1860.465
N08825/2B	8*1480*2335	0.228	1782.946
2205	10*1930*5520	5.018	2015.504
POS441/NO.1	4*1094*2100	2.685	1581.395
2507	10*230*1030	0.019	6201.550
430	4*1550*6000	0.29	1007.752
904L/NO.4	6*170*6000	0.05	7751.938
304/2B	8*1500*6000	0.593	1782.946
800/2B	16*330*730	0.032	13953.488
304	8~20*1000~2000*L	24.73	2263.566
2507	5*1030*1500	0.062	6201.550
904L/2B	6*1500*6000	0.445	9302.326
POS441/NO.1	4.0*1094*2100	2.055	1705.426

POS441/NO.1	4.0*1094*2100	1.96	1519.380
2205	2*1219*1120	0.22	4341.085
304/2B	16*1800*6000	2.848	1937.984
N08825/2B	8*1500*3000	0.297	17829.457
2205	10*1930*7560	6.872	2015.504
304/2B	5*1500*3000		1860.465
304/2B	8*1500*1200		1860.465
304/2B	4*1500*6000		1674.419
304/2B	8*1000~2000*L		2201.550
304/2B	8*1500*6000		1782.946
304/2B	12*1500*6000		1751.938
304/2B	15*1000~3000*L		2294.574
304/2B	8~20*1000~2000*L		2263.566
304/2B	15*1000~3000*L		2294.574
304/2B	8~20*1000~2000*L		2263.566
304/2B	0.6*105		2015.504
304/2B	1.5*1219*C		1891.473
304/2B	0.8*1219*C		1968.992
304/2B	16*1500*6000		2232.558
304/2B	10*2000~3000*L		2117.829
304/2B	1*1219*2438		1860.465
304/2B	12*1500*6000		1751.938
304/2B	15*1000~3000*L		2294.574
304/2B	8~20*1000~2000*L		2263.566
304/2B	1.5*1219*C		1891.473
304/2B	0.8*1219*C		1968.992
304/2B	16*1500*6000		2232.558
304/2B	10*2000~3000*L		2117.829
304/2B	1*1219*2438		1860.465
304/2B	0.5*1219*C		2046.512
304/2B	18*1500*6000		2232.558
304/2B	14*1500*6000		1829.457
304/2B	262*6000		2868.217
321	100*6000		2868.217
321	Φ88.9*5.6*9000		3875.969
316L/2B	2*1500*3000		2325.581
316L/2B	5*1500*3000		2325.581
316L	Φ219.1*12.7*9000		5581.395
SUS430/2B	0.8*1000*C		1069.767
SUS430/2B	0.8*190.0*0.0		775.194
430/2B	0.8*1250*2440		1488.372
SUS430/2B	0.8*205.0*0.0		775.194
409L	2*1000*2860		1395.349
409L	2*1000*4357		1395.349
409L/2D	2*1250*2440		1178.295
SUS409L	1.2*110*C		552.248
201/2B	3*1500*6000		1240.310
800	1*1219*2438		1705.426
316L/2B	8*1500*3000		2325.581
N08825	8*1500*3000		17829.457
SUS430/2B	0.8*190.0*0.0		775.194
321	100*6000		2868.217
2205	10*1930*5520		2015.504
2205	14*1930*5670		2015.504
SUS430/2B	0.8*235*C		775.194

SUS301L	1.0*1219*2440		4961.240
SUS301L	1.5*1219*2440		4961.240
304	15*1000~3000*L		2294.574
304	8~20*1000~2000*L		2263.566
SUS409L	1.2*110*C		552.248
317L	1.5*1219*2170		6976.744
904L	6*1500*6000		9302.326
304	0.6*105		2015.504
SUS430/2B	0.8*1000*C		1069.767
N08926/NO.1	5.0*1219*6000		15193.798
304	1.5*1219*C		1891.473
304	0.8*1219*C		1968.992