

HENAN BEBON INTERNATIONAL CO.,LTD.

Address: 33#BUILDING. ENTERPRISES HEADQUARTERS BASE, RUIDA ROAD, NATIONAL HIGH-TECH INDUSTRIAL DEVELOPMENT ZONE, ZHENGZHOU CITY 450000, CHINA.

Email: bb@bebonchina.com

Phone: +86-371-86151627 Fax: +86-371-86011881

Web: www.bebonchina.com, www.steel-plate-sheet.com

Grade	Specification(mm)	Weight(mt)	USD/MT EX-WORK
DX51D+Z	0.35*1250*C	11.28	744.19
DX51D+Z	0.44*1219*C	8.3	651.16
DX51D+Z	0.44*1219*C	7.82	651.16
DX51D+Z	0.44*1219*C	8.09	651.16
DX51D+Z	0.45*1118*C	3.16	651.16
DX51D+Z	0.45*1395*C	7.21	651.16
HC340LAD+Z	0.5*1250	11.18	635.66
DX52D+Z	0.57*1485*C	5.14	558.14
DX51D+Z	0.6*1240*C	5.35	666.67
JS3+Z	0.6*1400*C	8.41	635.66
JS3+Z	0.6*1400*C	8.57	635.66
DX52D+Z	0.6*691.2*C	2.046	635.66
DX52D+Z	0.6*691.2*C	2.81	635.66
DX51D+Z	0.61*1250*C	7.42	604.65
CSB	0.64*914*C	7.22	635.66
H220YD+Z	0.65*1020*C	2.25	635.66
H220YD+Z	0.65*1120*C	2.41	691.47
H180YD+Z	0.65*1400*C	7.2	728.68
H220YD+Z	0.65*1400*C	4.41	713.18
DX52D+Z	0.65*1440*C	6.94	573.64
CR4+Z	0.65*1600*C	6.69	573.64
HX380LAD+Z	0.65*940*C	11.5	674.42
DX56D+Z	0.67*1382*C	2.01	565.89
DX56D+Z	0.67*1445*C	2.17	573.64
DX56D+Z	0.67*1445*C	12	573.64
DX56D+Z	0.67*1445*C	5.08	565.89
DX56D+Z	0.67*1540*C	8.86	573.64
DX56D+Z	0.67*1540*C	9.04	573.64
DX56D+Z	0.67*1545*C	3.46	565.89
DX56D+Z	0.67*1545*C	3.73	573.64
DX56D+Z	0.67*1565*C	9.58	565.89
DX53D+Z	0.7*1015*C	7.8	573.64
DX56D+Z	0.7*1095*C	22.28	573.64
H420LAD+Z	0.7*1110*C	7.62	713.18
DX53D+Z	0.7*1115*C	10.7	573.64

DX51D+Z	0.7*1125*C	4.59	558.14
DX51D+Z	0.7*1125*C	8.73	558.14
DX56D+Z	0.7*1190*C	2.15	565.89
DX53D+Z	0.7*1202*C	6.26	565.89
DC56D+Z	0.7*1210*C	3.77	565.89
DP590+Z	0.7*1260*C	2.22	651.16
DP590+Z	0.7*1260*C	2.57	651.16
DP590+Z	0.7*1260*C	2.68	651.16
DC54D+Z	0.7*1260*C	6.22	565.89
DC54D+Z	0.7*1260*C	11.99	565.89
DX51D+Z	0.7*1275*C	8.53	558.14
H180YD+Z	0.7*1325*C	13.28	643.41
DP590+Z	0.7*1350*C	2.68	682.17
DP590+Z	0.7*1350*C	2.68	651.16
DX51D+Z	0.7*1400*C	12.35	558.14
DX52D+Z	0.7*1460*C	14.05	558.14
DX54D+Z	0.7*1470*C	13.66	565.89
DX54D+Z	0.7*1520*C	3.26	565.89
HX220YD+Z	0.7*1540*C	3.23	604.65
DX52D+Z	0.7*1545*C	12.11	565.89
DX54D+Z	0.7*1580*C	9.26	565.89
DX52D+Z	0.7*1595*C	11.49	558.14
DX52D+Z	0.7*1595*C	12.3	558.14
DX52D+Z	0.7*1595*C	11.31	558.14
DX52D+Z	0.7*1595*C	13.86	565.89
CR3+Z	0.7*1600*C	8.67	565.89
DX51D+Z	0.7*1664*C	5.76	558.14
DX51D+Z	0.7*1710*C	10.18	558.14
DX51D+Z	0.7*1710*C	14.58	558.14
DX51D+Z	0.7*1720*C	14.2	558.14
DX56D+Z	0.7*1800*C	9.85	573.64
H180BD+Z	0.7*1820	9.3	651.16
H180BD+Z	0.7*1820	9.35	651.16
H180BD+Z	0.7*1820	9.36	651.16
H180BD+Z	0.7*1820	9.49	651.16
H180BD+Z	0.7*1820	9.57	651.16
H180BD+Z	0.7*1820	9.57	651.16
H180BD+Z	0.7*1820	9.69	651.16
H180BD+Z	0.7*1820	9.7	651.16
DX53D+Z	0.7*865	8.45	573.64
DX51D+Z	0.7*900*C	15.61	565.89
DX51D+Z	0.7*965*C	9.76	558.14

S320GD+Z	0.72*1219*C	11.4	629.46
S320GD+Z	0.72*1219*C	11.41	629.46
S320GD+Z	0.72*1220*C	8.18	604.65
HX260LAD+Z	0.74*1330*C	3.57	666.67
H220BD+Z	0.75*1175*C	4.54	651.16
H220BD+Z	0.75*1175*C	4.99	651.16
H220BD+Z	0.75*1175*C	11.45	651.16
DX51D+Z	0.75*1720*C	14.27	589.15
DX53D+Z	0.75*1730*C	14.46	604.65
DX56D+Z	0.75*1222*C	2.19	565.89
CR2+Z	0.75*1720*C	4.75	558.14
HC180YD+Z	0.8*1000*C	2.43	660.47
APFC390+Z	0.8*1010*C	2.84	620.16
DX51D+Z	0.8*1180*C	2.76	604.65
DX51D+Z	0.8*1202*C	2.41	604.65
DX51D+Z	0.8*1301*C	2.48	604.65
DX57D+Z	0.8*1345*C	2.25	666.67
DX57D+Z	0.8*1345*C	2.25	666.67
DX57D+Z	0.8*1345*C	2.09	651.16
H220YD+Z	0.8*1400*C	2.91	660.47
DP590+Z	0.8*1400*C	2.39	737.98
DX56D+Z	0.8*1435*C	2.34	674.42
H220BD+Z	0.8*1518*C	2.49	689.92
SLCDA	0.8*1550*C	2.84	606.20
DX51D+Z	0.8*1650*C	8.29	596.90
DX51D+Z	0.8*1865*C	6.18	606.20
DX51D+Z	0.8*1865*C	2.9	606.20
DX51D+Z	0.8*1865*C	3.49	606.20
DX51D+Z	0.8*1865*C	3.36	606.20
DX56D+Z	0.8*1905*C	3.04	651.16
DX56D+Z	0.85*1062*C	2.61	666.67
DX53D+Z	0.88*820	5.71	620.16
H220BD+Z	0.9*1050*C	8.9	689.92
H220BD+Z	0.9*1050*C	9.93	689.92
HX380LAD+Z	0.9*1435*C	4.14	666.67
H220BD+Z	0.9*1730*C	3.58	643.41
H220BD+Z	0.9*1730*C	2.16	643.41
H220BD+Z	0.9*1730*C	2.65	635.66
H220PD+Z	1.0*1020*C	2.71	666.67
H260LAD+Z	1.0*1300*C	10.57	689.92
CSB	1.25*1200*C	3.25	596.90
DP450+Z	1.29*1308*C	3.08	629.46

DX53D+Z	1.3*1112*C	10.44	612.40
DX51D+Z	1.3*1200*C	11.33	612.40
DX51D+Z	1.3*1200*C	11.74	612.40
H220YD+Z	1.42*1245*C	8.07	643.41
H220YD+Z	1.42*1245*C	10.76	643.41
CSB	1.42*1530*C	13.77	620.16
DP450+Z	1.5*1200*C	2.6	644.96
H260BD+Z	1.5*1420*C	2.01	689.92
H260YD+Z	1.6*1000*C	2.25	666.67
H180YD+Z	1.6*1020*C	2.53	675.97
H180YD+Z	1.6*1020*C	2.54	675.97
DX56D+Z	1.7*1110	5.27	643.41
S320GD+Z	1.8*1000*C	4.94	620.16
H340LAD+Z	1.8*1550*C	2.71	666.67
CR270LA+Z	1.9*1080*C	3.52	644.96
SGCC	1.9*1219	4.93	620.16
HC300LAD+Z	1.92*1120*C	2.18	651.16
DP590+Z	1.95*1455*C	2.49	829.46
H340LAD+Z	2.0*1040*C	2.22	705.43
APFC390+Z	2.0*1150*C	9.43	651.16
APFC390+Z	2.0*1200*C	6.56	651.16
APFC390+Z	2.0*1200*C	7.75	651.16
DX54D+Z	2.15*1140*C	5.28	643.41
DX54D+Z	2.15*1140*C	6.27	643.41
DX54D+Z	2.15*1140*C	6.27	643.41
DX54D+Z	2.15*1140*C	6.42	643.41
DX54D+Z	2.15*1140*C	7.19	643.41
DX54D+Z	2.15*1140*C	7.22	643.41
DX51D+Z	2.2*1350*C	12.11	620.16
CSB	2.41*1124*C	4.63	596.90
S320GD+Z	2.41*1498	13.52	620.16
DX--DC53D+ZF	0.6*1135*C	6.55	620.16
DX--DC53D+ZF	0.65*1430*C	8.03	620.16
DX--DC56D+ZF	0.65*1530*C	7.76	635.66
DX--DC56D+ZF	0.7*1635	8.71	620.16
DX--DC56D+ZF	0.7*1635	8.72	620.16
DX--DC53D+ZF	0.9*1145*C	8.4	620.16
DC51D+Z90/90	2.5*290*C	2.98	542.64
DC51D+Z90/90	2.5*290*C	2.5	542.64
DC51D+Z90/90	2.5*290*C	2.5	542.64
DC51D+Z90/90	2.5*960*2200	1.657	542.64
DC51D+Z90/90	2.5*290*1620	0.97	542.64

DX51D+Z (80) N	0.60*1250*C	7.92	767.44
DX51D+Z (120) N	1.20*1250*C	15.21	762.79
DX51D+Z (80) N	1.20*1250*C	23.03	748.84
DX51D+Z (120) N	1.50*1250*C	23.4	762.79
DC51D+Z (100)	0.50*1250*C	7.66	775.19
DC53D+Z (120)	0.80*1250*C	49.96	768.99
DC53D+Z (90)	0.80*1250*C	15.6	751.94
DC53D+Z (120)	1.00*1250*C	52.55	747.29
DC53D+Z (120)	1.00*1250*C	28.12	744.19
DC53D+Z (120)	1.00*1250*C	6.41	747.29
DC53D+Z (90)	1.00*1250*C	7.1	734.88
DC53D+Z (120)	1.20*1250*C	21.4	744.19
DC53D+Z (90)	1.20*1250*C	41.34	734.88
DC53D+Z (90)	1.20*1250*C	8.89	734.88
DX51D+Z (180)	1.20*1250*C	33.31	682.17
DC53D+Z (120)	1.50*1250*C	14.13	741.09
DC53D+Z (120)	1.50*1250*C	20.58	744.19
DC53D+Z (90)	1.50*1250*C	7.11	734.88
DX51D+Z (275)	1.50*1250*C	23.87	806.20
DC53D+Z (120)	2.00*1250*C	20.82	744.19
DC53D+Z (120)	2.00*1250*C	14.04	741.09