

## HENAN BEBON INTERNATIONAL C

Address: 33#BUILDING. ENTERPRISES HEADQUARTERS BASE, RUIDA ROAD  
DEVELOPMENT ZONE , ZHENGZHOU CITY 4500



Email: Carrie@bebonchina.com Mobile: +86-1

Phone: +86-371-86151627 Fax: +86-371-86

Web: www.bebonchina.com, www.steel-plate-sl

1.0\*1250\*C 05CuPCrNi Bao steel 5800 original coil 11.595 balance 5.41 tons 15.11.01  
 1.0\*1250\*C 05CuPCrNi Bao steel 5800 13.19 L2E0002608 2  
 1.2\*1253\*C B450NQ Bao steel 5800 original coil 12.98 balance coil 9.6 2014.2.17  
 1.2\*1250\*C 05CuPCrNi Bao steel 5800 original coil 12.71 约 balance 7.84 tons 2015.1.6  
 1.2\*1250\*C 05CuPCrNi Bao steel 5800 original coil 14.03 balance 6.21 tons 2014.12.02  
 1.5\*1250\*C 05CuPCrNi Bao steel 4500 8.87+8.81+9.03 L5F0001502 12  
 1.5\*1250\*3000 05CuPCrNi Bao steel 5980 original coil 9.21 balance 2.16 tons 49.9 pcs  
 1.5\*1250\*3000 05CuPCrNi Bao steel 5900 original coil 7.79 balance 2.52 tons 58.1 pcs 15.10  
 1.5\*1300\*3000 05CuPCrNi Bao steel balance coil 55000.539 ( )  
 1.6\*1200\*C 05CuPCrNi Bao steel 5500 8.12 tons SS120267686  
 2.0\*1250\*C 05CuPCrNi Bao steel 5800 13.545 L2E0011273 4  
 2.0\*1250\*C 05CuPCrNi Bao steel 5800 10.715 L1E0030407 12  
 2.0\*1250\*C 05CuPCrNi Bao steel 5800 11.63 L2E0000140 1  
 2.5\*1250\*C B450NQ Bao steel 6600 6.695+6.695 L3E0016556  
 1.5\*900\*C 05CuPCrNi Bao steel balance coil 5700 0.805 PACKAGE 113533804 SS12026  
 1.5\*1000\*C 05CuPCrNi Bao steel balance coil 5700 0.510 PACKAGE 199552904 SS1202  
 1.5\*1000\*C 05CuPCrNi Bao steel balance coil 5700 0.815 PACKAGE 190184301 SS1204  
 1.5\*1300\*2000 05CuPCrNi Bao steel balance coil 5800 0.46 tons (14 pcs) 2014.10.25 L2  
 1.5\*1080\*C 05CuPCrNi Bao steel balance coil 5900 1.125 PACKAGE 547497804  
 1.5\*1250\*1910 05CuPCrNi Bao steel balance coil 5800 1.035 tons 3 7 pcs  
 1.5\*1300\*C 05CuPCrNi Bao steel balance coil 5800 0.800 PACKAGE 190186601 SS1204  
 1.5\*1300\*C 05CuPCrNi Bao steel balance coil 5800 0.560 PACKAGE 199988405 SS1203  
 1.5\*1300\*C 05CuPCrNi Bao steel balance coil 5800  
 1.5\*1030\*C 05CuPCrNi Bao steel balance coil 5800 0.685 PACKAGE 112828301+0.505 P  
 1.6\*1200\*C 05CuPCrNi Bao steel balance coil 6000 8.12 大 balance coil SS120267686  
 2.0\*1250\*C 05CuPCrNi Bao steel balance coil 5800 0.71 SS120268974  
 2.0\*1250\*C 05CuPCrNi Bao steel balance coil 6000 3.37 SS120267684  
 2.0\*1250\*C 05CuPCrNi Bao steel balance coil 6000 1.03+1.36 SS120267713  
 2\*1500\*2964 05CuPCrNi Bao steel sheet 6200 3.908\*2 package 3.908 tons SS120373858  
 2\*1500\*2964 05CuPCrNi Bao steel sheet 6200 3.21 negotiable SS120373440  
 2\*1500\*2964 05CuPCrNi Bao steel sheet 6200 3.908 SS120373439  
 2\*1500\*2964 05CuPCrNi Bao steel sheet 6200 4.048+2.792 negotiable SS120372928  
 2.0\*1250\*2500 05CuPCrNi Bao steel sheet 6200 1.373 SS120376304 2.0\*1250\*2  
 2.0\*1250\*2500 05CuPCrNi Bao steel sheet 6200 4.268 SS120375902  
 2.0\*1500\*2470 05CuPCrNi Bao steel sheet 6200 4.246+3.78+3.431+4.071 协  
 2.0\*1500\*2470 05CuPCrNi Bao steel sheet 6200 1.803 SS120268504 2.0\*1500\*24  
 2.0\*1250\*C 05CuPCrNi Bao steel balance coil 5800 0.700 PACKAGE 113534504 SS1204  
 2.0\*1250\*C 05CuPCrNi Bao steel balance coil 5800 0.705 PACKAGE 117029805 SS1204  
 2.0\*1250\*C 05CuPCrNi Bao steel balance coil 6000 2.065 PACKAGE 116789501 SS1204  
 2.0\*1250\*C 05CuPCrNi Bao steel balance coil 6000 1.305 PACKAGE 199438804+0.72 F  
 2.5\*1080\*C 30CrMo Bao steel 5600 22.019 (20) I1E0037071  
 3.0\*1080\*C 30CrMo Bao steel 5550 17.53 I4F0001326  
 3.0\*1080\*C 30CrMo Bao steel 5600 17.435 I5D0000527  
 3.2\*1295\*C 30CrMo Bao steel 5600 original coil 26.28 balance 20 tons 15.11.19 I4F000108  
 3.2\*1295\*C 30CrMo Bao steel 5600 24.84 I4F0001080  
 3.5\*1295\*C 30CrMo Bao steel 5600 28.74+original coil 28.64 balance 16.84 tons

4.0\*1295\*C 30CrMo Bao steel 5600 21.23+20.2+21.3 I4F0001081  
 5.0\*1295\*600030CrMo Bao steel 5600orginal coil21.26balance3.69tons12pcs\*2package-  
 5.0\*1295\*C 30CrMo Bao steel 5600 21.14 I4F0001082  
 6.0\*1500\*6000 BS700MCK2 5500 4.239\*3+4.663\*3 +3.815 I3F0001091  
 6.0\*1500\*3000 BS700MCK2 5500 4.663+4.451 I4E0008419  
 10.\*1500\*8000 BS700MCK2 6400 4.71tons\*3package+2.826 I4E0003775  
 3.0\*1280\*6000 09CrCuSb bao steel 5300 orginal coil20.25balance2014.2.20  
 1.5\*1250\*C 09CrCuSbangang 4500 15.85+orginal coil15.79balance12.9tons15.11.04  
 1.6\*1250\*C 09CrCuSbangang 4450 15.81  
 2.0\*1250\*C 09CrCuSbangang 4300 15.86+15.89+15.84  
 2.5\*1235\*C 09CrCuSbangang 4200 orginal coil15.5balance9.22tons 15.11.46  
 2.5\*1235\*C 09CrCuSbangang 420015.31+15.45+15.46  
 3.0\*1500\*C 09CrCuSbangang 4000 orginal coil25.21balance20.32  
 3.0\*1500\*C 09CrCuSbangang 4000 24.87+25.27+25.36  
 3.0\*1500\*C 09CrCuSb bao steel4500orginal coil25.01balancecoil14.46tons14.6.9 I4E00  
 3.0\*1500\*C 09CrCuSb bao steel4500 18.15 I4E0010631  
 3.0\*1500\*6000 09CrCuSbangang4200orginal coil25.47balance2.051tons10pcs14.7.5  
 3.0\*1500\*6000 09CrCuSbbao steel 4600orginal coil25.01tonsbalance3.159tons15pcs I4E  
 3.0\*1500\*6000 09CrCuSb bao steel4600 orginal coil21.95tons2.542tons12pcs  
 4.0\*1500\*C 09CrCuSbangang 4000 26.2  
 4.0\*1280\*6000 09CrCuSbbao steel4600orginal coil15.68balance0.202tons 1pcs库存查NJ  
 4.0\*1280\*6000 09CrCuSbbao steel4600orginal coil15.68 0.195tons4.8meter+0.1meter) 2  
 4.0\*1500\*6000 09CrCuSbangang 4200 orginal coil21.24balance6.095tons21pcs+7.55ton:  
 5.0\*1500\*C 09CrCuSbangang 4000 25.75  
 5.0\*1500\*6000 09CrCuSbbao steel 4600 orginal coil22.96约balance3.882tons11pcs\*2pa  
 14.12.19苏I4F0001132  
 5.0\*1500\*6000 09CrCuSbangang 42000 orginal coil21.32balance 0.057tons0.95meter  
 5.0\*1500\*6000 09CrCuSbangang 4200 orginal coil21.24 balance0.17tons2.9meter 2014  
 6.0\*1500\*C 09CrCuSbbao steel 4000 23.55+23.32+14.08 I5F0001027 11  
 6.0\*1500\*6000 09CrCuSb Bao steel 4600 orginal coil24.29balance4.64tons11pcs  
 6.0\*1500\*6000 09CrCuSbbao steel 4400 orginal coil 24.38 balance4.22tons10pcs+  
 10\*1500\*6000 09CrCuSbangang 4200 orginal coil21.36balance3.6tons  
 10\*1500\*1950 09CrCuSbangang 4200 0.234tons  
 10\*1500\*6000 09CrCuSbangang4200orginal coil 25.69balance6pcs4.228\*5package+2pc  
 10\*1500\*6000 09CrCuSbangang4200orginal coil25.6balance5pcs3.516tons+4pcs2.813tc  
 10\*1500\*C 09CrCuSbangang4000 25.69+25.6  
 10\*1500\*6000 09CrCuSbangang 4400 orginal coil25.93balance17.13tons balance9tons15  
 12\*1500\*6000 09CrCuSbangang4200orginal coil25.81balance5.09tons6pcs 2015.3.3  
 12\*1500\*8000 09CrCuSbangang4200 orginal coil25.57tonsbalance4.53tons4pcs\*2packag  
 12\*1500\*C 09CrCuSbangang 4000 25.57  
 12\*1500\*6000 09CrCuSb angang 4200 4.26tons5pcs  
 12\*1500\*600009CrCuSbbao steel4600orginal coil22.64balance5.069tons6pcs13.8.13 I3E  
 14\*1500\*600009CrCuSb bao steel4700 orginal coil23.83tons1.972tons2pcs 2014.6.17  
 2013.6.9 I3E0009147  
 14\*1500\*6000 09CrCuSbangang 4300 orginal coil28.48balance5pcs4.97tons+0.02tons0.(  
 14\*1500\*8000 09CrCuSbangang 4100 orginal coil25.51balance5.27tons4pcs\*2package+  
 14\*1500\*6000 09CrCuSb angang4300orginal coil21.02tonsbalance4.96\*2package+5.15tc  
 14\*1500\*C 09CrCuSb bao steel 4500 24.22 I3E0009147  
 14\*1500\*C 09CrCuSb angang 4200 20.95tons  
 16\*1500C 09CrCuSbangang 4200 25.58  
 16\*1500\*600009CrCuSbangang4300 orginal coil28.62balance1.14tons1pcs+0.27tons1.6r  
 16\*1500\*800009CrCuSbbao steel47000orginal coil28.41tonsbalance4.502tons3pcs14.8.7  
 16\*1500\*C 09CrCuSb angang 4100 26.85tons

18\*2000\*7450 09CrCuSbangang 5200 2.105 cutting edge  
 18\*2000\*7750 09CrCuSbangang 5200 2.19 cutting edge  
 18\*2000\*8000 09CrCuSbangang 5200 2.261 cutting edge  
 20\*2000\*8000 09CrCuSbangang 5500 2.512\*2pcs  
 20\*1700\*6100 09CrCuSbangang 5500 1.628 cutting edge  
 14\*1600\*4000 St52-3 Bao steel 3500 0.69  
 1.6\*1175\*CB480GNQR bao steel3600orginal coil17.54balance14.1tonsBX14.10.22方1410  
 1.6\*1185\*C B480GNQR bao steel 3600 7.28 BQ I4I0001110  
 1.59\*1155\*3000 B480GNQR bao steel 3500orginal coil17.93balance3.02tons14.4.4 I1100  
 1.6\*1175\*3000 B480GNQR 3500orginal coil16.57balance0.1tons2.5pcs4.4.3 I0002524  
 2.0\*950\*3000B480GNQR Bao steel 3500 orginal coil12.88tonsbalance3.659tons85pcs20  
 2.0\*1215\*2000 B480GNQR Bao steel 3500 orginal coil7.15tons balance2.211tons60pcs+  
 2.0\*1219\*C B480GNQR Bao steel 3400 11.55+11.62 I3I0001012  
 2.3\*1180\*4130 SPA-H 3200 2.713\*4package2011.11.05  
 3.0\*1500\*3500 B480GNQR Bao steel 3600 orginal coil11.37balance1.34tons (11pcs) 2  
 3.0\*1500\*6000 B480GNQR bao steel 3600 orginal coil11.62balance0.108tons3.2meter)  
 3.0\*1500\*6000 B480GNQR 3600 11.37 1.672 (8sheet) +6.686 (32sheet)  
 3.0\*1500\*6000 B480GNQR Bao steel 3600 3.448tons  
 3.0\*1250\*C B480GNQR Bao steel 3500original19.82balance14.05tons14.7.10 I4I000090  
 4.0\*1250\*6000 B480GNQRbao steel3600original16.96balance0.348 (1.4sheet) I3I0001  
 4.0\*1400\*6000 B480GNQR一厂3600original4.85balance0.505 (2sheet13.6.17+4.72  
 4.0\*1250\*C B480GNQR Bao steel 350021.64 这coil查不到 I3I  
 4.0\*1250\*C B480GNQR Bao steel 3500 18.96 I4I0000391  
 4.43\*1500\*C B480GNQR bao steel3400original26.42negotiablebalance16.7tons15.03.03  
 5.0\*1500\*6000 B480GNQR bao steel 3600 orginal12.74 balance 0.12tons2.05meter 201  
 6.0\*1500\*6000 B489GNQRbao steel 3600 3.203tons  
 8.0\*1500\*C B480GNQR Bao steel 3500 25.09 BXNQ I4I0001413  
 8.0\*1500\*C SPA-H XingYu 3400original26.94balance18.14tons2014.11.07  
 10\*1500\*C SPA-H XingYu 3400 27.31  
 12.\*1500\*6000 SPA-H XingYu 3500 orginal27.26balance3.381tons4sheet\*2package+0.2  
 14.\*1500\*C SPA-H XingYu 3400 27.65+26.6  
 16.\*1500\*C SPA-H XingYu 3400 26.66+26.52  
 1.5\*1250\*4000 Corten ABao steel 4500 original10.35balance 3.093tons52sheet\*2packag  
 1.5\*1250\*C Corten ABao steel 4300 10.67 I5F0000716  
 2.0\*1250\*3000Corten ABao steel 4200 4.39+4.45+4.22+4.28 I5F0000710  
 2.0\*1250\*3000 Corten ABao steel 4000 12.94balance0.24tons4sheet+0.05tons2.49meter  
 2.0\*1000\*C Corten Awugang 4000 original11.48balance7.48tons14.7.10  
 2.03\*1433\*C 0355NH Bao steel 3900 4.16tons I2E0034269  
 2.0\*1250\*3000 Corten ABao steel4100 original7.12balance1.183tons20sheet+0.027tons  
 2.0\*1250\*2500 Corten ABao steel 4100 (7sheet) 0.346 材质不清楚  
 2.0\*1250\*2180 Corten ABao steel 4100 0.04tons  
 2.0\*1250\*3000 Corten A 5000original4.025balance3.792tons15.6.11来I4F0000983  
 2.5\*1250\*C Corten ABao steel 3800 12.12+11.73 I5F0000054  
 2.5\*980\*C Corten Abao steel 3700 12.93 BXY I2E0009110 3  
 2.5\*1000\*C Corten Abao steel 3800 11.72 I2E0007321  
 2.5\*1250\*C Corten ABao steel 3800 original12.25tonsbalance约10tons  
 2.5\*1250\*C Corten Awugang 3800 20.19  
 3.0\*1250\*3000 Corten Abao steel4000 original10.64balance0.61 (7sheet) 2013.12.12苏  
 3.0\*1250\*3000Corten ABao steel 4000 original9.16tons2.49meter+0.2meter=0.09tons)  
 3.0\*1250\*3000 Corten ABao steel 4000 original10.64balance1.163tons13sheet15.11.25日  
 3.0\*1250\*C Corten ABao steel 3800 10.75+9.29+9.62 I4F0001130  
 3.0\*1250\*C Corten ABao steel 3800 8.85+9.05+9.05+8.41+8.91+8.19+8.12+8.91  
 8.38+9.07+8.15+8.63+11.83+original10.49balance7.52tons15.11.08 I5F0000539 6

3.0\*1250\*C Corten ABao steel 3800 8.34real weight8.82tons+9.05real weight9.54tons  
 3.0\*1250\*3000Corten ABao steel 4200 4.93+4.93+4.765+4.23+4.93+4.435+4.8  
 3.0\*1250\*3000Corten A 4200 3.565tons I5F0000026  
 3.0\*1250\*3000 Corten ABao steel 4200 4.475+4.705  
 3.0\*1500\*6000 Corten ABao steel 4200 4.285+4.28+4.28+4.29+4.925  
 3.0\*1500\*6000 Corten ABao steel 4200 3.86+4.52+4.295+3.865+4.285+3.64+3.88  
 3.0\*1500\*6000 Corten ABao steel 4200 4.685 I4F0001128  
 3.0\*1500\*C Corten Arizhao steel 3600 29.08tons  
 3.0\*1500\*6000Corten ABao steel 4000original10.58balance4.49tons21sheet+2.54meter0.  
 3.0\*1500\*C Corten ABao steel 3800 8.91+9.35+9.29+10.1+10.06+9.84+8.89  
 3.0\*1250\*3000 Corten A 4000 4.79 I4F0000987 兴晟  
 3.0\*1250\*9000 Corten ABao steelsheet 4200 5.88 打印提单 I4E0019608宝新  
 3.0\*1250\*3000Corten A 42004.425+4.415+4.59+4.68+4.765I4F0000935兴  
 3.0\*1250\*3000Corten A 4200 4.43+4.425+4.435+3.3+4.25 I4F0000937 兴  
 3.0\*1250\*3000Corten A 4200 4.795+4.795+4.01 I4F0000936  
 3.0\*1500\*C Corten Arizhao steel 3600 29.08+original28.905balance15.4tons  
 3.0\*1050\*3000 Corten ABao steel 3700original24.176balance4.496tons60sheet+  
 3.0\*1050\*3000 Corten ABao steel 3700 original24.3balance2.594tons35sheet\*6package-  
 3.0\*1160\*C Corten ABao steel 3700 20.02+24.83  
 3.0\*1250\*3000 Corten A 4000 4.735+4.73+4.735  
 4.0\*1500\*6000 Corten ABao steel4000 originalcoil11.22balance 1.716tons (6sheet)  
 4.0\*1500\*6000 Corten ABao steel4000 original11.55tonsbalance0.2 (4.3meter) I2E000  
 4.0\*1524\*6000 Corten ABao steel 4000original13.08balance1.6meter0.07tons+2.1meter0  
 4.0\*1500\*6000Corten Arizhao steel 3800 original28.855balance2.48tons9sheet  
 4.0\*1500\*6000 Corten ABao steel3800 originalcoil11.22  
 4.0\*1500\*6000 Corten ABao steel 3800 original10.53balance  
 4.0\*1800\*6000Corten Awugang 4000 original24.77约balance1.47tons4sheet+1.9meter0.1  
 4.8\*1200\*6000 09CuP wugang 3800 3.009\*2package (11sheet) =6.018tons+  
 5.0\*1695\*6000 Corten ABao steel 4000 originalcoil31.64balance0.8 2sheet  
 5.0\*1800\*6000 Corten Awugang4000来发走original29.29balance0.43tons1sheet  
 5.0\*1500\*6000 Corten ABao steel 4000 original11.31balance0.059+1meter  
 5.0\*1500\*6000 Corten Arizhao steel 3800 original29.205balance3.438tons10sheet\*3pack:  
 5.0\*1500\*C Corten Arizhao steel 3600 29.19+29.205  
 5.0\*1810\*6000 Corten Arizhao steel3800 original32.365balance coil27.86tons2014.5.20  
 5.0\*1810\*6000 Corten Arizhao steel 3800original31.91balance3.75tons9sheet\*3package  
 5.01tons12sheet+0.07tons1meter 201.9.2  
 5.0\*1810\*6000 Corten Arizhao steel3800original32.25balance1.67tons4sheet  
 5.0\*1500\*6000 Corten A宝4000 original7.19balance0.1tons1.7meter  
 5.0\*1500\*6000 Corten A宝4000original12.2balance4.18tons12sheet+  
 5.0\*1805\*C Corten ABao steel 3800 19.8+original19.67balance13.94tons15.5.21  
 5.0\*1800\*C Corten ABao steel3800 19.89+19.86+19.91+19.75 I5F0000711  
 5.0\*1500\*C Corten ABao steel3800 12.72+12.95+18.1 I5F0000536 6  
 5.0\*1000\*C Corten ABao steel 3800 6.34tons I2E0020124  
 5.0\*1500\*C Q355NH Bao steel 3800 11.7 I1E0018218  
 6.0\*1800\*6000 Corten ABao steel4000 original13.33balance0.21tons2.5meter  
 6.0\*1250\*6500sheetCorten ABao steel 4000 4.975tons有吊费 I1E0023875  
 6.0\*1250\*6000 Corten ABao steel 4000 original19.64balance9.6tons27sheet+4.5meter0.2  
 6.0\*1800\*C Corten ABao steel 3800 15.94+15.81+15.9 I5F0000712  
 6.0\*1800\*6000 Corten ABao steel 4000 original21.105tons 1.2meter0.1tons  
 6.0\*1800\*6000 Corten Awugang 4000 original25.24tonsbalance0.05tons0.8meter+0.01tr  
 6.0\*1500\*L Corten A Bao steel 4000 1.9meter0.19tons I3E016102  
 6.0\*1500\*6000 Corten A bao steel 4000 original12.84 balance0.252tons3.6meter2014.2.2  
 6.0\*1500\*6000 Corten Arizhao steel 3800 original24.105balance3.76tons9sheet2014.5.12

6.0\*1500\*6000 Corten Arizhao steel 3800 original31.76balance coil14.46tonsbalance3.35  
 6.0\*1800\*C Corten ABao steel 3800 80tons I5F0001188 12  
 6.0\*1450\*C Corten ABao steel 3800 original29.13balance19.11tons2013.6.7 I2E0000070  
 6.0\*1355\*C Corten ABao steel 3800 31.23tons I1E0036974  
 6.0\*1250\*C Corten Abao steel 3800originalcoil24.54balancecoil18.72tons  
 6.0\*1500\*6000 Corten Abao steel 4100 original13.18约balance6.25tons15.9.16  
 7.0\*1380\*6500 Corten A bao steel 4200 6.901 (14sheet) 拆一sheetbalance13sheet6.4  
 7.0\*1500\*6000 Corten Awugang4200original12.49balance3.97 (8sheet) +0.08tons (0.8  
 7.0\*1800\*6000 Corten Abao steel4200 original29.38balance4.11tons7sheet\*2package+3.  
 7.0\*1800\*8000 Corten Awugang 4200 original27.19balance7.94tons10sheet+3.97tons5sh  
 7.0\*1500\*C Corten Abao steel4000 7.76+8.11+7.64+12.66 I1E0032754 3  
 7.0\*1500\*C Corten Awugang4000 12.66 3  
 8.0\*1500\*6000 sheet09CuPwugang 3800 7.348\*2package+2.26tons4sheet  
 8.0\*1800\*6000 Corten A bao steel4000original29.42balance  
 8.0\*1800\*100 Corten A bao steel 4000original31.22balance0.01tons I2E0011737 3  
 8.0\*1800\*6000 Corten Abao steel4000original33.62balance0.443tons4meter 2013.10.22  
 8.0\*1500\*6000 Corten Arizhao steel 3800 original28.76balance  
 0.39tons4.2meter 2013.10.29  
 8.0\*1500\*6000 Corten Arizhao steel 3800original29.08balance1.11tons2sheet苏拆+3.884  
 8.0\*1500\*6000 Corten Arizhao steel 3800 original28.98tonsbalance  
 0.083tons0.9meter+0.009+0.01+0.01+0.038tons0.4meter+0.083tons+0.9meter 2014.11.(  
 8.0\*1800\*6000Corten Arizhao steel3800 original31.29balance5.315tons8sheet  
 8.0\*1500\*6000 Corten A bao steel 4000 original22.44balance3.31tons6sheet\*3package  
 8.0\*1800\*6000 Corten Arizhao steel 3800 original32.585balance5.35tons8sheet\*4packag  
 0.03+0.575tons5meter 2014.4.8  
 8.0\*1800\*C Corten Arizhao steel 3600 31.86  
 8.0\*1800\*C Corten Arizhao steel 3600original31.895balance coil10.32tons214.11.04  
 10\*1215\*6000 Corten Abao steel4000original19.52balance0.26tons2.75meter+  
 0.01meter0.009tons2012.8.24 I2E0024144  
 10\*1800\*6000 Corten Awugang4000original9.72balance2012.4.16  
 0.05tons0.35meter) 2013.01.07. 包  
 10\*1800\*3100 Corten A bao steel4000original30.22balance3.1meter0.43tons  
 2011.12.25 平 I1E0038294  
 10\*1800\*6000 Corten Abao steel 4000 original27.545  
 8.322tons (10sheet) I3E0011344  
 10\*1800\*6000 Corten Arizhao steel 3800 original32.55balance4.19tons5sheet\*4package  
 2014.4.11  
 10\*1800\*6000 Corten Arizhao steel3800original32.465tonsbalance  
 +0.015+0.014+0.018+0.139 2014.9.16  
 10\*1500\*C Corten Awugang 3800 25.58  
 10\*1500\*C Corten Arizhao steel3600 original29.2balance coil10.92tons2014.7.8  
 12\*1500\*C Corten Abao steel3900 24.26+24.28+24.1+23.88 I5F0000624 7  
 12\*1800\*C Corten Abao steel3900 15.735+15.5+29.85 I5F0000622 7  
 12\*1500\*6000sheetCorten Abao steel4100 original8.478balance1.695tons2sheet12.30苏:  
 12\*1800\*6000 Corten Awugang4100original9.33balance3.07tons12.7.18  
 12\*1800\*4650 Corten Awugang4100 original9.33balance0.793tons1sheet12.7.18方  
 12\*1800\*6000 Corten Awugang 4100 original25.23balance2.05tons2012.9.4苏拆  
 2.056+ (4.1tons+0.07tons0.5meter2012.8.9.  
 2015.12.02.  
 12\*1800\*8000 Corten Awugang4100 original25.35balance0.793tons4.65meter  
 2013.8.23  
 12\*1800\*6000 Corten Awugang 4100 original9.64balance5.88tons5sheet+4.4meter  
 2013.12.24

12\*1800\*6000Corten Awugang 4100original9.73balance5.11tons5sheet+0.08tons0.45me  
 12\*1500\*6000Corten Awugang 4100 original10.79balance1.7tons2sheet+  
 2meter0.28tons+0.1meter0.01tons2014.7.10  
 12\*1500\*C Corten Awugang 3900 27.65 +27.2+27.97+28.01  
 12\*1800\*C Corten Arizhao steel 3700 32.185  
 12\*1800\*C Corten Arizhao steel 3700 32.15  
 12\*1800\*C Corten Awugang 3900 9.87  
 12\*1800\*6000Corten Arizhao steel 3900original31.25balance4.006tons4sheet2014.6.11  
 12\*1800\*8000 Corten Arizhao steel3900original31.895tonsbalance5.425tons4sheet+  
 0.534tons3.15meter 2014.11.26  
 12\*1800\*6000Corten Arizhao steel 3900original31.625tonsbalance  
 12\*1800\*6000Corten Arizhao steel 3900original31.745balance5.11tons5sheet  
 14\*1800\*6000 Corten Arizhao steel 4000original32.555balance4.67tons4sheet  
 2014.5.16  
 14\*1800\*6000 Corten Arizhao steel 4000 original32.09balance4.65tons4sheet\*2package+  
 14\*1800\*C Corten Arizhao steel3900 32.15  
 14\*1800\*8000sheetCorten A bao steel4200 4.747 +6.16 I2E0004779  
 14\*1500\*C Corten Abao steel4000 25.94 I5F0000633 7  
 14\*1500\*6000 Corten Abao steel4100original24.72balance10tons 15.9.01  
 14\*1500\*6000 Corten Abao steel 4100 original29.24balance4.903tons5sheet\*5package  
 +0.016tons0.1meter2013.12.09 I3E0007345  
 14\*1500\*6000 Corten Abao steel 4100original29.46tonsbalance4.918tons5sheet+0.334to  
 16\*1500\*6000Corten Arizhao steel 3900original28.815 balance5.55tons5sheet+2.22tons2  
 16\*1500\*C Corten Arizhao steel 3800 28.345  
 16\*1800\*6000 Corten Arizhao steel 4000 original32.49balance1.338tons1sheet+0.11tons  
 2014.10.21  
 16\*1800\*8000\*CCorten Abao steel4200 3.617tons\*8package I5F0000635 7  
 18\*1800\*8000\*CCorten Abao steel4200 4.069\*7package I5F0000708  
 20\*1800\*C Corten Arizhao steel4000 32.4+32.18+31.92+32.465+32.31  
 20\*1800\*8000 Corten Abao steel4200 4.522\*12package I5F0000707  
 2015.12.02.  
 20\*1800\*8000 Corten Abao steel4200 4.522\*8package I5F0000455  
 4.0\*1150\*C Q550NH bao steel 3800original19.65balance coil6.95tons2013.8.24  
 4.0\*1500\*C Q550NQR1 bao steel 3800 28.354+28.49 I0E0003169  
 4.02\*940\*C Q450NQR1 bao steel 3800 6.54 I9E0019788  
 7.0\*1380\*6500sheetQ450NQR1 bao steel 3800 6.901tons14sheet I9E0020437  
 8.0\*1330\*8000 Q450NQR1 wugang 3800 1.346 (2sheet)  
 10\*1595\*6000 Q450NQR1 bao steel 4200 original30.86balance4.45tons+  
 (3.71tons+0.43tons3.8meter ) 2012.2.16 I1E0011767  
 12\*1500\*8000 sheetQ550NQR 1bao steel 4000 7.913\*2 I0E0004809  
 12\*1800\*6000 Q450NQR1 bao steel 4000 original27.47tons4.02tons4sheet\*4package  
  
 12\*1500\*C Q450NQR1 bao steel 3800 29.9 I1E0037258  
 12\*1800\*6000Corten Arizhao steel 4400original31.625tonsbalance4.99tons5sheet+  
 14\*1460\*\*8000Q450NQR1bao steel 4000original26.460balance2.52tons2sheet+1.22tons  
 14\*1650\*6000sheetQ450NQR1bao steel 4200 7.616 I3E0008675  
 14\*1460\*C Q450NQR1bao steel 4000 29.1 I2E0008392  
 14\*1615\*6000 Q450NQR1 bao steel4100 original32.72balance6.32tons6sheet\*2package  
 0.3meter0.05tons 2013.8.19 I0E0027346  
 14\*1500\*L开sheetQ450NQR1bao steel 4000 0.9meter (0.14tons) +3.2meter(0.52tons)  
 15.5\*1500\*8000sheetQ450NQR1wugang 4400 8.761+8.761+4.38  
 16\*1800\*9000 sheetQ450NQR1bao steel 4600 4.069\*14package

20\*1100\*5700 sheetQ460NH bao steel 4200 6.891+3.938+7.875 I2E0033500  
10\*1800\*8000 Corten Awugang5100balance3.41tons3sheet+0.07tons0.5meter  
+0.01tons0.1meter  
12\*1500\*C 09CrCuSb angang 4900 20.99+21  
14\*1500\*600009CrCuSb bao steel5400 original23.83tons0.161tons0.98meter) 2013.6.9  
1.59\*1155\*3000 B480GNQR bao steel 4800original17.93balance3.02tons14.4.4 I1100028  
1.6\*1175\*3000 B480GNQR 4800original16.57balance0.1tons2.5sheet4.4.3 I0002524  
2.0\*1000\*C Corten Awugang 4600 original11.48balance7.48tons14.7.10  
14\*1500\*6000 09CrCuSb angang 5000original21.02tonsbalance4.96\*2package+5.15tons  
8.0\*1500\*6000 Corten Arizhao steel 4600 original28.79balance3.83tons6sheet+5.2meter+  
10\*1500\*C Corten Arizhao steel4500 original29.2balance coil10.92tons2014.7.8  
12\*1800\*6000 Corten Awugang 4800 original9.64balance5.88tons5sheet+4.4meter  
2013.12.24  
15.5\*1500\*8000sheetQ450NQR1wugang 5000 8.761+8.761+4.38

Note: Above price is base on EX-WORK

CO.,LTD.  
D,NATIONAL HIGH-TECH INDUSTRIAL  
000, CHINA.  
3526723480  
011881  
heet.com

L3E0019323 3

.31

58987 2 1.5\*900\*C 05CuPCrNi Bao steelbalance coil 5700 0.510PACKAGE113533504+0.505PACK  
68973 2  
83291 2  
E0003829

83395 2  
77253 2

ACKAGE112828306

500 05CuPCrNiBao steelsheet6200 3.679分 SS120270624

470 05CuPCrNiBao steelsheet6200 1.337 SS120268503  
82807 2  
83291 2  
83291 2  
PACKAGE199438801

10



+

10631

0010631

120500189

2013.1.18

s26pcs

ackage

.5.27

s1.408tons

ons

5.7.8

ge+

:0009148

02meter

-4.5meter0.74tons

ons14.4.17

meter

苏I4E0010851

001149

02871

113.9.24

2.433tons66pcs

013.8.31

方拆+ (3.448 (17) 2013.4.24 I3I0000893

3

I001

0001001

来I4I0000431

3.12.13方拆

212tons1.5meter2013.11.12

2+2.855tons48sheet

+0.38meter

拆

E拆

.09tons

+1.63tons22sheet+

1321 2012.9.22 3 1A

1.1tons 2013.8.25 I3E0016137

1tons

age+

26tons

ons0.1meter

!0

?

tons8sheet

8

08tons

meter)

52tons6sheet

heet

tons7sheet

07

e+

拆11E0029829

ter

+

ns2.1meter  
!sheet9.8

:0.5meter

板头7.7meter

+7.37tons7sheet+

) I3E0009147  
.71

.14.4.17  
+0.3meter 2013.11.28

AGE113533604







































































