

# HENAN BEBON INTERNATIONAL CO.,LTD.

Address: 33HEX BUILDING, ENTERPRISES HEADQUARTERS BASE, NATIONAL HIGH-TECH INDUSTRIAL DEVELOPMENT ZONE  
ZHENGZHOU, CHINA



Email: [bb@bebonchina.com](mailto:bb@bebonchina.com) Mobile: +86-13526723480

Phone: +86-371-86151527 Fax: +86-371-86011881

Web: [www.bebonchina.com](http://www.bebonchina.com), [www.steel-plate-sheet.com](http://www.steel-plate-sheet.com)

Grade	Specification(mm)	Weight(mt)	USD/MT FOB
SPCC	3.2*1250*C	7.565	650.00
SPCC	3.5*1250*C	12.815	650.00
SPCC	3.2*1250*C	9.775	650.00
SPCC	3.2*1250*C	8.765	650.00
SPCC	0.6*1250*C	8.1	578.79
SPCC	2.49*1499*C	13.12	618.18
SPCC	2.5*1250*2500	4.906	709.39
SPCC	1.35*1337*C	0.655	416.67
SPCC	3.5*1250*C	0.655	416.67
SPCC	0.65*1050*C	9.18	522.73
SPCC	0.8*1225*C	3.86	519.70
SPCC	3.0*1499*C	7.74	633.64
SPCC	3.0*1499*C	8.555	639.70
SPCC	3*1499*3000	4.447	724.24
SPCC	2.49*1250*2500	4.886	674.24
SPCC	2.49*1250*2500	4.947	674.24
SPCC	2.49*1250*2500	4.886	674.24
SPCC	0.6*1250*C	8.99	563.64
SPCC	0.8*1250*C	7.66	551.52
SPCC	1.0*1250*C	7.16	533.33
SPCC	1.0*1250*C	8.89	533.33
SPCC	1.0*1250*C	7.84	533.33
SPCC	1.2*1250*C	7.05	533.33
SPCC	1.6*1250*C	6.99	572.73
SPCC	1.8*1250*C	7.71	533.33
SPCC	2.0*1250*C	8.11	536.36
SPCC	2.5*1250*C	7.525	578.79
SPCC	1.4*1250*C	7.65	533.33
SPCC	1.6*1250*C	7.66	536.36
SPCC	1.6*1250*C	8.93	533.33
SPCC	3.0*1250*C	7.11	618.18
SPCC	1.2*1250*C	7.412	533.33
SPCC	1.8*1250*C	7.59	533.33
SPCC	3.0*1250*C	6.965	618.18
SPCC	0.6*1250*C	8.99	563.64
SPCC	1.2*1250*2500	4.916	636.36
SPCC	2.0*1250*2500	4.906	651.52
SPCC	1.6*1250*2500	4.788	648.48
SPCC	1.0*1250*2500	4.881	642.42
SPCC	0.8*1250*2500	4.611	727.27
SPCC	2.49*1250*2500	4.764	689.39
SPCC	1.5*1250*2500	4.93	643.94
SPCC	2.0*1250*2500	3.581	651.52

SPCC	1.2*1180*C	11.61	553.03
SPCC	1.2*1275*C	10.32	553.03
SPCC	1.2*1275*C	12.23	553.03
SPCC	1.2*1180*C	12.56	553.03
SPCC	1.2*1070*C	10.79	553.03
SPCC	1.2*1070*C	11.3	553.03
SPCC	1.2*1180*C	13.18	553.03
SPCC	0.8*1250*C	8.06	560.61
SPCC	1.2*1500*C	6.59	557.58
SPCC	1.2*1070*C	11.3	553.03
SPCC	1.2*1180*C	13.18	553.03
SPCC	0.8*1250*C	8.06	560.61
SPCC	1.2*1500*C	6.59	557.58
SPCC	0.8*1250*C	8.09	560.61
SPCC	1.17*1223*C	4.19	536.67
SPCC	0.68*1000*C	4.45	568.48
SPCC	1.17*1223*C	5.475	536.67
SPCC	1.0*1250*C	9.12	553.03
SPCC	1.0*1250*C	13.41	553.03
SPCC	0.5*1250*C	6.43	574.24
SPCC	0.5*1000*C	5.98	574.24
SPCC	0.5*1250*C	6.46	574.24
SPCC	0.5*1250*C	6.69	574.24
SPCC	0.5*1000*C	5.92	574.24
SPCC	1.2*1500*C	6.76	545.45
SPCC	2.0*74*C	0.225	484.85
SPCC	2.0*74*C	0.225	484.85
SPCC	0.8*1500*C	6.92	545.45
SPCC	1.5*1214*C	7.83	556.36
SPCC	1.14*914*C	7.7	557.88
SPCC	0.69*1250*C	6.215	594.24
SPCC	1.55*1219*C	6.79	515.45
SPCC	1.60*1250*C	12.925	535.15
SPCC	1.60*1250*C	8.525	536.67
SPCC	1.60*1250*C	8.63	536.67
SPCC	0.60*1250*C	9.225	557.88
SPCC	1.60*1250*C	8.51	536.67
SPCC	0.90*1413*C	5.77	530.61
SPCC	1.20*1500*C	9.39	530.61
SPCC	1.00*1250*C	6.305	533.64
SPCC	1.20*1599*C	6.81	538.18
SPCC	1.60*1250*C	13.2	535.15
SPCC	0.60*1005*C	6.07	557.88
SPCC	0.50*980*C	7.62	565.45
SPCC	0.80*1000*C	9.574	542.73
SPCC	1.60*1250*C	8.865	536.67
SPCC	1.60*1250*C	8.82	536.67
SPCC	1.60*1250*C	12.975	535.15
SPCC	1.20*1250*C	13.78	530.61
SPCC	1.5*1250*C	11.88	557.58
SPCC	1.5*1250*C	12.41	557.58

SPCC	1.0*1250*2500	4.809	642.42
SPCC	3.5*1250*2500	4.207	693.94
SPCC	2.0*1250*2500	3.114	651.52
SPCC	1.60*1250*C	13.2	535.15
SPCC	0.60*1005*C	6.07	557.88
SPCC	1.60*1250*C	12.785	535.15
SPCC	0.50*980*C	7.62	565.45
SPCC	0.80*1000*C	9.574	565.45
SPCC	1.60*1250*C	8.865	565.45
SPCC	0.50*980*C	7.62	565.45
SPCC	1.20*1250*C	13.78	530.61
SPCC	1.5*1250*C	11.88	530.61
SPCC	1.20*1250*C	9.025	530.61
SPCC	1.0*1250*2500	4.809	642.42
SPCC	3.5*1250*2500	4.207	693.94
SPCC	2.0*1250*2500	3.114	651.52
SPCC	3.5*1250*2500	4.464	693.94
SPCC	2.0*1250*2500	3.238	651.52
SPCC	3.5*1250*2500	4.464	693.94
SPCC	1.5*1250*2500	4.879	643.94
SPCC	2.5*1250*2500	3.741	704.55
SPCC	1.5*1250*2500	4.879	643.94
SPCC	1.5*1250*2500	4.689	643.94
SPCC	0.8*1250*C	7.81	569.70
SPCC	1.2*1250*2500	4.599	636.36
SPCC	2.0*1250*2500	3.944	651.52
SPCC	0.60*1005*C	6.07	557.88
SPCC	1.60*1250*C	12.785	535.15
SPCC	0.50*980*C	7.62	565.45
SPCC	0.80*1000*C	9.574	542.73
SPCC	1.60*1250*C	8.865	536.67
SPCC	1.20*1250*C	13.78	530.61
SPCC	1.0*1250*2500	4.809	642.42
SPCC	3.5*1250*2500	4.207	693.94
DC01	0.80*1300*C	5.36	557.58
DC01	2.00*1250*C	6.78	527.27
DC01	1.00*1250*C	9.87	528.79
DC01	1.80*1250*C	6.88	530.30
DC01	0.80*1500*C	7.08	553.03
DC01	2.00*1250*C	6.89	528.79
DC01	0.80*1250*C	7	546.97
DC01	1.00*1250*C	6.77	528.79
DC01	1.45*1250*C	9.91	527.27
DC01	0.80*1500*C	7.8	548.48
DC01	1.00*1250*C	6.94	527.27
DC01	2.00*1250*C	6.84	527.27
DC01	1.80*1250*C	6.84	530.30
DC01	2.00*1500*C	7.8	533.33
DC01	1.95*1250*C	6.91	528.79
DC01	0.80*1500*C	6.58	553.03
DC01	0.60*1250*C	6.72	563.64

DC01	1.00*1250*C	6.99	528.79
DC01	2.00*1250*C	6.86	527.27
DC01	1.80*1250*C	6.88	530.30
DC01	0.80*1250*C	7.13	546.97
DC01	0.80*1500*C	7.86	550.00
DC01	1.00*1250*C	6.79	528.79
DC01	1.95*1250*C	6.87	527.27
DC01	1.00*1250*C	9.71	528.79
DC01	1.80*1250*C	6.87	530.30
DC01	0.80*1500*C	7.8	548.48
DC01	1.00*1250*C	6.94	527.27
DC01	2.00*1250*C	6.84	527.27
DC01	1.80*1250*C	6.84	530.30
DC01	2.00*1500*C	7.8	533.33
DC01	1.95*1250*C	6.91	528.79
DC01	1.95*1250*C	6.92	528.79
BLD	1.8*1250*C	5.759	530.61
BLD	0.8*1450*C	8.54	590.91
BLD	2.49*1250*C	11.855	606.06
BLD	1.0*1320*C	12.74	575.76
BLD	0.8*1450*C	8.72	590.91
BLD	2.49*1250*C	11.375	606.06
BLD	0.8*1450*C	8.71	590.91
BLD	1.00*1250*C	3.01	622.73
BLD	0.70*1480*C	3,810.00	577.27
BLD	0.70*1450*C	8.57	600.00
BLD	1.6*1499*C	8.42	572.73
BLD	1.48*982*C	10.18	568.18
BLD	1.47*1212*C	12.52	568.18
BLD	0.7*1000*C	8.32	587.88
BLD	1.48*982*C	10.11	568.18
BLD	1.0*1499*C	11.88	560.61
BLD	2*1250*C	2.76	613.64
BLD	1.00*1240*C	13.21	560.61
BLD	1.20*1599*C	12.61	563.64
BLD	1.80*1200*C	11.97	560.61
DC03	1*1500*C	8.256	546.97
DC03	0.7*1060*C	8.095	557.58
DC03	1*1500*C	8.2	546.97
DC03	0.8*1315*C	8.075	550.00
DC03	0.9*1170*C	6.34	550.00
DC03	0.7*1380*C	3.09	557.58
DC03	1*1338*C	6.91	542.42
DC03	1*1000*C	8.992	546.97
DC03	0.7*1100*C	3.58	557.58
DC03	1.2*1500*C	3.505	546.97
DC03	2.75*1008*C	10.115	701.82
DC03	1*1700*C	7.15	532.58
DC03	1*1280*C	8.26	532.58
DC03	1*1200*C	8.55	532.58
DC03	1*1700*C	6.72	532.58

DC03	1.2*1045*C	9.47	529.55
DC04	0.7*1264*C	10.349	587.88
DC04	0.8*930*C	8.86	587.88
DC04	1*1090*C	6.33	572.73
DC04	0.85*1040*0*0	6.37	563.64
DC04	1.25*1320*C	7.82	556.06
DC04	0.8*1850*C	10.68	559.09
DC04	1.5*1360*C	8.11	553.03
DC04	1.57*1760*C	7.27	553.03
DC04	1.25*1320*C	8.75	556.06
DC04	0.8*1200*C	6.775	559.09
DC04	1.57*1760*C	7.63	553.03
DC04	1.2*1740*C	7.97	556.06
DC04	1.25*1320*C	8.63	556.06
DC04	0.8*1665*C	9.81	577.27
DC06	0.65*1420*C	9.19	610.61
DC06	0.65*1420*C	9.17	610.61
DC06	0.68*1675*C	3.2	610.61
DC06	0.70*1622*C	2.91	695.76
DC06	1.6*1480*C	13.38	594.70
DC06	0.8*1090*C	10.4	600.76
DC06	0.70*1770*C	12.12	704.85
DC06	0.70*1030*C	7.95	556.06
DC06	1.5*1100*C	7.821	663.64
DC06	1.45*1100*C	5.98	663.64
DC06	1.5*1100*C	8.17	663.64
DC06	0.69*1200*1540	4.488	572.73
DC06	0.69*1200*1540	4.569	572.73
DC06	0.700*1200*2000	1.398	530.61
DC06	0.9*1140*C	3.94	757.58
DC06	0.9*1175*C	10.8	757.58
DC06	0.8*1470*C	13.24	566.97
DC06	0.8*1880*C	8.94	566.97
DC06	0.8*1840*C	15.06	566.97
DC06	0.8*1880*C	8.76	566.97
DC06	0.7*1300*C	3.9	566.97
DC06	1.2*1510*C	9.145	566.97
DC06	0.7*1030*C	8.14	566.97
DC06	0.7*1510*C	8.345	566.97
DC06	0.80*1540*C	6.09	709.39
DC06	2*1440*C	6.43	583.33
DC06	0.65*1570*c	6.71	568.18
DC06	0.7*1224*c	9.95	618.18
HC340LA	1.5*1250*C	9.566	636.36
HC340LA	1.8*1740*C	13.78	575.76
HC340LA	1.2*1355*C	12.21	598.48
HC340LA	0.8*1469*C	10.86	636.36
HC340LA	1.5*1410*C	8.15	583.33
HC340LA	1.0*1240*C	7.95	583.33
HC340LA	2.0*1436*C	8.06	583.33