

# HENAN BEBON INTERNATIONAL CO.,LTD.

Address: 33HEX BUILDING, ENTERPRISES HEADQUARTERS BASE, NATIONAL HIGH-TECH INDUSTRIAL DEVELOPMENT ZONE ZHENGZHOU, CHINA



Email: [bb@bebonchina.com](mailto:bb@bebonchina.com)    Mobile: +86-13526723480

Phone: +86-371-86151527    Fax: +86-371-86011881

Web: [www.bebonchina.com](http://www.bebonchina.com), [www.steel-plate-sheet.com](http://www.steel-plate-sheet.com)

GRADE	Specification(mm)	Weight(mt)	FOB PRICE (USD/TON)
304	0.15*611	0.622	3,439.39
304	0.25*620*C	1.267	2,833.33
304	0.2*296*C	0.832	3,030.30
304	0.15*611	0.622	3,439.39
304	0.15*627*C	0.924	3,742.42
310S	3*1219*1438	0.043	3,787.88
310S	1*1219*2438	0.025	4,242.42
310S	8.0*1500*6000	18.6	3,727.27
310S	1.5*1220*C	10.7	5,242.42
310S	0.5*1000*C	16.7	5,621.21
310S	18*1500*6000	14.3	4,030.30
310S	25*1500*6000	18.9	4,030.30
310S	2.0*1000*C	6.7	5,242.42
310S	0.6*1000*C	12.3	5,469.70
310S	4.0*1500*6000	6.8	3,727.27
310S	0.9*1220*C	21.5	5,318.18
310S	12*1500*6000	28.9	3,727.27
310S	2.5*1220*C	14.6	5,242.42
310S	0.9*1000*C	6.5	5,318.18
310S	0.7*1220*C	13.8	5,318.18
310S	2.5*1000*C	6.4	5,242.42
310S	28*1500*6000	7.5	4,030.30
316L	4.0*1500*6000	4.8	2,439.39
316L	14*1800*6000	16.6	2,681.82
316L	35*1500*6000	8.6	2,681.82
316L	12*2000*6000	10.7	2,681.82
316L	28*1500*6000	12.4	2,681.82
316L	16*1500*6000	21.3	2,681.82
316L	16*2000*6000	14.6	2,681.82
316L	30*1800*6000	13.8	2,681.82
316L	28*2000*6000	9.6	2,681.82
316L	12*1000*6000	1.766	3,390.58
316L	15*1524*5910	2.164	3,560.82
316L	7.2*2180*8640	1.11	3,136.36
316L	15*1400*6250	1.062	3,223.48
316L	13*1524*5970	0.947	3,136.36
316L	15*2420*7340	2.156	3,223.48
316L	15*2510*5010	1.544	3,223.48
316L	7.2*2180*8600	1.112	3,136.36
316L	15*2000*5420	1.314	3,595.67

316L	16*2660*3230	1.124	3,560.82
316L	15*1500*3060	0.556	3,595.67
316L	11.3*2521*5370	1.324	3,136.36
316L	6*2000*4000	0.786	3,136.36
316L	15*2500*6300	1.964	3,560.82
316L	10.0*1500*6000	10.8	2,469.70
316L	6.0*1500*6000	11.6	2,469.70
316L	8.0*1800*6000	12.1	2,681.82
316L	35*2000*6000	21.5	2,681.82
316L	20*2000*6000	10.6	2,681.82
316L	40*1800*6000	21.5	2,681.82
316L	18*1800*6000	10.6	2,681.82
316L	35*1800*6000	12.1	2,681.82
316L	30*2000*6000	12.3	2,681.82
316L	14*2000*6000	10.6	2,681.82
316L	18*1500*6000	28.7	2,681.82
316L	15*1524*5770	1.042	3,560.82
316L	16*1500*9635	1.87	3,595.67
430	0.105*434*C	0.477	2,121.21
430	0.11*550*C	0.696	2,121.21
430	0.065*620*C	0.93	2,272.73
430	0.085*608*C	0.813	2,272.73
430	0.085*618*C	0.437	2,272.73
430	0.085*605*C	0.619	2,272.73
430	0.085*620*C	0.892	2,272.73
430	0.7*1220*C	13.8	1,227.27
430	1.5*1220*C	10.7	1,159.09
430	2.5*1220*C	14.6	1,159.09
430	0.4*1220*C	12.4	1,424.24
430	0.9*1220*C	21.5	1,212.12
430	0.7*1219*1720	5.2	1,060.61
430	2.0*1220*C	10.6	1,159.09
430	0.8*1220*C	12.1	1,212.12
430	3.0*1220*C	8.4	1,159.09
430	0.6*1220*C	8.6	1,257.58
430	1.2*1220*C	16.6	1,159.09
430	0.5*1220*C	12.2	1,272.73
430	1.0*1220*C	18.9	1,181.82
430	0.8*1000*360	5.1	984.85
SUS430	0.41*1219*C	4.093	1,363.64
430	0.105*434*C	0.477	2,121.21
430	0.11*550*C	0.696	2,121.21
430	0.065*620*C	0.93	2,272.73
304	0.15*618	1.581	3,439.39
304	0.15*627*C	0.924	3,742.42
430	0.085*608*C	0.813	2,272.73
304	0.2*296*C	0.832	3,030.30
430	0.085*618*C	0.437	2,272.73

304	0.2*296*C	0.557	3,030.30
430	0.085*605*C	0.619	2,272.73
430	0.085*620*C	0.892	2,272.73
430	0.1*591*C	1.227	2,121.21
304	0.25*620*C	1.267	2,833.33
430/2B	0.8*1250*2440	1.715	1,348.48
SUS304-2B	0.4*1219*C	9.339	2,500.00
SUS304-2B	0.4*1204*C	6.39	2,454.55
430	0.085*605*C	0.619	2,272.73
430	0.085*620*C	0.892	2,272.73
430	0.1*591*C	1.227	2,121.21
304	0.25*620*C	1.267	2,833.33
SUH409L	1.2*993*C	7.96	1,151.52
430/2B	0.8*1250*2440	1.715	1,348.48
SUS304-2B	0.4*1219*C	9.339	2,500.00
SUS304-2B	0.4*1204*C	6.39	2,454.55
SUS430LX	0.6*1000*C	3.891	2,045.45
SUS304-2B	0.4*1219*C	9.339	2,500.00
SUS436	2.0*1219*C	5.659	2,060.61
SUS436	1.5*1219*C	16.965	2,060.61
SUS436	0.8*1219*C	15.186	2,075.76
SUS436	2.0*1219*C	5.31	2,060.61
SUS430	0.41*1219*C	4.093	1,363.64
430	0.7*1220*C	13.8	1,227.27
430	1.5*1220*C	10.7	1,159.09
430	2.5*1220*C	14.6	1,159.09
436L	3.0*1220*C	8.4	2,181.82
436L	0.8*1220*C	12.1	2,212.12
439	0.9*1220*C	0.47	1,833.33
444	3.0*1220*C	10.2	2,484.85
444	2.0*1220*C	5.2	2,484.85