

HENAN BEBON INTERNATIONAL CO.,LTD.

Address: 33HEX BUILDING, ENTERPRISES HEADQUARTERS BASE, NATIONAL HIGH-TECH INDUSTRIAL DEVELOPMENT ZONE
ZHENGZHOU, CHINA



Email:bb@bebonchina.com Mobile: +86-13526723480

Phone: +86-371-86151527 Fax:+86-371-86011881

Web: www.bebonchina.com, www.steel-plate-sheet.com

Grade	Specification(mm)	Weight(mt)	EXW (USD/TON)
ON SALE			
09CuPRB	1.6*1175*C	3.26	Negotiate
B480GNQR	3.82*1350*C	23.55	Negotiate
B480GNQR	3.92*1260*C	22.03	Negotiate
09CuP	4.0*980*C	8.34	Negotiate
SPA-H	5.9*960*C	19.47	Negotiate
SPA-H	5.9*970*C	17.97	Negotiate
45#	4*1190*C	17.92	Negotiate
30CrMo	1.4*1200*C	56.2	878.79
30CrMo	1.5*1200*C	18.28	871.21
30CrMo	1.5*1200*C	19.565	871.21
30CrMo	1.5*1200*C	17.735	871.21
30CrMo	1.6*1200*2400	19.715	863.64
30CrMo	1.6*1200*C	37.61	863.64
30CrMo	1.7*1200*C	18.855	848.48
30CrMo	1.7*1200*C	19.71	848.48
30CrMo	1.8*1200*C	19.55	833.33
30CrMo	1.9*1200*C	18.575	818.18
30CrMo	1.9*1200*C	19.255	818.18
30CrMo	1.9*1200*C	19.97	818.18
30CrMo	2.0*1050*C	20.03	Negotiate
30CrMo	2.0*1050*C	20.04	Negotiate
30CrMo	2.0*1050*C	17.93	Negotiate
30CrMo	2.05*1160*2320	1.796	Negotiate
30CrMo	2.05*1160*2320	2.784	Negotiate
30CrMo	2.05*1160*C	5.99	Negotiate
30CrMo	2.05*1160*C	6.41	Negotiate
30CrMo	2.05*1160*C	1.924	Negotiate
30CrMo	2.1*1050*C	37.49	Negotiate
30CrMo	2.1*1050*C	20.08	Negotiate
30CrMo	2.2*1050*C	18.74	Negotiate
30CrMo	2.2*1050*C	20.03	Negotiate
30CrMo	2.3*1050*C	18.43	Negotiate
30CrMo	2.3*1050*C	17.22	Negotiate
30CrMo	2.3*1050*2100	4.716	Negotiate
30CrMo	2.3*1050*2400	4.655	Negotiate
30CrMo	2.3*1050*2400	4.655	Negotiate
30CrMo	2.3*1050*2400	3.304	Negotiate
30CrMo	2.3*1050*C	2.908	Negotiate
30CrMo	2.40*1050*C	17.84	Negotiate
30CrMo	2.40*1050*2100	2.865	Negotiate
30CrMo	2.45*1020*C	2.234	Negotiate
30CrMo	2.45*1050*3600	2.254	Negotiate

30CrMo	2.5*1250*C	20.06	Negotiate
30CrMo	2.4*1050*C	18.63	Negotiate
30CrMo	2.4*1050*C	20.06	Negotiate
30CrMo	2.5*1050*C	18.54	Negotiate
30CrMo	2.5*1050*C	19.88	Negotiate
30CrMo	2.5*1050*C	18.42	Negotiate
30CrMo	2.5*1050*C	17.68	Negotiate
30CrMo	2.5*1160*C	14.4	Negotiate
30CRMO	2.5*1250*C	17.97	Negotiate
30CRMO	2.5*1250*C	20.06	Negotiate
30CrMo	2.6*1020*2400	2.44	Negotiate
30CrMo	2.6*1050*2400	1.39	Negotiate
30CrMo	2.7*1050*C	5.02	Negotiate
30CrMo	2.8*1050*2400	1.436	Negotiate
30CrMo	2.8*1170*2340	1.146	Negotiate
30CrMo	2.8*1170*2340	3.982	Negotiate
30CrMo	2.8*1170*C	3.222	Negotiate
30CrMo	2.8*1200*2400	2.174	Negotiate
30CrMo	3.0*1050*C	19.32	Negotiate
30CrMo	3.0*1250*C	17.84	Negotiate
30CrMo	3.0*1250*C	19.11	Negotiate
30CrMo	3.0*1250*C	17.25	Negotiate
30CRMO	3.2*1350*C	58.4	Negotiate
30CRMO	3.5*1250*C	20.81	Negotiate
30CRMO	3.5*1250*C	20.47	Negotiate
30CRMO	3.5*1250*C	19.11	Negotiate
30CrMo	3.6*1000*C	5.36	Negotiate
30CrMo	3.6*1000*C	15.85	Negotiate
30CrMo	3.6*1200*C	19.83	Negotiate
30CrMo	4.0*1350*C	50.2	Negotiate
30CrMo	4.0*1250*C	16.77	Negotiate
30CrMo	4.4*1000*C	15.91	Negotiate
30CrMo	4.4*1340*C	21.02	Negotiate
30CrMo	6*1020*0	17.69	Negotiate
30CrMo	6*1020*0	17.3	Negotiate
30CrMo	6*1020*0	17.55	Negotiate
30CrMo	6*1050*0	19.78	Negotiate
30CrMo	6*1050*0	19.7	Negotiate
30CrMo	6*1050*0	19.11	Negotiate
30CrMo	6*1050*0	18.49	Negotiate
30CrMo	6*1050*0	19.74	Negotiate
30CrMo	6*1050*0	19.52	Negotiate
30CrMo	6*1050*0	19.78	Negotiate
30CrMo	6*1050*0	19.69	Negotiate
30CrMo	6*1070*0	20.22	Negotiate
30CrMo	6*1160*0	19.92	Negotiate
30CrMo	6*1160*0	20.01	Negotiate
30CrMo	6*1160*0	20.1	Negotiate
30CrMo	6*1160*0	19.95	Negotiate
30CrMo	6*1200*0	20.54	Negotiate
50Mn2V	2.8*1200*C	20.59	Negotiate

50Mn2V	2.9*1095*C	18.87	Negotiate
50Mn2V	2.9*1095*C	6.96	Negotiate
50Mn2V	3.1*930*C	15.96	Negotiate
50Mn2V	3.9*930*C	15.9	Negotiate
50Mn2V	4*900*0	16.83	Negotiate
50Mn2V	4*1000*0	14.74	Negotiate
50Mn2V	4*1200*C	20.23	Negotiate
50Mn2V	4.1*900*C	16.97	Negotiate
50Mn2V	5.5*1030*C	91.69	Negotiate
50Mn2V	5.9*995*C	17.12	Negotiate
50Mn2V	5.9*995*C	16.74	Negotiate
50Mn2V	5.9*995*C	17.09	Negotiate
50Mn2V	5.9*1000*C	11.27	Negotiate
50Mn2V	5.9*1190*C	21.77	Negotiate
50Mn2V	5.9*1200*C	19.7	Negotiate
50Mn2V	5.9*1200*C	22.79	Negotiate
50Mn2V	5.9*1200*C	87.89	Negotiate
50Mn2V	6.5*1320*C	22.69	Negotiate
50Mn2V	7.8*990*C	17.06	Negotiate
SK85	2.0*1245*C	7.65	Negotiate
SK85	2.0*1200*C	9.61	Negotiate
SK85	2.8*1250*C	6	Negotiate
75Cr1	2.5*1250*C	17.97	568.18
75Cr1	2.5*1250*2500	60.71	568.18
75Cr1	3.7*1250*C	21.1	545.45
75Cr1	4.0*1250*C	21.92	545.45
75Cr1	4.0*1300*C	20.47	545.45
75Cr1	4.0*1800*3600	18.72	545.45
75Cr1	4.5*1250*C	19.63	545.45
75Cr1	4.5*1300*C	19.72	545.45
75Cr1	6*1800*3600	43	545.45
75Cr1	7*1800*3600	68.39	545.45
75Cr1	7.0*1300*C	11.59	Negotiate
75Cr1	7*1600*C	24.46	Negotiate
75Cr1	7.2*1270*C	21.01	Negotiate
75Cr1	7.2*1500*C	22	Negotiate
75Cr1	7.2*1500*C	21.91	Negotiate
40Mn	2.75*1050	4.6	Negotiate
40Mn	2.75*1050	5.5	Negotiate
40Mn	2.75*1050	11.39	Negotiate
40Mn	2.75*1050	17.62	Negotiate
40Mn	2.75*1050	17.67	Negotiate
40Mn	2.75*1050	17.72	Negotiate
40Mn	2.75*1050	17.99	Negotiate
40Mn	2.75*1050	18.01	Negotiate
40Mn	3.5*1250	19.35	Negotiate
40Mn	3.5*1250	19.77	Negotiate
40Mn	3.84*1173	18.56	Negotiate
40Mn	3.84*1173	18.92	Negotiate
40Mn	3.84*1173	19.22	Negotiate
40Mn	4.88*1185	17.89	Negotiate

40Mn	4.88*1185	19.35	Negotiate
40Mn	4.88*1185	20.44	Negotiate
40MnB	4.56*1113	5.46	Negotiate
40MnB	5.12*1178	20.68	Negotiate
42CrMo4	2.5*1250	3.04	Negotiate
42CrMo4	2.5*1250	3.26	Negotiate
42CrMo4	2.5*1250	3.26	Negotiate
42CrMo4	2.5*1250	3.58	Negotiate
42CrMo4	2.5*1250	5.3	Negotiate
42CrMo4	2.75*1266	4.85	Negotiate
42CrMo4	6.25*1218	23.7	Negotiate
42CrMo4	7.5*1250	19.12	Negotiate
42CrMo4	7.5*1250	19.21	Negotiate
42CrMo4	7.5*1250	20.65	Negotiate
42CrMo4	7.5*1290	19.89	Negotiate
42CrMo4	7.5*1290	19.95	Negotiate
42CrMo4	7.5*1290	20.87	Negotiate
42CrMo4	7.5*1290	22.88	Negotiate
42MH	2.75*1040	18.4	Negotiate
42MH	2.75*1050	8.18	Negotiate
42MH	2.75*1050	8.66	Negotiate
42MH	2.75*1050	9.12	Negotiate
42MH	2.75*1050	9.32	Negotiate
42MH	2.75*1050	9.41	Negotiate
42MH	2.75*1050	15.46	Negotiate
42MH	2.75*1050	15.52	Negotiate
42MH	2.75*1050	16.29	Negotiate
42MH	2.75*1050	16.35	Negotiate
42MH	3.5*1050	19.23	Negotiate
42MH	4.5*1050	18.43	Negotiate
45Mn	2.75*1050	15.16	Negotiate
45Mn	2.75*1050	17.56	Negotiate
45Mn	2.75*1050	17.62	Negotiate
45Mn	2.75*1050	17.96	Negotiate
45Mn	2.75*1050	17.98	Negotiate
45Mn	2.75*1100	17.29	Negotiate
45Mn	2.75*1100	17.3	Negotiate
45Mn	2.75*1100	17.45	Negotiate
45Mn	2.75*1100	17.45	Negotiate
45Mn	2.75*1100	17.62	Negotiate
45Mn	2.75*1100	18.18	Negotiate
45Mn	2.75*1100	18.53	Negotiate
45Mn	2.75*1100	18.6	Negotiate
45Mn	2.75*1100	19	Negotiate
51CrV4	2.5*1200	3.25	Negotiate
65Mn	2.75*1250	4.01	Negotiate
65Mn	2.75*1250	5.09	Negotiate
65Mn	2.75*1250	11.11	Negotiate
65Mn	3*1250	19.03	Negotiate
65Mn	4.5*1250	18.98	Negotiate
Q195	2.30*1035*C	17.9	449.85

Q195	2.30*1035*C	17.88	449.85
Q195	2.30*1035*C	17.88	449.85
Q195	2.30*1035*C	17.87	449.85
Q195	2.30*1035*C	16.46	449.85
Q195	2.30*1035*C	17.92	449.85
Q195	2.30*1060*C	18.54	449.85
Q195	2.30*1090*C	17.31	449.85
Q195	2.30*1090*C	17.26	449.85
Q195	2.30*1090*C	17.26	449.85
Q195	2.30*1090*C	17.28	449.85
Q195	2.30*1090*C	17.2	449.85
Q195	2.30*1200*C	16.51	449.85
Q195	2.30*1200*C	20.45	449.85
Q195	2.50*1075*C	10.21	440.91
Q195	2.50*1080*C	21.55	440.91
Q195	2.50*1300*C	25.99	440.91
Q195	2.50*1300*C	26.05	440.91
Q195	2.50*1300*C	23.85	440.91
Q195	2.50*1320*C	12.54	440.91
Q195	2.50*1450*C	28.12	440.91
Q195	2.50*1580*C	24.8	440.91
Q195	2.50*1600*C	30.13	440.91
Q195	2.50*780*C	12.86	440.91
Q195	2.50*780*C	13.32	440.91
Q195	2.50*930*C	14.99	440.91
Q195	2.50*930*C	14.19	440.91
Q195	2.50*950*C	15.3	440.91
Q195	2.60*1400*C	23.97	440.91
Q195	2.75*925*C	15.62	435.61
Q195	2.75*925*C	15.54	435.61
Q195	2.75*925*C	15.57	435.61
Q195	2.75*925*C	12.61	435.61
Q195	2.75*925*C	15.46	435.61
Q195	2.75*925*C	15.52	435.61
Q195	2.75*925*C	15.54	435.61
Q195	2.75*925*C	15.54	435.61
Q195	2.75*925*C	15.56	435.61
Q195	3.00*1000*C	8.14	435.61
Q195	3.00*1600*C	24.98	435.61
Q195	3.00*1600*C	19.15	435.61
Q195	3.00*1600*C	24.74	435.61
Q195	3.00*1600*C	24.75	435.61
Q195	3.00*980*C	8.46	435.61
Q195	3.75*1600*C	24.54	428.48
Q195	4.75*880*C	14.83	428.48
Q195	4.75*880*C	14.78	428.48
Q195	4.75*880*C	14.84	428.48
Q195	4.75*880*C	14.65	428.48
Q195	4.75*880*C	14.88	428.48
Q195	4.75*880*C	14.9	428.48
Q195	4.75*880*C	14.93	428.48

Q195	4.75*880*C	14.79	428.48
Q195	7.50*1050*C	20.54	428.48
Q195	7.50*1150*C	22.46	428.48
Q235B	2.00*850*C	7.72	456.82
Q235B	2.00*850*C	5.36	440.15
Q235B	2.50*1027*C	16.5	440.91
Q235B	2.50*1100*C	17.76	440.91
Q235B	2.50*1100*C	21.28	440.91
Q235B	2.50*1350*C	23.7	452.27
Q235B	2.75*853*C	11.22	435.61
Q235B	2.75*900*C	15.25	435.61
Q235B	4.00*1200*C	16.88	428.48
Q235B	4.00*770*C	11.99	428.48
Q235B	4.00*780*C	13.6	428.48
Q235B	4.00*780*C	13.54	428.48
Q345B	1.50*971*C	4.62	458.18
Q345B	1.60*1050*C	6.09	474.85
Q345B	1.60*920*C	13.22	474.85
Q345B	1.60*920*C	13.25	474.85
Q345B	1.60*985*C	13.07	474.85
Q345B	1.75*1140*C	17.27	431.82
Q345B	1.80*1150*C	3.34	449.39
Q345B	1.80*925*C	3.13	449.39
Q345B	1.82*1053*C	13.96	475.76
Q345B	1.92*930*C	12.57	474.24
Q345B	1.92*938*C	6.33	474.24
Q345B	1.92*938*C	11.63	474.24
Q345B	1.92*938*C	11.9	474.24
Q345B	1.92*938*C	11.91	474.24
Q345B	1.92*938*C	12.14	474.24
Q345B	1.92*938*C	12.71	474.24
Q345B	1.92*938*C	12.59	474.24
Q345B	1.92*938*C	12.64	474.24
Q345B	1.92*938*C	12.41	474.24
Q345B	1.92*938*C	12.54	474.24
Q345B	1.92*950*C	7.25	440.91
Q345B	1.95*1266*C	4.93	449.39
Q345B	1.99*1245*C	7.89	442.42
Q345B	1.99*1245*C	7.9	442.42
Q345B	1.99*1245*C	8.85	442.42
Q345B	10.08*1285*C	8.6	421.21
Q345B	10.20*1660*6640	4.58	440.91
Q345B	10.40*1499*3300	2.46	437.88
Q345B	10.40*1499*3300	4.475	437.88
Q345B	10.50*1110*C	21.2	440.91
Q345B	10.50*1110*C	21.56	440.91
Q345B	10.50*1499*3480	3.92	440.91
Q345B	10.50*1499*3480	2.65	430.3
Q345B	10.50*1499*3480	2.615	440.91
Q345B	10.50*1499*3480	4.335	440.91
Q345B	10.50*1499*3480	4.765	440.91

Q345B	10.60*1499*2900	2.17	362.12
Q345B	10.60*1500*2900	2.91	366.67
Q345B	11.30*1499*3420	4.13	440.91
Q345B	11.30*1499*3420	3.695	440.91
Q345B	11.91*1547*12250	3.645	422.73
Q345B	12.00*1475*2925	4.52	440.91
Q345B	12.00*1475*2925	4.525	440.91
Q345B	12.13*858*C	18.82	413.64
Q345B	12.70*1544*12250	1.93	453.03
Q345B	12.70*1544*12250	1.93	453.03
Q345B	12.70*1544*12250	1.935	453.03
Q345B	12.70*1544*12250	1.94	453.03
Q345B	12.70*1544*12250	3.85	453.03
Q345B	12.70*1544*12250	5.805	453.03
Q345B	12.70*1544*12250	1.925	453.03
Q345B	12.70*1545*11990	3.785	468.18
Q345B	15.00*1500*3000	2.67	518.18
Q345B	2.00*1098*C	3.28	444.09
Q345B	2.00*1175*C	3.62	444.09
Q345B	2.00*1217*C	7.98	460.76
Q345B	2.00*1220*C	3.58	444.09
Q345B	2.00*1220*C	3.29	444.09
Q345B	2.00*1220*C	3.05	444.09
Q345B	2.00*1221*C	3.38	456.21
Q345B	2.00*1270*C	3.1	444.09
Q345B	2.00*870*C	3.3	444.09
Q345B	2.00*955*C	4	444.09
Q345B	2.00*955*C	3.99	444.09
Q345B	2.00*958*C	15.49	460.76
Q345B	2.02*791*C	8.81	468.18
Q345B	2.02*791*C	8.18	468.18
Q345B	2.03*900*C	12.52	468.18
Q345B	2.07*958*C	7.88	468.18
Q345B	2.08*1202*C	16.12	468.18
Q345B	2.20*1245*C	10.31	460.76
Q345B	2.20*1245*C	6.29	460.76
Q345B	2.20*1245*C	20.67	460.76
Q345B	2.20*988*C	3.97	450
Q345B	2.22*1245*C	15.66	465.15
Q345B	2.22*1335*C	27.58	442.42
Q345B	2.30*1030*C	5.61	436.97
Q345B	2.30*1060*C	5.02	436.97
Q345B	2.30*1060*C	3.24	436.97
Q345B	2.30*1088*C	3.46	436.97
Q345B	2.30*1155*C	21.51	453.64
Q345B	2.30*1155*C	21.92	453.64
Q345B	2.30*1170*C	17.75	453.64
Q345B	2.30*1300*C	12.25	453.64
Q345B	2.30*1300*C	12.37	453.64
Q345B	2.30*1325*C	4.8	436.97
Q345B	2.30*907*C	14.73	416.67

Q345B	2.30*985*C	15.3	453.64
Q345B	2.30*985*C	15.16	453.64
Q345B	2.30*985*C	15.31	453.64
Q345B	2.30*985*C	5.28	436.97
Q345B	2.31*779*C	15.19	440.91
Q345B	2.31*814*C	6.39	436.36
Q345B	2.35*1304*C	22.66	439.39
Q345B	2.40*1006*C	5.05	457.58
Q345B	2.40*1110*C	4.26	436.97
Q345B	2.50*1073*C	5.19	454.55
Q345B	2.50*1113*C	2.57	439.39
Q345B	2.50*1194*C	4.75	428.03
Q345B	2.50*1370*C	5.54	428.03
Q345B	2.50*1400*C	5.92	428.03
Q345B	2.50*830*C	12.31	454.55
Q345B	2.50*853*C	13.08	454.55
Q345B	2.50*853*C	13.06	454.55
Q345B	2.50*930*C	3.53	439.39
Q345B	2.50*998*C	12.56	454.55
Q345B	2.52*1038*C	14.82	454.55
Q345B	2.52*1228*C	2.91	439.39
Q345B	2.52*1390*C	20.05	454.55
Q345B	2.53*1381*C	4.51	412.12
Q345B	2.54*1352*C	2.82	439.39
Q345B	2.54*1652*C	3.44	439.39
Q345B	2.55*1200*C	23.35	444.7
Q345B	2.59*1062*C	5.08	454.55
Q345B	2.59*1062*C	4.43	439.39
Q345B	2.59*910*C	16.03	454.55
Q345B	2.59*911*C	12.73	454.55
Q345B	2.59*958*C	9.32	451.52
Q345B	2.60*1060*C	8.98	456.82
Q345B	2.60*1060*C	6.1	444.7
Q345B	2.60*1060*C	8.89	456.82
Q345B	2.60*1060*C	7.86	456.82
Q345B	2.60*1060*C	7.13	456.82
Q345B	2.60*1060*C	6.82	456.82
Q345B	2.60*1060*C	6.37	456.82
Q345B	2.60*1060*C	9.17	456.82
Q345B	2.60*1060*C	7.79	450.76
Q345B	2.60*1060*C	9.38	456.82
Q345B	2.60*1070*C	3.46	428.03
Q345B	2.60*1120*C	4.63	428.03
Q345B	2.60*938*C	12.47	453.03
Q345B	2.60*958*C	2.73	437.88
Q345B	2.60*958*C	9.55	453.03
Q345B	2.62*1098*C	5.21	422.73
Q345B	2.62*1220*C	6.7	415.15
Q345B	2.65*1006*C	4.48	437.88
Q345B	2.65*1006*C	3.13	437.88
Q345B	2.65*1006*C	2.63	437.88

Q345B	2.65*1142*C	2.94	440.91
Q345B	2.65*1142*C	3.29	440.91
Q345B	2.65*1142*C	5.66	453.03
Q345B	2.65*1142*C	5.69	453.03
Q345B	2.65*1142*C	5.77	453.03
Q345B	2.65*1374*C	3.69	437.88
Q345B	2.65*1374*C	3.34	437.88
Q345B	2.65*1494*C	7.47	453.03
Q345B	2.74*1258*C	5.63	451.52
Q345B	2.74*1258*C	5.93	451.52
Q345B	2.74*1258*C	2.67	436.36
Q345B	2.80*1125*C	3.25	422.73
Q345B	2.84*1423*C	22.67	448.48
Q345B	2.99*1423*C	25.37	448.48
Q345B	3.00*1000*C	16.17	445.45
Q345B	3.00*1000*C	14.78	462.88
Q345B	3.00*1000*C	8.93	451.52
Q345B	3.00*1020*C	14.88	445.45
Q345B	3.00*1020*C	15.29	445.45
Q345B	3.00*1020*C	15.69	445.45
Q345B	3.00*1020*C	14.85	445.45
Q345B	3.00*1030*C	9.32	451.52
Q345B	3.00*1050*C	15.93	462.88
Q345B	3.00*1050*C	17.38	462.88
Q345B	3.00*1050*C	16.32	462.88
Q345B	3.00*1050*C	15.51	462.88
Q345B	3.00*1050*C	9.92	462.88
Q345B	3.00*1050*C	17.3	462.88
Q345B	3.00*1150*C	22.15	451.52
Q345B	3.00*1270*C	9.15	459.85
Q345B	3.00*1360*C	4.46	422.73
Q345B	3.00*840*C	15.02	445.45
Q345B	3.00*890*C	13.29	451.52
Q345B	3.00*890*C	15.19	462.88
Q345B	3.00*900*C	13.88	462.88
Q345B	3.00*900*C	14.07	439.39
Q345B	3.00*900*C	13.9	462.88
Q345B	3.00*911*C	12.64	448.48
Q345B	3.00*920*C	15.52	445.45
Q345B	3.00*940*C	6.81	451.52
Q345B	3.00*970*C	15.85	445.45
Q345B	3.03*1178*C	3.1	430.3
Q345B	3.20*1200*C	3.03	422.73
Q345B	3.22*1305*C	10.56	451.52
Q345B	3.23*1245*C	17.41	439.39
Q345B	3.26*1058*C	5.01	445.45
Q345B	3.32*1255*C	22.26	434.85
Q345B	3.49*1542*C	3.99	409.09
Q345B	3.50*1070*C	16.35	438.48
Q345B	3.50*1080*C	1.99	409.09
Q345B	3.50*1250*C	3.45	415.76

Q345B	3.50*1293*C	11.91	438.48
Q345B	3.50*1293*C	11.94	438.48
Q345B	3.50*1293*C	11.89	438.48
Q345B	3.50*1293*C	12.04	438.48
Q345B	3.50*1490*C	4.07	415.76
Q345B	3.52*1031*C	22.38	428.79
Q345B	3.52*1300*C	2.77	390.91
Q345B	3.53*1540*C	28.1	439.39
Q345B	3.53*1540*C	25.14	442.42
Q345B	3.56*1300*C	11.11	442.42
Q345B	3.56*1378*C	6.05	442.42
Q345B	3.56*1517*C	6.52	442.42
Q345B	3.75*1318*C	4.73	427.27
Q345B	3.83*1410*C	4.1	457.58
Q345B	3.90*1300*C	19.48	438.48
Q345B	3.90*1300*C	19.46	438.48
Q345B	3.90*1300*C	19.39	438.48
Q345B	3.90*1300*C	19.59	438.48
Q345B	3.95*1220*C	11.19	432.42
Q345B	3.98*1423*C	25.54	439.39
Q345B	3.98*1423*C	25.51	439.39
Q345B	4.00*1250*C	17.95	455.91
Q345B	4.00*1250*C	12.07	438.48
Q345B	4.00*1250*C	17.36	438.48
Q345B	4.00*1250*C	17.4	455.91
Q345B	4.00*1250*C	17.89	455.91
Q345B	4.00*1250*C	17.96	438.48
Q345B	4.00*1250*C	18.02	438.48
Q345B	4.00*1250*C	18.11	438.48
Q345B	4.00*1250*C	18.94	438.48
Q345B	4.00*1250*C	17.64	455.91
Q345B	4.00*1380*C	26.12	432.42
Q345B	4.00*1380*C	26.15	432.42
Q345B	4.02*1163*C	6.535	424.24
Q345B	4.03*1371*C	5.87	442.42
Q345B	4.06*1375*C	6.71	442.42
Q345B	4.20*950*C	13.43	439.39
Q345B	4.30*1287*C	26.48	442.42
Q345B	4.50*1030*C	4.32	406.06
Q345B	4.50*1030*C	2.64	406.06
Q345B	4.50*1030*C	2.2	406.06
Q345B	4.50*1200*C	7.43	432.42
Q345B	4.50*1250*C	16.57	432.42
Q345B	4.52*1319*C	9.28	413.64
Q345B	4.53*1205*C	20.02	440.91
Q345B	4.53*1210*C	8.93	440.91
Q345B	4.53*1434*C	9.78	421.21
Q345B	4.54*1469*C	6.28	440.91
Q345B	4.80*1143*C	3.63	415.76
Q345B	4.80*1143*C	11.99	432.42
Q345B	4.85*1160*C	8.95	424.24

Q345B	4.85*1160*C	9.38	428.79
Q345B	5.00*1322*C	27	440.91
Q345B	5.00*1423*C	23.23	437.88
Q345B	5.50*1160*C	21.39	438.48
Q345B	5.60*1235*C	20.32	432.42
Q345B	6.00*1170*C	23.23	432.42
Q345B	6.00*1170*C	23.04	432.42
Q345B	6.00*1170*C	23.08	432.42
Q345B	6.00*1170*C	23.11	432.42
Q345B	6.00*1170*C	23.15	432.42
Q345B	6.00*1170*C	23.19	432.42
Q345B	6.00*1170*C	23.16	432.42
Q345B	6.00*1450*C	21.31	438.48
Q345B	6.00*1520*C	3.01	415.76
Q345B	6.00*805*C	14.38	432.42
Q345B	6.00*805*C	14.43	432.42
Q345B	6.03*1500*3100	0.885	434.85
Q345B	7.00*1260*C	11.04	425.76
Q345B	7.03*1293*C	28.54	422.73
Q345B	7.90*1622*12150	8.76	471.21
Q345B	7.90*1622*12150	8.79	471.21
Q345B	8.00*1150*C	10.19	438.48
Q345B	8.00*1200*C	5.62	415.76
Q345B	8.05*1500*2700	4.595	445.45
Q345B	8.50*1218*C	13.4	440.91
Q345B	8.75*1100*C	7.15	432.42
Q345B	8.88*1288*C	28.16	415.15
Q345B	8.88*1288*C	28.84	415.15
Q345B	9.00*1100*C	9.32	444.55
Q345B	9.03*1250*C	21.34	427.27
Q345B	9.05*1250*C	4.07	415.76
Q345B	9.50*1000*C	14.55	438.48
Q345B	9.75*1500*C	26.46	438.48
Q355NH	10.60*1499*2900	3.98	437.88
Q355NH	11.91*1547*12250	3.66	422.73
Q355NH	9.00*1524*3050	3.695	437.88
Q460C	1.61*1000*C	15.09	476.67
Q460C	1.61*1000*C	15.13	476.67
Q460C	1.61*1000*C	15.14	476.67
Q460C	1.61*1000*C	15.16	476.67
Q460C	1.80*1170*C	18.38	467.88
Q460C	1.82*1066*C	2.35	413.64
Q460C	1.92*895*C	5.56	422.73
Q460C	1.98*879*C	2.93	419.7
Q460C	12.73*1018*C	18.62	412.12
Q460C	12.73*1018*C	18.64	412.12
Q460C	15.93*1008*C	21.46	412.12
Q460C	2.00*1000*2000	3.95	513.64
Q460C	2.00*1000*2000	1.22	521.21
Q460C	2.00*1000*2000	1.31	521.21
Q460C	2.00*1000*C	6.38	462.42

Q460C	2.00*1210*C	3.09	445.76
Q460C	2.00*1250*C	6.7	462.42
Q460C	2.00*1270*C	4.51	445.76
Q460C	2.21*1250*C	20.26	462.42
Q460C	2.21*1250*C	20.24	462.42
Q460C	2.30*1230*C	2.22	409.09
Q460C	2.34*1154*C	21.44	436.36
Q460C	2.35*865*C	16.58	434.85
Q460C	2.35*865*C	15.82	434.85
Q460C	2.35*865*C	13.77	434.85
Q460C	2.35*865*C	15.01	434.85
Q460C	2.35*865*C	15.15	434.85
Q460C	2.35*865*C	15.75	434.85
Q460C	2.35*865*C	16.57	434.85
Q460C	2.35*865*C	16.54	434.85
Q460C	2.50*1000*2000	4.21	600
Q460C	2.62*1070*C	19.31	446.52
Q460C	2.80*1080*C	3.97	409.09
Q460C	2.92*1311*C	9.96	431.82
Q460C	2.92*1311*C	14.38	431.82
Q460C	2.92*1320*C	6.26	427.27
Q460C	2.92*1320*C	3.68	409.09
Q460C	2.92*1320*C	4.8	409.09
Q460C	2.92*1320*C	5.54	427.27
Q460C	3.00*1000*2000	4.895	513.64
Q460C	3.00*1000*2000	4.88	513.64
Q460C	3.00*1000*C	17.36	441.21
Q460C	3.00*1000*C	18.53	447.27
Q460C	3.00*1000*C	15.34	441.21
Q460C	3.00*1030*C	14.36	447.27
Q460C	3.00*1034*C	18.58	441.21
Q460C	3.00*1034*C	18.53	441.21
Q460C	3.00*1040*C	19.76	447.27
Q460C	3.00*1050*C	18.72	447.27
Q460C	3.00*1050*C	18.52	447.27
Q460C	3.00*1050*C	18.9	447.27
Q460C	3.00*1050*C	19.38	447.27
Q460C	3.00*1050*C	19.59	447.27
Q460C	3.00*1050*C	19.72	447.27
Q460C	3.00*1070*C	6.48	441.21
Q460C	3.00*1150*C	21.59	447.27
Q460C	3.00*1150*C	22.55	447.27
Q460C	3.00*1150*C	21.01	447.27
Q460C	3.00*1200*C	18.09	447.27
Q460C	3.00*1200*C	18.45	447.27
Q460C	3.00*1200*C	20.84	447.27
Q460C	3.00*1200*C	23.52	447.27
Q460C	3.00*1250*2500	3.935	516.67
Q460C	3.00*1300*C	22.75	447.27
Q460C	3.00*1300*C	22.24	447.27
Q460C	3.00*1300*C	23.41	447.27

Q460C	3.00*1350*C	24.34	447.27
Q460C	3.00*1350*C	21.85	447.27
Q460C	3.00*1350*C	22.99	447.27
Q460C	3.00*1350*C	21.76	447.27
Q460C	3.00*1400*C	22.82	447.27
Q460C	3.00*1415*C	3.19	403.03
Q460C	3.00*770*2410	3.9	431.82
Q460C	3.00*770*2410	3.865	431.82
Q460C	3.00*950*C	18.81	447.27
Q460C	3.00*950*C	18.16	447.27
Q460C	3.00*950*C	14.75	447.27
Q460C	3.00*980*C	9.35	430.3
Q460C	3.00*990*C	18.89	447.27
Q460C	3.02*1180*C	23.67	431.82
Q460C	3.20*1000*2000	4.8	512.12
Q460C	3.20*1000*2000	4.33	493.94
Q460C	3.22*1291*C	7.98	381.82
Q460C	3.23*1112*C	4.22	393.94
Q460C	3.23*1158*C	6.99	427.27
Q460C	3.23*870*C	2.76	392.42
Q460C	3.23*981*C	4.69	407.58
Q460C	3.30*1205*C	21.28	431.82
Q460C	3.30*1205*C	20.66	431.82
Q460C	3.30*1250*C	2.5	413.64
Q460C	3.30*1250*C	8.89	416.67
Q460C	3.30*1250*C	3.26	413.64
Q460C	3.40*1235*C	5.07	427.27
Q460C	3.45*1023*C	20.05	424.24
Q460C	3.50*1190*C	4.3	417.42
Q460C	3.50*1250*C	5.85	417.42
Q460C	3.50*1250*C	4.35	417.42
Q460C	3.50*1293*C	11.92	440.15
Q460C	3.50*1293*C	11.94	440.15
Q460C	3.50*1293*C	11.91	440.15
Q460C	3.50*1293*C	12.01	440.15
Q460C	3.50*1300*C	3.87	390.91
Q460C	3.50*1457*C	3.57	417.42
Q460C	3.52*1278*C	20.76	425.76
Q460C	3.52*1278*C	22.42	418.18
Q460C	3.52*1278*C	20.83	418.18
Q460C	3.52*1278*C	20.81	418.18
Q460C	3.52*910*C	2.25	336.36
Q460C	3.53*1124*C	23.75	425.76
Q460C	3.53*1306*C	8.24	421.21
Q460C	3.53*1318*C	24.51	410.61
Q460C	3.53*1324*C	20.12	425.76
Q460C	3.53*1324*C	28.02	418.18
Q460C	3.53*1324*C	28.02	418.18
Q460C	3.53*843*C	2.02	401.52
Q460C	3.53*843*C	18.08	424.24
Q460C	3.53*893*C	7.3	419.7

Q460C	3.53*893*C	5.74	419.7
Q460C	3.60*1265*C	5.42	421.21
Q460C	3.60*1394*C	6.7	413.64
Q460C	3.60*1394*C	15.31	425.76
Q460C	3.60*1394*C	10.41	425.76
Q460C	3.60*1394*C	6.12	413.64
Q460C	3.75*1000*C	9.11	434.09
Q460C	3.75*1000*C	15.9	434.09
Q460C	3.75*940*C	17.61	434.09
Q460C	3.90*1300*C	19.45	440.15
Q460C	3.90*1300*C	19.54	440.15
Q460C	3.90*1300*C	19.43	440.15
Q460C	3.90*1300*C	18.86	440.15
Q460C	4.00*1030*C	15.63	434.09
Q460C	4.00*1040*C	19.2	440.15
Q460C	4.00*1050*C	18.51	440.15
Q460C	4.00*1050*C	9.26	434.09
Q460C	4.00*1191*C	6.19	434.09
Q460C	4.00*1370*C	4.78	417.42
Q460C	4.03*1245*C	3.62	387.88
Q460C	4.10*1470*C	3.55	387.88
Q460C	4.50*1030*C	5.42	421.21
Q460C	4.50*1030*C	9.9	425.76
Q460C	4.50*1180*C	10.53	434.09
Q460C	4.50*1250*C	9.56	434.09
Q460C	4.50*1250*C	18.26	434.09
Q460C	4.50*1250*C	18.26	434.09
Q460C	4.50*1250*C	18.07	434.09
Q460C	4.50*1250*C	17.32	434.09
Q460C	4.53*1030*C	22.16	425.76
Q460C	4.75*1000*C	19.35	434.09
Q460C	4.75*1050*C	20.16	434.09
Q460C	5.00*1050*C	7.97	434.09
Q460C	5.00*1100*C	16.59	434.09
Q460C	5.00*1100*C	16.64	434.09
Q460C	5.00*1450*C	3.1	417.42
Q460C	5.00*1450*C	9.62	434.09
Q460C	5.03*1028*C	4.76	400
Q460C	5.03*1032*C	4.15	400
Q460C	5.03*1272*C	6.05	418.18
Q460C	5.60*1250*C	4.53	417.42
Q460C	6.00*1050*C	15.6	416.67
Q460C	6.00*1080*C	16.95	412.12
Q460C	6.00*1100*C	19.41	412.12
Q460C	6.00*1100*C	20.29	434.09
Q460C	6.00*1100*C	19.29	412.12
Q460C	6.00*1100*C	19.04	412.12
Q460C	6.00*1100*C	19.04	412.12
Q460C	6.00*1100*C	18.51	412.12
Q460C	6.00*1100*C	17.83	412.12
Q460C	6.00*1100*C	16.83	412.12

Q460C	6.00*1100*C	15.36	412.12
Q460C	6.00*1100*C	10.17	412.12
Q460C	6.00*1100*C	10.05	412.12
Q460C	6.00*1100*C	18.02	412.12
Q460C	6.00*1100*C	20.36	434.09
Q460C	6.00*1100*C	20.38	434.09
Q460C	6.00*1100*C	18.06	434.09
Q460C	6.00*1140*C	10.17	413.64
Q460C	6.00*1140*C	21.91	434.09
Q460C	6.00*1150*C	19.64	434.09
Q460C	6.00*1150*C	20.31	434.09
Q460C	6.00*1150*C	19.57	434.09
Q460C	6.00*1150*C	10.53	412.12
Q460C	6.00*1150*C	21.41	434.09
Q460C	6.00*1180*C	10.47	412.12
Q460C	6.00*1180*C	10.92	412.12
Q460C	6.00*1180*C	14.38	412.12
Q460C	6.00*1180*C	16.97	412.12
Q460C	6.00*1180*C	17.8	412.12
Q460C	6.00*1180*C	16.95	412.12
Q460C	6.00*1190*C	20.93	413.64
Q460C	6.00*1190*C	22.88	413.64
Q460C	6.00*1200*C	20.42	412.12
Q460C	6.00*1200*C	17.26	413.64
Q460C	6.00*1200*C	10.41	412.12
Q460C	6.00*1200*C	11.23	412.12
Q460C	6.00*1200*C	16.83	434.09
Q460C	6.00*1200*C	5.71	417.42
Q460C	6.00*1200*C	17.35	413.64
Q460C	6.00*1200*C	17.5	412.12
Q460C	6.00*1200*C	17.53	413.64
Q460C	6.00*1200*C	18	412.12
Q460C	6.00*1200*C	18.36	412.12
Q460C	6.00*1200*C	19.77	413.64
Q460C	6.00*1200*C	15.39	412.12
Q460C	6.00*1200*C	10.87	412.12
Q460C	6.00*1250*C	15.54	440.15
Q460C	6.00*1250*C	15.72	440.15
Q460C	6.00*1250*C	16.88	419.7
Q460C	6.00*1250*C	19.03	434.09
Q460C	6.00*1250*C	19.06	434.09
Q460C	6.00*1250*C	10.99	434.09
Q460C	6.00*1400*C	11.8	440.15
Q460C	6.03*1142*C	23.29	404.55
Q460C	6.25*1150*C	6.25	415.15
Q460C	8.00*1100*C	17.47	434.09
Q460C	8.00*1100*C	19.62	434.09
Q460C	8.00*1200*C	19.58	434.09
Q460C	8.00*1400*C	23.59	440.15
Q460C	8.15*980*2000	3.13	440.91
Q460C	9.00*1304*C	24.19	434.09

Q500D	1.82*1051*C	2.01	409.09
Q500D	16.00*1500*3000	3.956	442.42
Q500D	16.00*1500*3000	1.73	442.42
Q500D	2.15*1170*2510	5.71	442.42
Q500D	3.02*1027*C	4.515	412.12
Q500D	3.02*1067*C	2.61	404.55
Q500D	3.02*938*C	3.88	410.61
Q500D	3.20*1250*2500	4.345	439.39
Q500D	3.20*1250*2500	2.215	439.39
Q500D	3.20*1250*2500	1.5	439.39
Q500D	3.20*1250*C	3.28	401.52
Q500D	3.50*1338*C	8.035	419.7
Q500D	3.52*1018*C	20.17	413.64
Q500D	3.52*1027*C	6.575	409.09
Q500D	3.52*1029*C	2.53	360.61
Q500D	3.52*1196*C	3.505	360.61
Q500D	3.52*1202*C	4.905	406.06
Q500D	3.52*926*C	17.17	412.12
Q500D	3.52*981*C	6.78	407.58
Q500D	3.52*987*C	6.13	415.15
Q500D	3.80*907*C	6.755	377.27
Q500D	3.82*1078*C	9.37	428.79
Q500D	3.82*1078*C	23.83	421.21
Q500D	3.82*1223*C	6.89	378.79
Q500D	3.82*1239*C	7.72	409.09
Q500D	3.82*856*C	9.63	381.82
Q500D	3.82*868*C	4.86	396.97
Q500D	3.82*923*C	17.7	427.27
Q500D	4.02*1098*C	9.83	428.79
Q500D	4.02*1098*C	8.44	424.24
Q500D	4.02*864*C	18.07	412.12
Q500D	4.02*868*C	8.08	422.73
Q500D	4.02*949*C	9.91	419.7
Q500D	4.02*972*C	2.72	404.55
Q500D	4.52*1313*C	24.44	428.79
Q500D	4.52*980*C	16.73	427.27
Q500D	4.53*1005*C	3.01	390.91
Q500D	4.53*1005*C	20.98	428.79
Q500D	4.53*1045*C	3.44	360.61
Q500D	5.00*1070*3650	6.23	434.85
Q550D	18.43*1550*10000	9.125	457.58
Q550D	18.43*1550*10000	2.285	465.15
Q550D	18.43*1550*10000	2.295	465.15
Q550D	18.43*1550*10000	4.535	396.97
Q550D	18.43*1550*10000	4.555	465.15
Q550D	18.43*1550*10000	6.78	396.97
Q550D	18.43*1550*10000	6.835	396.97
Q550D	18.43*1550*10000	9.085	457.58
Q550D	18.43*1550*10000	9.095	457.58
Q550D	18.43*1550*10000	9.11	457.58
Q550NH	1.50*1200*6450	1.375	556.06

Q550NH	1.50*1200*6450	3.47	556.06
Q550NH	1.50*1200*6450	6.61	556.06
Q550NH	1.50*1200*6450	5.42	556.06
Q550NH	1.50*1200*6450	2.36	563.64
Q550NH	1.50*1200*6450	4.61	563.64
Q550NH	1.50*1200*6450	1.195	495.45
Q550NH	1.50*1200*6450	6.605	556.06
Q550NH	2.24*1225*C	23.85	465.15
Q550NH	3.00*1115*C	21.13	421.21
Q550NH	3.00*1170*C	19.36	451.52
Q550NH	3.00*1190*C	20.85	466.67
Q550NH	3.00*1190*C	21.16	459.09
Q550NH	3.00*1190*C	22.46	459.09
Q550NH	3.00*1190*C	22.67	459.09
Q550NH	3.00*1200*C	21.96	451.52
Q550NH	3.00*1200*C	19.06	451.52
Q550NH	3.00*1200*C	21.46	459.09
Q550NH	3.00*1200*C	21.55	451.52
Q550NH	3.00*1200*C	21.6	451.52
Q550NH	3.00*1220*C	21.36	451.52
Q550NH	3.00*1220*C	13.48	459.09
Q550NH	3.00*1220*C	20.12	466.67
Q550NH	3.00*1224*C	21.68	459.09
Q550NH	3.00*1224*C	23.82	451.52
Q550NH	3.00*1225*C	21.76	459.09
Q550NH	3.00*1226*C	21.59	466.67
Q550NH	3.00*1226*C	20.73	466.67
Q550NH	3.00*1230*C	21.16	451.52
Q550NH	3.00*1230*C	21.12	451.52
Q550NH	3.02*1150*C	21.77	450
Q550NH	3.84*1090*C	23.62	413.64
Q550NH	3.84*1155*C	25.61	451.52
Q550NH	4.34*1135*C	21.87	459.09
Q550NH	4.34*1150*C	23.74	459.09
Q550NH	4.34*1150*C	23.87	459.09
Q550NH	4.34*1150*C	23.88	459.09
S20C	3.75*1200*C	7.87	464.09
S20C	3.79*1190*C	14.29	464.09
S20C	4.07*1325*C	26.07	404.55
S20C	4.69*1220*C	26.01	404.55
S235JR	3.70*1295*C	7.64	428.48
S355GP	3.00*1100*C	8.98	451.52
S355GP	3.00*1110*C	9.77	451.52
S355J0	5.05*1500*2700	4.81	490.91
S355J0	5.05*1500*2700	4.655	490.91
S355J0	5.05*1500*2700	4.805	490.91
S355J0	5.05*1500*2700	4.02	490.91
S355JR	11.50*1490*C	4.27	427.88
S355JR	3.00*1050*C	15.36	451.52
S355MC	10.50*1499*3350	4.605	518.18
S355MC	10.50*1499*3350	2.54	518.18

S355MC	10.50*1500*3350	3.728	446.97
S35C	7.48*1083*C	24.68	442.42
S35C	7.50*1050*2365	4.678	389.39
S35C	7.50*1055*2365	1.17	465.15
S35C	7.50*1130*2300	4.925	419.7
S35C	7.88*1450*C	26.26	404.55
S420MC	4.80*1143*C	7.74	481.82
S420MC	4.80*1143*C	6.67	481.82
S45C	2.00*1290*C	3.11	454.7
S45C	2.00*1290*C	3.1	454.7
S45C	3.50*1250*C	22.9	455.15
S45C	3.50*1500*C	23.7	455.15
S460MC	6.15*1050*C	8.28	472.88
S500MC	1.80*1200*C	4.6	483.33
S50C	2.22*1092*C	23.66	472.73
S50C	2.52*1092*C	20.6	465.15
S50C	2.52*1092*C	25.3	450
S50C	2.53*1092*C	7.45	415.15
S700MC	1.50*950*C	7.85	545.45
S700MC	1.60*950*C	9	545.45
S700MC	1.80*950*C	9.17	545.45
S700MC	1.80*950*C	8.93	545.45
S700MC	1.80*950*C	8.32	545.45
S700MC	3.90*1000*C	13.48	439.39
S700MC	3.90*1000*C	9.6	439.39
S700MC	3.90*1000*C	8.82	439.39
S700MC	3.90*1000*C	5.41	439.39
S700MC	4.00*1095*C	17.81	542.42
SAE 1006	2.75*975*C	4.05	418.94
SAE 1006	3.00*1105*C	11.53	435.61
SAE 1006	3.00*1105*C	6.45	435.61
SAE 1006	3.00*1145*C	7.72	435.61
SAE 1008	2.00*931*C	13.06	456.82
SAE 1008	2.50*1015*C	8.79	440.91
SAE 1008	2.50*1015*C	8.28	440.91
SAE 1008-GZ	2.50*1020*C	9.05	467.58
SAE 1008-GZ	2.50*1020*C	6.13	467.58
SAE 1008-GZ	2.50*1020*C	4.55	450.91
SAE 1010	2.50*1149*C	10.7	440.91
SAE 1017	3.00*1010*C	9.46	435.61
SAE 1017	3.00*1010*C	9.34	435.61
SAE 1017	3.00*1050*C	18.18	435.61
SAE 1017	3.00*920*C	15.91	435.61
SAE 1017	3.05*1100*C	17.97	435.61
SAE 1020	3.00*1400*C	22.69	462.27
SAE 1020	3.00*1400*C	22.21	462.27
SAE 1020	3.00*1400*C	21.78	462.27
SAE 1022	2.50*1200*C	18.25	458.64
SAE 1022	3.00*1200*C	10.83	453.33
SAE 1022	3.50*1200*C	17.99	446.21
SAE 1022	3.50*1200*C	11.53	446.21

SAE 1022	3.50*1200*C	20.12	446.21
SAE 1022	3.50*1200*C	19.76	446.21
SAE 1055	2.00*1050*C	11.35	520
SAE 1055	2.00*1050*C	10.73	520
SAE 1055	2.00*1050*C	10.09	520
SAE 1055	2.00*1050*C	7.34	520
SAE 1055	2.00*1050*C	6.2	520
SAE 1055	2.00*1050*C	12.96	520
SAE 1055	2.00*1050*C	11.24	520
SAE 1055	2.10*1040*C	16.93	520
SAE 1055	2.10*1050*C	6.27	520
SAE 1055	2.10*1050*C	10.9	520
SAE 1055	5.80*1050*C	10.09	491.67
SAE1006B	1.60*1025*C	11.57	480
SAE1006B	1.60*1050*C	11.66	480
SAE1006B	1.60*1050*C	17.73	480
SAE1006B	1.60*930*C	10.21	480
SAE1006B	1.60*930*C	11.4	480
SAE1006B	1.60*930*C	12.72	480
SAE1006B	1.60*930*C	9.69	434.85
SAE1006B	1.60*930*C	12.44	434.85
SAE1006B	1.60*930*C	12.94	434.85
SAE1006B	1.80*930*C	17.74	471.21
SAE1006B	2.00*925*C	9.55	456.82
SAE1006B	2.00*925*C	18.78	456.82
SAE1006B	2.00*925*C	18.71	456.82
SAE1006B	2.00*925*C	18.69	456.82
SAE1006B	2.00*925*C	18.69	456.82
SAE1006B	2.00*925*C	17.7	456.82
SAE1006B	2.00*925*C	8.87	456.82
SAE1006B	2.00*925*C	11.94	456.82
SAE1006B	2.00*925*C	15.35	456.82
SAE1006B	2.00*925*C	18.72	456.82
SAE1006B	2.00*960*C	7.96	456.82
SAE1006B	2.20*1035*C	14.94	456.82
SAE1006B	2.20*1035*C	14.96	456.82
SAE1006B	2.20*1230*C	8.43	456.82
SAE1006B	2.20*1230*C	17.84	456.82
SAE1006B	2.20*1260*C	4.19	440.15
SAE1006B	2.20*1260*C	14.24	456.82
SAPH370	2.20*1192*C	6.85	495.45
SAPH370	2.20*1240*C	9.6	483.33
SAPH370	2.80*1160*C	7.39	468.18
SAPH370	3.00*1550*C	30.57	454.55
SAPH440	1.61*1203*C	7.67	508.33
SAPH440	1.80*1252*C	7.97	508.33
SAPH440	1.81*849*C	12.91	508.33
SAPH440	10.00*1190*9170	2.625	495.45
SAPH440	10.00*1190*9170	4.365	495.45
SAPH440	3.00*1250*C	20.999	533.33
SAPH440	3.00*1250*C	21.001	533.33

SAPH440	3.50*1250*C	20.991	533.33
SAPH440	3.50*1250*C	21.07	533.33
SAPH440	5.00*1250*C	21.04	533.33
SAPH440	6.00*1000*C	9.69	448.03
SAPH440-BS	1.87*1250*C	17.59	508.33
SCM415	2.50*1100*C	10.19	634.09
SCM415	7.50*1290*C	22.76	615.76
SMM355	5.00*1076*C	19.2	471.06
SP231-440PQ	2.00*1153*C	2.09	434.85
SPA-H	2.02*1175*C	11.75	515.45
SPA-H	2.02*1175*C	5.28	498.79
SPFH540	3.00*1350*C	19.82	462.12
SPFH590	1.92*1258*C	12.73	533.33
SPFH590	1.92*1258*C	5.75	528.79
SPFH590	1.92*1258*C	9.09	533.33
SPFH590	2.00*945*C	4.58	483.33
SPFH590	3.10*1424*C	6.39	524.39
SPFH590	3.10*1424*C	10.81	495.45
SPFH590	3.22*1250*C	18.66	515.45
SPH270C	11.00*1152*C	21.78	437.42
SPH270C	9.00*1094*C	4.56	420.76
SPH270C	9.00*1094*C	21.09	437.42
SPHC	1.53*1250*C	13.78	489.39
SPHC	1.55*1200*2400	2.75	469.7
SPHC	1.55*1200*2400	3.68	477.27
SPHC	1.55*1200*2400	3.025	477.27
SPHC	1.60*1012*C	17.28	471.06
SPHC	1.60*930*C	16.18	461.97
SPHC	1.60*930*C	15.14	461.97
SPHC	1.60*930*C	13.7	461.97
SPHC	1.60*930*C	13.25	461.97
SPHC	1.60*930*C	5.53	445.3
SPHC	1.61*1037*C	3.98	431.82
SPHC	1.62*1250*C	2.88	468.18
SPHC	1.63*1060*C	18.28	461.97
SPHC	1.63*1160*C	20.23	461.97
SPHC	1.63*1171*C	20.27	461.97
SPHC	1.63*1225*C	7.96	483.33
SPHC	1.63*1230*C	7.15	483.33
SPHC	1.63*1235*C	7	483.33
SPHC	1.63*1240*C	15.41	483.33
SPHC	1.63*1240*C	5.93	483.33
SPHC	1.63*1245*C	4.09	468.18
SPHC	1.63*1245*C	3.67	468.18
SPHC	1.63*1245*C	3.6	468.18
SPHC	1.63*1245*C	3	468.18
SPHC	1.63*1245*C	2.63	468.18
SPHC	1.63*1249*C	7.29	483.33
SPHC	1.63*1249*C	17.41	483.33
SPHC	1.63*1250*C	15.76	483.33
SPHC	1.63*1250*C	5.25	483.33

SPHC	1.63*1250*C	3.1	468.18
SPHC	1.63*1250*C	3.13	468.18
SPHC	1.63*1250*C	8.31	483.33
SPHC	1.63*1250*C	16.17	483.33
SPHC	1.63*1250*C	6.18	483.33
SPHC	1.63*1250*C	16.26	483.33
SPHC	1.63*1250*C	16.41	483.33
SPHC	1.63*1250*C	16.41	483.33
SPHC	1.63*1260*C	16.41	483.33
SPHC	1.63*1301*C	22.9	461.97
SPHC	1.63*930*C	15.43	461.97
SPHC	1.65*1208*C	16.9	461.97
SPHC	1.67*1160*C	2.9	431.82
SPHC	1.74*1170*C	7.6	461.97
SPHC	1.80*1212*C	7.22	462.27
SPHC	1.80*1212*C	4.74	436.52
SPHC	1.80*925*C	3.34	436.52
SPHC	1.80*930*C	4.01	445.61
SPHC	1.80*930*C	3.34	436.52
SPHC	1.81*835*C	2.53	433.33
SPHC	1.81*835*C	2.32	430.3
SPHC	1.83*1150*C	7.78	453.18
SPHC	1.83*1255*C	16.19	472.73
SPHC	1.83*1260*C	12.03	472.73
SPHC	1.85*1230*C	21.05	462.27
SPHC	1.96*831*C	14.9	462.27
SPHC	1.98*825*C	14.38	453.18
SPHC	10.00*1500*C	26.68	437.88
SPHC	11.00*1500*C	24.82	428.48
SPHC	2.00*1200*C	21.89	480.3
SPHC	2.00*1200*C	20.46	480.3
SPHC	2.00*1225*C	14.18	480.3
SPHC	2.00*1235*C	14.98	480.3
SPHC	2.00*1235*C	14.69	480.3
SPHC	2.00*1250*C	22.14	480.3
SPHC	2.00*1250*C	12.22	480.3
SPHC	2.00*862*C	7.49	447.73
SPHC	2.04*1250*C	2.6	450
SPHC	2.04*1388*C	3.26	450
SPHC	2.04*1500*C	27.99	474.24
SPHC	2.13*830*C	4.9	431.06
SPHC	2.13*830*C	4.53	431.06
SPHC	2.15*1234*C	21.1	456.82
SPHC	2.17*1496*C	25.77	447.73
SPHC	2.19*1107*C	17.48	447.73
SPHC	2.19*945*C	19.28	447.73
SPHC	2.19*945*C	3.83	431.06
SPHC	2.20*1145*C	4.95	431.06
SPHC	2.20*1243*C	6.28	462.12
SPHC	2.20*1255*C	22.83	462.12
SPHC	2.20*1260*C	7.36	447.73

SPHC	2.20*1290*C	5.16	462.12
SPHC	2.20*1295*C	24.43	462.12
SPHC	2.20*1303*C	24.97	462.12
SPHC	2.20*1303*C	24.75	462.12
SPHC	2.20*1310*C	24.77	462.12
SPHC	2.20*1320*C	24.68	462.12
SPHC	2.20*1490*C	6.38	462.12
SPHC	2.20*845*C	11.27	447.73
SPHC	2.20*930*C	3.62	431.06
SPHC	2.20*954*C	15.7	447.73
SPHC	2.21*1240*C	21.16	442.42
SPHC	2.21*1240*C	24.11	442.42
SPHC	2.21*882*C	15.53	440.91
SPHC	2.21*882*C	17.47	440.91
SPHC	2.21*882*C	17.6	440.91
SPHC	2.21*922*C	20.15	440.91
SPHC	2.21*922*C	20.07	440.91
SPHC	2.21*962*C	19.88	440.91
SPHC	2.26*743*C	12.55	447.73
SPHC	2.30*1021*C	17.68	440.76
SPHC	2.30*1060*C	20.39	449.85
SPHC	2.30*1060*C	20.38	449.85
SPHC	2.30*1060*C	20.33	449.85
SPHC	2.30*1115*C	20.91	440.76
SPHC	2.30*746*C	11.4	449.85
SPHC	2.30*870*C	14.64	449.85
SPHC	2.30*925*C	16.12	449.85
SPHC	2.31*774*C	17.36	433.33
SPHC	2.31*774*C	17.3	433.33
SPHC	2.31*819*C	18	440.91
SPHC	2.31*819*C	16.98	440.91
SPHC	2.50*1019*C	7.77	440.91
SPHC	2.50*1025*C	15.36	452.27
SPHC	2.50*1025*C	15.57	452.27
SPHC	2.50*1025*C	15.2	452.27
SPHC	2.50*1025*C	15.19	452.27
SPHC	2.50*1025*C	15.15	452.27
SPHC	2.50*1025*C	15.14	452.27
SPHC	2.50*1025*C	15.13	452.27
SPHC	2.50*1025*C	15.13	452.27
SPHC	2.50*1025*C	15.15	452.27
SPHC	2.50*1025*C	15.02	452.27
SPHC	2.50*1025*C	15.02	452.27
SPHC	2.50*1050*C	16.43	452.27
SPHC	2.50*1050*C	16.21	452.27
SPHC	2.50*1340*C	26.82	452.27
SPHC	2.50*1340*C	26.65	452.27
SPHC	2.50*1400*C	23.58	452.27
SPHC	2.50*1500*C	23.7	452.27
SPHC	2.50*1500*C	23.65	452.27
SPHC	2.50*1500*C	23.75	452.27

SPHC	2.50*940*C	13.91	452.27
SPHC	2.50*940*C	13.95	452.27
SPHC	2.50*940*C	13.97	452.27
SPHC	2.51*723*C	16.18	437.88
SPHC	2.51*808*C	16.8	437.88
SPHC	2.51*808*C	14.82	437.88
SPHC	2.55*1013*C	12.07	440.91
SPHC	2.55*1083*C	3.42	415.15
SPHC	2.55*1569*C	12.67	440.91
SPHC	2.55*1569*C	3.02	415.15
SPHC	2.55*1590*C	27.24	440.91
SPHC	2.55*1590*C	24.45	440.91
SPHC	2.55*1614*C	4.71	415.15
SPHC	2.55*1614*C	29.84	431.82
SPHC	2.55*1620*C	6.99	431.82
SPHC	2.55*1620*C	5.98	415.15
SPHC	2.55*1625*C	3.95	415.15
SPHC	2.55*1630*C	6.84	431.82
SPHC	2.55*1630*C	8.07	431.82
SPHC	2.55*1630*C	8.81	431.82
SPHC	2.55*1630*C	9.54	440.91
SPHC	2.55*1630*C	9.61	431.82
SPHC	2.55*1630*C	4.15	415.15
SPHC	2.55*1630*C	6.75	431.82
SPHC	2.55*909*C	7.93	440.91
SPHC	2.55*909*C	9.55	440.91
SPHC	2.55*909*C	6.64	431.82
SPHC	2.55*924*C	10.5	440.91
SPHC	2.55*924*C	7.05	440.91
SPHC	2.55*924*C	6.54	440.91
SPHC	2.55*939*C	7.03	440.91
SPHC	2.55*939*C	10.69	440.91
SPHC	2.55*939*C	7.9	440.91
SPHC	2.55*939*C	8.78	440.91
SPHC	2.55*954*C	6.33	431.82
SPHC	2.55*954*C	7.16	440.91
SPHC	2.55*954*C	7.69	440.91
SPHC	2.55*954*C	8.56	440.91
SPHC	2.55*954*C	6.33	440.91
SPHC	2.55*969*C	5.49	415.15
SPHC	2.55*969*C	16.65	440.91
SPHC	2.55*969*C	8.77	440.91
SPHC	2.55*969*C	8.28	440.91
SPHC	2.55*969*C	5.7	415.15
SPHC	2.55*969*C	7.77	431.82
SPHC	2.55*984*C	12.85	440.91
SPHC	2.55*984*C	12.01	440.91
SPHC	2.58*1250*C	12.73	431.82
SPHC	2.58*1320*C	8.89	431.82
SPHC	2.58*820*C	6.5	440.91
SPHC	2.58*920*C	14.4	440.91

SPHC	2.58*920*C	14.45	440.91
SPHC	2.58*920*C	14.39	440.91
SPHC	2.58*920*C	14.43	440.91
SPHC	2.58*920*C	14.41	440.91
SPHC	2.58*920*C	14.45	440.91
SPHC	2.58*920*C	14.45	440.91
SPHC	2.58*920*C	14.47	440.91
SPHC	2.58*920*C	14.38	440.91
SPHC	2.60*717*C	10.7	440.91
SPHC	2.60*739*C	12.54	431.82
SPHC	2.60*739*C	3.23	424.24
SPHC	2.60*932*C	8.05	440.91
SPHC	2.62*1522*C	8.04	433.33
SPHC	2.62*1565*C	32.52	434.85
SPHC	2.63*1270*C	3.12	415.15
SPHC	2.63*1380*C	26.91	440.91
SPHC	2.63*1500*C	29.25	431.82
SPHC	2.64*1220*C	5.14	450
SPHC	2.64*1490*C	28.06	450
SPHC	2.64*1490*C	27.28	450
SPHC	2.65*950*C	15.91	431.82
SPHC	2.68*1279*C	28	434.85
SPHC	2.70*1215*C	13.93	440.91
SPHC	2.70*1215*C	3.72	424.24
SPHC	2.70*1215*C	6.02	431.82
SPHC	2.70*1215*C	5.72	415.15
SPHC	2.70*1215*C	3.05	415.15
SPHC	2.70*1215*C	20.15	431.82
SPHC	2.70*1215*C	5.29	424.24
SPHC	2.70*1215*C	21.22	431.82
SPHC	2.70*925*C	7.74	431.82
SPHC	2.70*925*C	4.76	415.15
SPHC	2.70*930*C	11.36	440.91
SPHC	2.70*930*C	8.49	440.91
SPHC	2.70*955*C	4.71	415.15
SPHC	2.70*965*C	7.76	440.91
SPHC	2.70*965*C	8.57	440.91
SPHC	2.70*967*C	3.97	415.15
SPHC	2.70*967*C	16.76	440.91
SPHC	2.72*805*C	3.58	415.15
SPHC	2.72*805*C	4.68	415.15
SPHC	2.72*805*C	12.54	431.82
SPHC	2.73*1358*C	25.22	440.91
SPHC	2.75*1000*C	14.47	429.55
SPHC	2.75*1001*C	19.77	429.55
SPHC	2.75*1015*C	15.12	446.97
SPHC	2.75*1015*C	17.05	446.97
SPHC	2.75*1015*C	15.14	446.97
SPHC	2.75*1015*C	15.01	446.97
SPHC	2.75*1015*C	15.12	446.97
SPHC	2.75*1015*C	15.1	446.97

SPHC	2.75*1015*C	15.02	446.97
SPHC	2.75*1015*C	15.18	446.97
SPHC	2.75*1015*C	14.97	446.97
SPHC	2.75*1015*C	16.9	446.97
SPHC	2.75*1015*C	14.22	446.97
SPHC	2.75*1015*C	15.18	446.97
SPHC	2.75*1015*C	14.17	446.97
SPHC	2.75*1015*C	15.01	446.97
SPHC	2.75*1015*C	14.15	446.97
SPHC	2.75*1020*C	19.89	446.97
SPHC	2.75*1020*C	19.69	429.55
SPHC	2.75*1020*C	18.02	429.55
SPHC	2.75*1060*C	18.04	429.55
SPHC	2.75*1060*C	18.09	429.55
SPHC	2.75*1060*C	21.35	429.55
SPHC	2.75*1063*C	6.95	426.52
SPHC	2.75*1090*C	4.61	409.85
SPHC	2.75*1100*C	21.52	429.55
SPHC	2.75*1150*C	7.24	435.61
SPHC	2.75*1150*C	22.42	446.97
SPHC	2.75*1150*C	17.74	446.97
SPHC	2.75*1150*C	17.71	446.97
SPHC	2.75*1150*C	16.73	429.55
SPHC	2.75*1150*C	17.64	446.97
SPHC	2.75*1160*C	22.02	426.52
SPHC	2.75*1166*C	4.9	409.85
SPHC	2.75*1166*C	9.65	426.52
SPHC	2.75*1185*C	23.87	429.55
SPHC	2.75*1190*C	15.55	429.55
SPHC	2.75*1220*C	4.14	409.85
SPHC	2.75*1225*C	16.04	429.55
SPHC	2.75*1235*C	12.75	426.52
SPHC	2.75*1245*C	18.87	446.97
SPHC	2.75*1245*C	20.72	446.97
SPHC	2.75*1245*C	18.44	446.97
SPHC	2.75*1245*C	18.3	446.97
SPHC	2.75*1245*C	20.13	446.97
SPHC	2.75*1245*C	18.15	446.97
SPHC	2.75*1245*C	20.99	429.55
SPHC	2.75*1245*C	18.15	446.97
SPHC	2.75*1245*C	18.89	446.97
SPHC	2.75*1245*C	18.25	446.97
SPHC	2.75*1245*C	18.16	446.97
SPHC	2.75*1245*C	18.07	446.97
SPHC	2.75*1245*C	17.43	446.97
SPHC	2.75*1245*C	17.37	446.97
SPHC	2.75*1245*C	18.17	446.97
SPHC	2.75*1245*C	18.26	446.97
SPHC	2.75*1260*C	17.62	446.97
SPHC	2.75*1260*C	24.65	446.97
SPHC	2.75*1260*C	19.7	446.97

SPHC	2.75*1260*C	16.46	446.97
SPHC	2.75*1260*C	24.56	446.97
SPHC	2.75*1265*C	3.53	409.85
SPHC	2.75*1265*C	12.54	435.61
SPHC	2.75*1270*C	3.18	409.85
SPHC	2.75*1281*C	24.75	429.55
SPHC	2.75*1290*C	8.95	426.52
SPHC	2.75*1300*C	8.46	426.52
SPHC	2.75*1300*C	4.61	409.85
SPHC	2.75*1300*C	8.57	435.61
SPHC	2.75*1300*C	4.18	409.85
SPHC	2.75*1301*C	24.29	429.55
SPHC	2.75*1501*C	25.61	429.55
SPHC	2.75*1600*C	11.91	426.52
SPHC	2.75*1600*C	7.23	435.61
SPHC	2.75*1600*C	6.18	426.52
SPHC	2.75*1600*C	6.33	426.52
SPHC	2.75*1600*C	24.52	426.52
SPHC	2.75*1600*C	24.5	426.52
SPHC	2.75*1600*C	24.48	426.52
SPHC	2.75*1600*C	14.35	426.52
SPHC	2.75*1600*C	5.63	409.85
SPHC	2.75*1600*C	12.91	426.52
SPHC	2.75*1600*C	5.24	418.94
SPHC	2.75*1600*C	10.96	426.52
SPHC	2.75*1600*C	10.23	426.52
SPHC	2.75*1600*C	8.72	426.52
SPHC	2.75*1600*C	8.32	426.52
SPHC	2.75*1600*C	7.84	426.52
SPHC	2.75*1600*C	7.5	426.52
SPHC	2.75*1600*C	7.4	426.52
SPHC	2.75*1600*C	13.21	435.61
SPHC	2.75*1600*C	4.16	409.85
SPHC	2.75*1600*C	24.8	426.52
SPHC	2.75*1600*C	24.79	435.61
SPHC	2.75*1600*C	24.79	426.52
SPHC	2.75*1600*C	24.78	435.61
SPHC	2.75*1600*C	4.07	409.85
SPHC	2.75*1600*C	24.87	426.52
SPHC	2.75*1600*C	4.12	409.85
SPHC	2.75*1600*C	24.74	426.52
SPHC	2.75*1600*C	24.95	435.61
SPHC	2.75*1600*C	4.17	409.85
SPHC	2.75*1600*C	4.61	409.85
SPHC	2.75*1600*C	24.65	435.61
SPHC	2.75*1600*C	5.09	409.85
SPHC	2.75*1600*C	4.79	409.85
SPHC	2.75*1600*C	4.74	409.85
SPHC	2.75*1600*C	3.31	409.85
SPHC	2.75*1600*C	3.29	409.85
SPHC	2.75*1600*C	3.2	409.85

SPHC	2.75*1600*C	5.11	409.85
SPHC	2.75*1600*C	4.07	409.85
SPHC	2.75*1601*C	26.59	429.55
SPHC	2.75*815*C	13.01	426.52
SPHC	2.75*815*C	14.23	426.52
SPHC	2.75*815*C	14.28	426.52
SPHC	2.75*850*C	14.5	435.61
SPHC	2.75*858*C	14.66	426.52
SPHC	2.75*862*C	6.03	426.52
SPHC	2.75*865*C	8.62	435.61
SPHC	2.75*870*C	13.27	426.52
SPHC	2.75*870*C	13.61	426.52
SPHC	2.75*875*C	14.67	426.52
SPHC	2.75*875*C	13.5	426.52
SPHC	2.75*875*C	13.72	426.52
SPHC	2.75*885*C	9.25	435.61
SPHC	2.75*885*C	14.2	435.61
SPHC	2.75*890*C	10.47	435.61
SPHC	2.75*900*C	7.85	435.61
SPHC	2.75*900*C	5.22	409.85
SPHC	2.75*905*C	15.59	426.52
SPHC	2.75*905*C	7.85	435.61
SPHC	2.75*905*C	5.47	409.85
SPHC	2.75*910*C	14.52	426.52
SPHC	2.75*910*C	14.41	426.52
SPHC	2.75*915*C	3.72	409.85
SPHC	2.75*920*C	8.43	426.52
SPHC	2.75*920*C	7.02	435.61
SPHC	2.75*925*C	16.01	435.61
SPHC	2.75*925*C	6.4	426.52
SPHC	2.75*925*C	6.57	435.61
SPHC	2.75*925*C	8.28	435.61
SPHC	2.75*925*C	8.11	435.61
SPHC	2.75*925*C	12.59	426.52
SPHC	2.75*925*C	9.54	435.61
SPHC	2.75*925*C	9.1	435.61
SPHC	2.75*925*C	3.89	409.85
SPHC	2.75*930*C	13.9	446.97
SPHC	2.75*930*C	14.43	446.97
SPHC	2.75*930*C	13.95	446.97
SPHC	2.75*930*C	14.99	446.97
SPHC	2.75*930*C	3.35	409.85
SPHC	2.75*930*C	14.39	446.97
SPHC	2.75*935*C	7.79	435.61
SPHC	2.75*935*C	3.03	409.85
SPHC	2.75*935*C	3.81	409.85
SPHC	2.75*935*C	6.69	435.61
SPHC	2.75*935*C	8.62	426.52
SPHC	2.75*935*C	9.87	426.52
SPHC	2.75*935*C	5.72	409.85
SPHC	2.75*940*C	13.77	446.97

SPHC	2.75*940*C	8.76	435.61
SPHC	2.75*940*C	13.9	446.97
SPHC	2.75*940*C	4.95	418.94
SPHC	2.75*940*C	15.26	443.94
SPHC	2.75*940*C	15.28	443.94
SPHC	2.75*940*C	16.34	446.97
SPHC	2.75*940*C	17.27	446.97
SPHC	2.75*940*C	13.98	446.97
SPHC	2.75*941*C	14.41	429.55
SPHC	2.75*941*C	14.82	429.55
SPHC	2.75*941*C	16.94	429.55
SPHC	2.75*950*C	4.69	409.85
SPHC	2.75*952*C	8	435.61
SPHC	2.75*960*C	4.78	409.85
SPHC	2.75*967*C	5.74	418.94
SPHC	2.75*967*C	7.77	435.61
SPHC	2.75*970*C	3.22	409.85
SPHC	2.75*970*C	4.09	409.85
SPHC	2.75*970*C	8.05	426.52
SPHC	2.75*970*C	7.77	426.52
SPHC	2.75*975*C	4.37	409.85
SPHC	2.75*975*C	6.17	426.52
SPHC	2.75*975*C	5.1	409.85
SPHC	2.75*979*C	18.73	429.55
SPHC	2.75*985*C	13.68	426.52
SPHC	2.75*985*C	3.44	418.94
SPHC	2.75*985*C	4.32	409.85
SPHC	2.80*1020*C	6.75	426.52
SPHC	2.80*1144*C	6.09	426.52
SPHC	2.80*1144*C	6.34	426.52
SPHC	2.80*1144*C	18.74	426.52
SPHC	2.80*1144*C	22.58	435.61
SPHC	2.80*1144*C	22.59	435.61
SPHC	2.80*1215*C	4.41	409.85
SPHC	2.80*1220*C	17.96	426.52
SPHC	2.80*784*C	6.67	435.61
SPHC	2.80*819*C	10.77	426.52
SPHC	2.80*894*C	15.49	426.52
SPHC	2.80*925*C	4.45	409.85
SPHC	2.80*979*C	8.04	426.52
SPHC	2.82*1020*C	4.34	409.85
SPHC	2.82*1021*C	14.15	434.85
SPHC	2.82*1037*C	5.39	430.3
SPHC	2.82*1277*C	5.27	433.33
SPHC	2.82*1297*C	9.03	437.88
SPHC	2.82*1297*C	9.19	434.85
SPHC	2.82*929*C	11.46	433.33
SPHC	2.83*1595*C	12.92	426.52
SPHC	2.83*1595*C	19.86	426.52
SPHC	2.85*1245*C	5.1	446.97
SPHC	2.85*983*C	5.56	446.97

SPHC	2.89*830*C	16.03	433.33
SPHC	2.93*1560*C	17.18	426.52
SPHC	2.94*907*C	4.44	409.85
SPHC	2.94*922*C	4.3	409.85
SPHC	2.94*922*C	4.34	409.85
SPHC	2.94*922*C	4.06	409.85
SPHC	2.94*970*C	7.82	426.52
SPHC	2.95*1800*3050	3.7	443.94
SPHC	2.95*1800*3050	3.69	443.94
SPHC	2.95*1800*3050	3.06	443.94
SPHC	2.95*1800*3050	2.44	443.94
SPHC	2.95*1800*3050	3.82	443.94
SPHC	2.95*1800*3050	3.705	443.94
SPHC	2.95*1800*3050	3.695	443.94
SPHC	2.95*1800*3050	3.69	443.94
SPHC	2.95*1800*3050	3.69	443.94
SPHC	2.95*1800*3050	3.705	443.94
SPHC	2.98*1064*C	5.59	437.88
SPHC	2.98*1075*C	5.67	440.91
SPHC	3.00*1001*C	9.75	429.55
SPHC	3.00*1040*C	15.26	429.55
SPHC	3.00*1115*C	3.91	430.3
SPHC	3.00*1245*C	2.94	436.36
SPHC	3.00*1250*C	18.19	446.97
SPHC	3.00*1250*C	12.31	445.45
SPHC	3.00*1250*C	18.14	446.97
SPHC	3.00*1250*C	18.19	446.97
SPHC	3.00*1250*C	18.27	446.97
SPHC	3.00*1300*C	19.88	448.48
SPHC	3.00*1300*C	16.45	448.48
SPHC	3.00*1401*C	26.76	429.55
SPHC	3.00*1401*C	26.93	429.55
SPHC	3.00*1561*C	15.26	429.55
SPHC	3.00*700*C	11.82	429.55
SPHC	3.00*779*C	13.2	429.55
SPHC	3.00*801*C	12.85	429.55
SPHC	3.00*801*C	12.48	429.55
SPHC	3.00*864*C	7.02	426.52
SPHC	3.00*880*C	6.13	426.52
SPHC	3.00*880*C	15.77	429.55
SPHC	3.00*881*C	14.86	429.55
SPHC	3.00*930*C	13.82	453.03
SPHC	3.00*950*C	5.45	409.85
SPHC	3.02*1410*C	6.01	426.52
SPHC	3.03*1140*C	6.35	426.52
SPHC	3.03*1288*C	25.16	426.52
SPHC	3.05*1250*C	11.57	429.55
SPHC	3.05*800*C	13.23	429.55
SPHC	3.05*800*C	13.91	429.55
SPHC	3.05*800*C	14.01	429.55
SPHC	3.05*800*C	14.02	429.55

SPHC	3.05*800*C	13.62	429.55
SPHC	3.20*1278*C	3.08	409.85
SPHC	3.20*1285*C	5.255	430.3
SPHC	3.22*1090*C	21.03	434.85
SPHC	3.22*830*C	14.9	433.33
SPHC	3.22*830*C	14.94	433.33
SPHC	3.25*1260*C	3.9	409.85
SPHC	3.30*1015*C	3.76	418.94
SPHC	3.30*910*C	14.93	429.55
SPHC	3.30*910*C	18.48	435.61
SPHC	3.30*915*C	3.96	409.85
SPHC	3.30*955*C	4.67	409.85
SPHC	3.30*955*C	3.41	409.85
SPHC	3.33*1290*C	4.83	409.85
SPHC	3.33*1300*C	15.88	426.52
SPHC	3.33*830*C	14.45	426.52
SPHC	3.33*840*C	3.33	409.85
SPHC	3.33*900*C	5.59	409.85
SPHC	3.33*900*C	3.45	409.85
SPHC	3.40*1250*C	3.15	425.76
SPHC	3.45*1015*C	19.9	426.52
SPHC	3.45*1215*C	7.72	426.52
SPHC	3.45*1215*C	11.92	435.61
SPHC	3.45*1460*C	19.25	439.39
SPHC	3.45*1478*C	5.87	439.39
SPHC	3.50*1016*C	5.71	402.73
SPHC	3.50*1020*C	4.48	402.73
SPHC	3.50*1025*C	17.36	419.39
SPHC	3.50*1099*C	16.88	422.42
SPHC	3.50*1099*C	16.93	422.42
SPHC	3.50*1099*C	16.91	422.42
SPHC	3.50*1099*C	16.9	422.42
SPHC	3.50*1099*C	16.89	422.42
SPHC	3.50*1099*C	16.78	422.42
SPHC	3.50*1099*C	16.89	422.42
SPHC	3.50*1140*C	18.29	422.42
SPHC	3.50*1209*C	18.62	422.42
SPHC	3.50*1250*C	21.68	422.42
SPHC	3.50*1261*C	16.79	439.85
SPHC	3.50*1261*C	16.72	439.85
SPHC	3.50*1265*C	6.72	419.39
SPHC	3.50*1340*C	22.47	422.42
SPHC	3.50*1630*C	26.92	428.48
SPHC	3.50*840*C	13.27	422.42
SPHC	3.50*840*C	13.71	422.42
SPHC	3.50*850*C	14.36	422.42
SPHC	3.50*850*C	15.09	422.42
SPHC	3.50*850*C	15.14	422.42
SPHC	3.50*850*C	15.22	422.42
SPHC	3.50*860*C	14.51	428.48
SPHC	3.50*881*C	15.2	422.42

SPHC	3.50*881*C	15.06	422.42
SPHC	3.50*881*C	15.2	422.42
SPHC	3.50*881*C	15.19	422.42
SPHC	3.50*881*C	14.03	422.42
SPHC	3.50*881*C	3.76	402.73
SPHC	3.50*881*C	15.24	422.42
SPHC	3.50*890*C	15.45	422.42
SPHC	3.50*890*C	15.33	422.42
SPHC	3.50*890*C	14.98	422.42
SPHC	3.50*900*C	15.43	422.42
SPHC	3.50*900*C	14.54	422.42
SPHC	3.50*900*C	15.43	422.42
SPHC	3.50*900*C	15.27	422.42
SPHC	3.50*900*C	15.44	422.42
SPHC	3.50*900*C	15.44	422.42
SPHC	3.50*900*C	15.44	422.42
SPHC	3.50*900*C	15.52	422.42
SPHC	3.50*900*C	15.42	422.42
SPHC	3.50*900*C	15.26	422.42
SPHC	3.50*900*C	15.28	422.42
SPHC	3.50*900*C	15.27	422.42
SPHC	3.50*900*C	15.14	422.42
SPHC	3.50*925*C	16.55	428.48
SPHC	3.50*930*C	16.65	422.42
SPHC	3.50*930*C	16.68	422.42
SPHC	3.50*930*C	16.69	422.42
SPHC	3.50*930*C	16.7	422.42
SPHC	3.50*930*C	18.48	422.42
SPHC	3.50*950*C	18.72	422.42
SPHC	3.52*1217*C	6.5	427.27
SPHC	3.52*1313*C	3.15	409.09
SPHC	3.52*1313*C	5.775	427.27
SPHC	3.52*964*C	5.29	425.76
SPHC	3.53*1248*C	5.43	424.24
SPHC	3.53*1269*C	12.4	419.39
SPHC	3.54*1180*C	16.12	419.39
SPHC	3.54*1580*C	14.24	419.39
SPHC	3.56*1021*C	3	424.24
SPHC	3.56*1021*C	3.6	424.24
SPHC	3.56*1374*C	6.28	439.39
SPHC	3.65*1270*C	6.33	437.88
SPHC	3.70*1110*C	15.03	436.36
SPHC	3.75*1150*C	17.01	422.42
SPHC	3.75*1150*C	17.04	422.42
SPHC	3.75*1150*C	16.92	422.42
SPHC	3.75*1560*C	11.82	422.42
SPHC	3.75*1580*C	24.7	428.48
SPHC	3.75*1580*C	24.24	428.48
SPHC	3.75*1580*C	24.16	428.48
SPHC	3.75*1580*C	22.94	428.48
SPHC	3.75*1580*C	15.74	428.48

SPHC	3.75*1580*C	14.94	428.48
SPHC	3.75*1580*C	14.61	428.48
SPHC	3.75*1580*C	14.5	428.48
SPHC	3.75*1590*C	25.46	422.42
SPHC	3.75*1600*C	25.08	422.42
SPHC	3.75*1600*C	29.85	422.42
SPHC	3.75*1600*C	30.83	422.42
SPHC	3.75*1600*C	29.53	422.42
SPHC	3.75*1600*C	27.89	450
SPHC	3.75*1600*C	27.71	422.42
SPHC	3.75*1600*C	27.21	422.42
SPHC	3.75*1600*C	25.41	428.48
SPHC	3.75*1600*C	24.74	422.42
SPHC	3.75*1600*C	24.6	422.42
SPHC	3.75*1600*C	24.54	422.42
SPHC	3.75*1600*C	24.52	422.42
SPHC	3.75*1600*C	24.48	422.42
SPHC	3.75*1600*C	23.79	422.42
SPHC	3.75*1600*C	23.17	422.42
SPHC	3.75*1600*C	26.63	422.42
SPHC	3.75*1600*C	24.58	422.42
SPHC	4.00*1010*C	20.46	419.39
SPHC	4.00*1070*C	16.84	430.3
SPHC	4.00*1070*C	16.93	430.3
SPHC	4.00*1070*C	16.9	430.3
SPHC	4.00*1070*C	16.88	430.3
SPHC	4.00*1070*C	16.86	430.3
SPHC	4.00*1070*C	16.86	430.3
SPHC	4.00*1070*C	16.84	430.3
SPHC	4.00*1070*C	16.83	430.3
SPHC	4.00*1070*C	16.81	430.3
SPHC	4.00*1070*C	16.78	430.3
SPHC	4.00*1070*C	16.74	430.3
SPHC	4.00*1070*C	16.85	430.3
SPHC	4.00*1100*C	16.84	430.3
SPHC	4.00*1100*C	16.86	431.82
SPHC	4.00*1100*C	16.85	431.82
SPHC	4.00*1100*C	16.84	430.3
SPHC	4.00*1100*C	16.93	431.82
SPHC	4.00*1100*C	16.9	430.3
SPHC	4.00*1170*C	18.29	430.3
SPHC	4.00*1170*C	7.71	428.48
SPHC	4.00*1170*C	18.35	433.33
SPHC	4.00*1170*C	18.16	430.3
SPHC	4.00*1170*C	18.2	433.33
SPHC	4.00*1170*C	18.22	431.82
SPHC	4.00*1170*C	18.35	430.3
SPHC	4.00*1170*C	18.35	430.3
SPHC	4.00*1170*C	18.34	428.79
SPHC	4.00*1170*C	18.22	433.33
SPHC	4.00*1170*C	18.45	430.3

SPHC	4.00*1170*C	18.27	433.33
SPHC	4.00*1170*C	18.34	430.3
SPHC	4.00*1170*C	18.34	430.3
SPHC	4.00*1170*C	18.3	428.79
SPHC	4.00*1170*C	18.3	428.79
SPHC	4.00*1170*C	18.3	430.3
SPHC	4.00*1170*C	18.29	430.3
SPHC	4.00*1170*C	18.47	430.3
SPHC	4.00*1170*C	18.36	428.79
SPHC	4.00*1170*C	18.41	431.82
SPHC	4.00*1170*C	18.41	430.3
SPHC	4.00*1170*C	18.41	430.3
SPHC	4.00*1170*C	18.4	430.3
SPHC	4.00*1170*C	18.39	430.3
SPHC	4.00*1170*C	18.38	430.3
SPHC	4.00*1170*C	18.38	430.3
SPHC	4.00*1170*C	18.37	430.3
SPHC	4.00*1170*C	18.37	430.3
SPHC	4.00*1185*C	18.05	433.33
SPHC	4.00*1190*C	15.45	439.39
SPHC	4.00*1200*C	18.3	439.39
SPHC	4.00*1200*C	18.37	433.33
SPHC	4.00*1200*C	18.29	433.33
SPHC	4.00*1200*C	18.36	433.33
SPHC	4.00*1200*C	18.35	433.33
SPHC	4.00*1200*C	18.29	439.39
SPHC	4.00*1200*C	15.27	439.39
SPHC	4.00*1200*C	15.48	439.39
SPHC	4.00*1200*C	16.64	430.3
SPHC	4.00*1200*C	18.14	439.39
SPHC	4.00*1200*C	18.26	433.33
SPHC	4.00*1200*C	18.27	433.33
SPHC	4.00*1220*C	19.73	445.91
SPHC	4.00*1250*C	22.92	439.39
SPHC	4.00*1260*C	18.45	419.39
SPHC	4.00*1265*C	20.87	419.39
SPHC	4.00*1265*C	20.98	419.39
SPHC	4.00*1265*C	19.76	419.39
SPHC	4.00*1270*C	19.82	430.3
SPHC	4.00*1270*C	19.83	430.3
SPHC	4.00*1270*C	19.78	430.3
SPHC	4.00*1270*C	19.69	430.3
SPHC	4.00*1270*C	19.82	430.3
SPHC	4.00*1270*C	19.78	430.3
SPHC	4.00*1270*C	19.78	430.3
SPHC	4.00*1270*C	19.95	430.3
SPHC	4.00*1270*C	19.85	430.3
SPHC	4.00*1270*C	19.65	430.3
SPHC	4.00*1285*C	19.92	439.39
SPHC	4.00*1300*C	16.75	431.82
SPHC	4.00*1300*C	16.76	433.33

SPHC	4.00*1300*C	16.74	433.33
SPHC	4.00*1300*C	19.85	433.33
SPHC	4.00*1300*C	16.76	439.39
SPHC	4.00*1300*C	16.78	433.33
SPHC	4.00*1300*C	16.83	433.33
SPHC	4.00*1300*C	16.72	439.39
SPHC	4.00*1320*C	28.06	433.33
SPHC	4.00*1320*C	27.99	430.3
SPHC	4.00*1320*C	27.83	428.79
SPHC	4.00*1320*C	23.48	428.79
SPHC	4.00*1350*C	17.78	430.3
SPHC	4.00*1350*C	21.65	430.3
SPHC	4.00*1350*C	17.76	430.3
SPHC	4.00*1390*C	19.5	433.33
SPHC	4.00*1395*C	25.87	439.39
SPHC	4.00*1400*C	25.29	439.39
SPHC	4.00*1490*C	24.38	439.39
SPHC	4.00*1490*C	26.88	439.39
SPHC	4.00*1555*C	27.63	439.39
SPHC	4.02*1451*C	3.72	402.73
SPHC	4.02*978*C	3.09	402.73
SPHC	4.03*1237*C	8.045	427.27
SPHC	4.04*1310*C	26.11	428.48
SPHC	4.05*1250*C	25.74	439.39
SPHC	4.05*1250*C	25.55	439.39
SPHC	4.05*1335*C	8.95	437.88
SPHC	4.05*1490*C	28.13	439.39
SPHC	4.05*1500*C	28.21	439.39
SPHC	4.06*1231*C	3.36	402.73
SPHC	4.06*1350*C	7.6	439.39
SPHC	4.25*1310*C	9.12	419.39
SPHC	4.50*1255*C	24.63	445.91
SPHC	4.50*1605*C	23.83	419.39
SPHC	4.50*920*C	14.13	428.48
SPHC	4.50*993*C	2.235	396.97
SPHC	4.52*1089*C	21.44	419.39
SPHC	4.52*1097*C	3	402.73
SPHC	4.52*1280*C	7.23	424.24
SPHC	4.55*950*C	8.16	428.48
SPHC	4.56*1250*C	25.65	437.88
SPHC	4.56*1250*C	25.61	437.88
SPHC	4.56*1250*C	25.58	437.88
SPHC	4.56*1250*C	25.08	437.88
SPHC	4.56*1250*C	25.66	437.88
SPHC	4.57*931*C	5.83	437.88
SPHC	4.57*942*C	19.34	437.88
SPHC	4.57*942*C	3.99	422.73
SPHC	4.75*1300*C	25.53	451.52
SPHC	5.00*1500*3000	6.065	525.76
SPHC	5.02*1342*C	5.34	424.24
SPHC	5.04*1490*C	26.88	445.91

SPHC	5.32*1242*C	9.235	418.18
SPHC	5.32*1691*C	6.86	413.64
SPHC	5.32*1691*C	9.55	418.18
SPHC	5.50*1074*C	18.8	428.48
SPHC	5.52*1272*C	21.5	433.33
SPHC	5.52*1272*C	21.5	433.33
SPHC	5.52*1272*C	21.24	433.33
SPHC	5.56*1235*C	6.71	437.88
SPHC	5.58*1120*C	23.21	437.88
SPHC	5.58*1120*C	7.29	437.88
SPHC	5.58*1131*C	5.61	437.88
SPHC	5.58*1270*C	26.44	437.88
SPHC	5.58*1277*C	18.59	437.88
SPHC	5.58*1277*C	17.75	437.88
SPHC	5.58*1463*C	5.27	437.88
SPHC	5.58*1463*C	5.47	437.88
SPHC	5.72*1270*C	7.65	419.39
SPHC	5.72*1524*C	15.06	419.39
SPHC	5.72*1524*C	11.53	419.39
SPHC	5.72*1625*C	11.34	419.39
SPHC	5.90*1480*C	3.09	422.73
SPHC	6.00*1070*C	8.33	437.88
SPHC	6.00*1186*C	23.84	428.48
SPHC	6.00*1500*C	23.4	450
SPHC	6.00*900*C	12.92	422.42
SPHC	6.00*900*C	12.95	422.42
SPHC	6.00*900*C	15.89	428.48
SPHC	6.06*1235*C	21.35	419.39
SPHC	6.07*1250*C	4.84	422.73
SPHC	6.07*1250*C	7.46	437.88
SPHC	6.72*1320*C	5.44	402.73
SPHC	6.80*1304*C	20.77	419.39
SPHC	6.80*1304*C	6.63	419.39
SPHC	7.00*1500*C	26.18	422.42
SPHC	7.00*1500*C	24.42	422.42
SPHC	7.40*1130*C	19.67	428.48
SPHC	8.00*1500*C	14.96	463.64
SPHC	9.30*1115*C	17.4	422.42
SPHD	10.20*1250*C	11.64	437.42
SPHE	10.00*1205*C	24.09	437.88
SPHE	2.75*1250*C	11.41	453.33
SPHE	2.75*950*C	15.38	453.33
SPHE	2.75*950*C	19.65	453.33
SPHE	3.00*898*C	11.92	453.33
SPHE	4.00*900*C	18.45	446.21
SPHE	4.00*910*C	18.47	446.21
SPHE	4.00*910*C	18.49	446.21
SPHE	5.00*1530*C	24.97	480.3
SPHE	5.04*1115*C	4.4	429.55
SPHT2	1.80*1145*C	11.22	497.73
SPHT2	1.80*1145*C	11.27	497.73

SPHT2	1.80*1185*C	11.76	497.73
SPHT2	2.37*1000*C	14.71	485.3
SPHT2	2.37*1045*C	9.86	485.3
SPHT2	2.37*1045*C	9.99	485.3
SPHT2	3.17*1140*C	11.23	471.21
SPHT2	3.17*1185*C	12.17	471.21
SPHT2	4.75*1185*C	12.16	464.09
SS330	2.03*1250*C	22.8	465.15
SS330	2.62*1223*C	26.73	422.73
SS330	2.62*1223*C	24.17	422.73
SS330	2.62*1223*C	26.5	422.73
SS330	2.62*1223*C	26.69	422.73
SS330	2.62*1223*C	26.71	422.73
SS330	2.62*1223*C	26.74	422.73
SS330	2.62*1223*C	26.77	422.73
SS330	2.62*1223*C	26.71	422.73
SS330	2.65*1179*C	20.84	450
SS330	3.00*1500*6000	2.57	496.97
SS330	3.00*1500*6000	2.995	504.55
SS330	3.20*1115*3185	3.945	362.12
SS330	3.56*1148*C	3.22	424.24
SS330	3.56*1463*C	8	439.39
SS330	3.56*972*C	2.93	424.24
SS330	3.66*1023*C	6.54	437.88
SS330	3.80*1151*C	2.01	393.94
SS330	3.83*1263*C	24.67	416.67
SS330	4.57*1190*C	4.18	422.73
SS330	5.07*1283*C	26.62	437.88
SS330	5.07*1390*C	28.13	437.88
SS330	5.32*910*C	8.515	400
SS330	5.37*1220*C	10.54	437.88
SS330	5.85*1293*C	26.46	437.88
SS330-P	2.75*1261*C	4.06	428.03
SS330-P	2.75*1270*C	12.37	450.76
SS330-P	2.75*1270*C	5.85	428.03
SS330-P	2.75*1270*C	9.08	444.7
SS330-P	2.75*1285*C	12.59	450.76
SS330-P	2.75*1340*C	6.73	444.7
SS330-P	2.75*820*C	6.66	444.7
SS330-P	2.75*870*C	4.11	428.03
SS330-P	2.75*870*C	5.53	428.03
SS330-P	2.82*1022*C	21.98	422.73
SS330-P	3.00*1351*C	20.6	450.76
SS330-P	3.00*1495*C	28.11	445.45
SS330-P	3.02*1231*C	24.37	422.73
SS330-P	3.50*1000*C	14.51	443.79
SS330-P	3.50*1000*C	14.65	443.79
SS330-P	3.50*1030*C	3.36	421.06
SS330-P	3.50*1040*C	15.23	443.79
SS330-P	3.50*1050*C	17.35	443.79
SS330-P	3.50*1090*C	12.49	443.79

SS330-P	3.50*1200*C	19.97	443.79
SS330-P	3.50*1200*C	19.76	443.79
SS330-P	3.50*1200*C	22.27	443.79
SS330-P	3.50*1200*C	17.87	443.79
SS330-P	3.50*1200*C	21.87	443.79
SS330-P	3.50*1245*C	18.95	443.79
SS330-P	3.50*1249*C	19.12	443.79
SS330-P	3.50*1249*C	20.05	443.79
SS330-P	3.50*1249*C	19.98	443.79
SS330-P	3.50*1250*C	22.65	443.79
SS330-P	3.50*1250*C	22.53	443.79
SS330-P	3.50*1250*C	5.12	421.06
SS330-P	3.50*1250*C	23	443.79
SS330-P	3.50*1250*C	17.16	443.79
SS330-P	3.50*1250*C	5.54	421.06
SS330-P	3.50*1250*C	21.87	443.79
SS330-P	3.50*1250*C	18.62	443.79
SS330-P	3.50*1250*C	22.26	443.79
SS330-P	3.50*1290*C	5.52	427.12
SS330-P	3.50*1300*C	21.87	443.79
SS330-P	3.50*1300*C	19.11	443.79
SS330-P	3.50*1300*C	15.11	443.79
SS330-P	3.50*1350*C	19.53	443.79
SS330-P	3.50*1350*C	19.76	443.79
SS330-P	3.50*1350*C	21.28	443.79
SS330-P	3.50*1357*C	4.675	396.97
SS330-P	3.50*1399*C	20.8	443.79
SS330-P	3.50*1400*C	27.22	443.79
SS330-P	3.50*1400*C	26.34	443.79
SS330-P	3.50*1400*C	27.35	443.79
SS330-P	3.50*1616*C	4.39	396.97
SS330-P	3.50*1616*C	2.99	389.39
SS330-P	3.50*1616*C	2.3	389.39
SS330-P	3.50*790*C	12.36	443.79
SS330-P	3.50*790*C	12.72	443.79
SS330-P	3.50*790*C	12.98	443.79
SS330-P	3.50*810*C	12.71	443.79
SS330-P	3.50*810*C	13.45	443.79
SS330-P	3.50*810*C	12.67	443.79
SS330-P	3.50*810*C	13.45	443.79
SS330-P	3.50*810*C	13.18	443.79
SS330-P	3.50*840*C	12.5	443.79
SS330-P	3.50*850*C	13.1	443.79
SS330-P	3.50*850*C	13.14	443.79
SS330-P	3.50*890*C	14.82	443.79
SS330-P	3.50*890*C	15.04	443.79
SS330-P	3.50*890*C	14.96	443.79
SS330-P	3.50*890*C	14.78	443.79
SS330-P	3.50*890*C	14.97	443.79
SS330-P	3.50*910*C	11.78	443.79
SS330-P	3.50*910*C	15.37	443.79

SS330-P	3.50*910*C	15.44	443.79
SS330-P	3.50*950*C	15.5	443.79
SS330-P	3.50*960*C	17.03	443.79
SS330-P	3.52*1168*C	25.6	416.67
SS330-P	3.52*1287*C	27.92	416.67
SS330-P	3.52*1333*C	24.46	416.67
SS330-P	3.52*1440*C	20.975	416.67
SS330-P	3.52*1452*C	24.56	416.67
SS330-P	3.52*1461*C	4.49	393.94
SS330-P	3.52*1461*C	7.92	412.12
SS330-P	3.52*1497*C	24.72	416.67
SS330-P	3.52*1620*C	2.8	393.94
SS330-P	3.52*963*C	2.6	392.42
SS330-P	3.52*963*C	3.47	392.42
SS330-P	3.53*1581*C	28.44	416.67
SS330-P	3.80*1667*C	9.52	416.67
SS330-P	3.82*1326*C	24.5	416.67
SS330-P	3.82*1720*C	19.44	409.09
SS330-P	3.82*906*C	19.73	415.15
SS330-P	3.82*926*C	20.88	415.15
SS330-P	4.02*1071*C	23.24	416.67
SS330-P	4.20*1358*C	4.52	393.94
SS330-P	4.52*1168*C	9.49	416.67
SS330-P	4.57*1373*C	28.07	437.88
SS330-P	5.02*1355*C	7.46	443.79
SS330-P	5.02*1398*C	30.56	413.64
SS330-P	5.37*1468*C	5.86	437.88
SS330-P	5.72*1181*C	26.3	413.64
SS330-P	5.72*1381*C	9.82	413.64
SS400	1.52*1010*C	13.66	489.39
SS400	1.52*975*C	8.68	489.39
SS400	1.52*980*C	11.42	489.39
SS400	1.52*985*C	13.52	489.39
SS400	1.52*998*C	13.02	489.39
SS400	1.60*1185*C	24.26	465.15
SS400	1.60*1218*C	3.64	445.3
SS400	1.60*930*C	14.3	461.97
SS400	1.60*966*C	14.71	461.97
SS400	1.60*966*C	14.61	461.97
SS400	1.60*966*C	14.57	461.97
SS400	1.60*966*C	3.04	445.3
SS400	1.60*966*C	14.31	461.97
SS400	1.60*966*C	5.77	445.3
SS400	1.61*1053*C	8.04	453.03
SS400	1.61*1203*C	3.29	445.3
SS400	1.62*900*C	13.24	461.97
SS400	1.62*900*C	13.2	461.97
SS400	1.64*1025*C	8.02	453.03
SS400	1.64*905*C	5.97	443.94
SS400	1.64*905*C	14.25	456.06
SS400	1.64*905*C	9.5	448.48

SS400	1.64*905*C	9.16	448.48
SS400	1.64*905*C	3.35	425.76
SS400	1.67*1026*C	5.91	437.88
SS400	1.67*845*C	12.56	456.06
SS400	1.67*845*C	2.61	433.33
SS400	1.75*900*C	6.72	461.97
SS400	1.79*1219*C	18.58	461.97
SS400	1.80*1179*C	3.12	427.27
SS400	1.80*1197*C	3.46	427.27
SS400	1.81*820*C	12.84	453.18
SS400	1.82*1115*C	18.24	453.18
SS400	1.82*1115*C	17.27	453.18
SS400	1.82*1116*C	18.35	453.18
SS400	1.82*1116*C	4.72	436.52
SS400	1.82*1116*C	18.61	453.18
SS400	1.82*1116*C	7.34	462.27
SS400	1.82*1116*C	8.44	453.18
SS400	1.82*1116*C	9.11	453.18
SS400	1.82*1116*C	18.22	453.18
SS400	1.82*1116*C	5.73	445.61
SS400	1.82*1116*C	18.5	453.18
SS400	1.82*1116*C	6.14	462.27
SS400	1.82*1117*C	18.45	453.18
SS400	1.82*1117*C	17.05	453.18
SS400	1.82*1117*C	18.47	453.18
SS400	1.82*1168*C	14.6	472.73
SS400	1.82*1168*C	16.13	472.73
SS400	1.82*1210*C	19.93	453.18
SS400	1.82*1215*C	17.96	453.18
SS400	1.82*1215*C	18.96	453.18
SS400	1.82*1220*C	23.94	453.18
SS400	1.82*1245*C	6.22	453.18
SS400	1.82*983*C	15.99	453.18
SS400	1.83*1192*C	17.87	453.18
SS400	2.01*985*C	17.25	440.91
SS400	2.01*997*C	17.47	440.91
SS400	2.02*1018*C	14.29	465.15
SS400	2.02*1108*C	15.11	465.15
SS400	2.07*1100*C	4.77	418.18
SS400	2.07*915*C	3.65	416.67
SS400	2.10*1210*C	4.47	431.06
SS400	2.20*1335*C	18.08	462.12
SS400	2.23*920*C	4.78	431.06
SS400	2.30*1250*C	2.73	440.91
SS400	2.30*742*C	3.24	424.09
SS400	2.30*742*C	12.77	449.85
SS400	2.30*742*C	9.03	449.85
SS400	2.30*742*C	12.9	449.85
SS400	2.30*742*C	12.76	449.85
SS400	2.30*742*C	12.72	449.85
SS400	2.30*742*C	11.78	449.85

SS400	2.30*860*C	12.68	443.79
SS400	2.30*860*C	13.44	443.79
SS400	2.30*860*C	14.42	443.79
SS400	2.30*860*C	13.57	443.79
SS400	2.30*870*C	13.74	443.79
SS400	2.30*889*C	13.53	443.79
SS400	2.30*889*C	13.58	443.79
SS400	2.30*889*C	13.71	443.79
SS400	2.30*900*C	12.89	443.79
SS400	2.30*900*C	15.94	443.79
SS400	2.30*900*C	15.2	443.79
SS400	2.30*980*3045	3.88	443.94
SS400	2.37*1355*C	5.03	422.73
SS400	2.47*1168*C	16.35	454.55
SS400	2.50*860*C	14.44	434.85
SS400	2.50*860*C	13.59	434.85
SS400	2.50*900*C	15.28	440.91
SS400	2.54*1250*C	25.7	451.52
SS400	2.60*1450*C	21.98	431.82
SS400	2.60*932*C	14.13	440.91
SS400	2.65*1150*C	5.54	450
SS400	2.65*1403*C	6.7	450
SS400	2.70*1040*C	16.57	431.82
SS400	2.70*1040*C	16.77	431.82
SS400	2.70*1040*C	16.4	431.82
SS400	2.70*1040*C	16.79	431.82
SS400	2.70*1040*C	4.4	415.15
SS400	2.70*1040*C	19.58	431.82
SS400	2.70*1040*C	21.06	431.82
SS400	2.70*1040*C	15.25	431.82
SS400	2.70*1040*C	16.72	431.82
SS400	2.75*740*C	13.23	429.55
SS400	2.75*870*C	15.24	429.55
SS400	2.75*870*C	14.11	429.55
SS400	2.75*870*C	13.06	429.55
SS400	2.75*870*C	13.39	429.55
SS400	2.75*900*C	13.79	429.55
SS400	2.75*900*C	14.38	429.55
SS400	2.75*900*C	13.84	429.55
SS400	2.75*900*C	13.76	429.55
SS400	2.75*900*C	12.89	429.55
SS400	2.75*900*C	12.23	429.55
SS400	2.75*900*C	11.47	429.55
SS400	2.75*900*C	14.01	429.55
SS400	2.79*1151*C	21.68	448.48
SS400	2.79*1151*C	7.13	448.48
SS400	2.80*1040*C	4.95	418.94
SS400	2.80*1280*C	2.54	400
SS400	2.86*1218*C	19.32	421.21
SS400	2.92*1393*C	5.77	428.79
SS400	2.95*1235*C	3.14	430.3

SS400	2.95*1500*3000	3.255	518.18
SS400	2.97*915*C	4.82	409.09
SS400	2.99*1125*C	14.04	445.45
SS400	2.99*988*C	19.23	445.45
SS400	20.00*1300*2200	1.825	433.33
SS400	20.00*1300*2200	4.085	418.18
SS400	20.00*1300*2450	2.025	387.88
SS400	3.00*1050*C	21.12	446.97
SS400	3.00*1050*C	15.61	446.97
SS400	3.00*1074*C	21.5	445.45
SS400	3.00*1108*C	16.57	445.45
SS400	3.00*1118*C	15.8	445.45
SS400	3.00*1149*C	15.77	446.97
SS400	3.00*1168*C	17.32	445.45
SS400	3.00*1200*C	20.36	446.97
SS400	3.00*1200*C	9.99	435.61
SS400	3.00*840*C	12.04	429.55
SS400	3.00*840*C	11.93	429.55
SS400	3.00*850*C	13.12	429.55
SS400	3.00*850*C	12.53	429.55
SS400	3.00*900*C	14.87	429.55
SS400	3.00*900*C	15.48	429.55
SS400	3.00*900*C	14.33	429.55
SS400	3.00*900*C	14.17	429.55
SS400	3.00*900*C	13.97	429.55
SS400	3.00*900*C	18.23	429.55
SS400	3.00*900*C	11.58	429.55
SS400	3.00*900*C	8.96	429.55
SS400	3.00*900*C	17.12	429.55
SS400	3.00*920*C	16.08	429.55
SS400	3.00*920*C	15.78	429.55
SS400	3.00*920*C	15.45	429.55
SS400	3.00*920*C	14.58	429.55
SS400	3.00*950*C	16.85	435.61
SS400	3.02*1171*C	8.74	428.79
SS400	3.05*1100*C	17.19	429.55
SS400	3.05*1100*C	17.42	429.55
SS400	3.05*1143*C	20.81	445.45
SS400	3.05*950*C	16.13	429.55
SS400	3.05*967*C	19.76	445.45
SS400	3.20*1298*C	28.8	430.3
SS400	3.20*946*C	2.405	406.06
SS400	3.22*1098*C	18.21	430.3
SS400	3.22*908*C	17.79	428.79
SS400	3.26*1376*C	27.97	442.42
SS400	3.26*1376*C	27.9	442.42
SS400	3.26*1376*C	27.87	442.42
SS400	3.26*1376*C	27.84	442.42
SS400	3.27*1082*C	22	418.18
SS400	3.27*1147*C	20.66	418.18
SS400	3.27*1167*C	19.92	418.18

SS400	3.27*1167*C	24.26	418.18
SS400	3.30*1333*C	2.07	400
SS400	3.45*1055*C	3.1	424.24
SS400	3.50*1000*C	16.04	422.42
SS400	3.50*1000*C	16.37	422.42
SS400	3.50*1000*C	15.99	422.42
SS400	3.50*1000*C	15.83	422.42
SS400	3.50*1000*C	15.69	422.42
SS400	3.50*1200*C	17.75	422.42
SS400	3.50*1200*C	17.91	422.42
SS400	3.50*1245*C	19.59	422.42
SS400	3.50*1245*C	11.73	422.42
SS400	3.50*1249*C	22.5	439.85
SS400	3.50*1250*C	18.83	422.42
SS400	3.50*1250*C	19.95	422.42
SS400	3.50*1250*C	19.09	422.42
SS400	3.50*1250*C	18.48	422.42
SS400	3.50*1349*C	20.49	422.42
SS400	3.50*1500*6000	1.24	500
SS400	3.50*900*C	15.41	422.42
SS400	3.50*900*C	15.54	422.42
SS400	3.50*900*C	15.24	422.42
SS400	3.50*950*C	14.83	422.42
SS400	3.50*950*C	12.69	422.42
SS400	3.50*950*C	19.08	422.42
SS400	3.50*960*C	15.12	422.42
SS400	3.50*960*C	14.78	422.42
SS400	3.50*960*C	18.92	422.42
SS400	3.50*960*C	18.99	422.42
SS400	3.50*960*C	16.04	422.42
SS400	3.50*960*C	17.51	422.42
SS400	3.50*960*C	15.22	422.42
SS400	3.50*990*C	18.34	422.42
SS400	3.52*1269*C	27.04	424.24
SS400	3.52*867*C	6.37	418.18
SS400	3.55*1144*C	23.62	418.18
SS400	3.56*1190*C	18.73	439.39
SS400	3.56*1218*C	3.76	424.24
SS400	3.56*1295*C	18.58	421.21
SS400	3.56*1324*C	24.1	439.39
SS400	3.56*1478*C	25.07	439.39
SS400	3.56*960*C	14.23	439.39
SS400	3.57*1163*C	19.16	418.18
SS400	3.60*1150*C	17.25	422.42
SS400	3.60*1150*C	17.41	422.42
SS400	3.70*1480*C	3.01	405.76
SS400	3.70*1500*C	22.36	422.42
SS400	3.75*1100*C	21.08	422.42
SS400	3.75*1230*C	23.2	422.42
SS400	3.75*1230*C	18.15	422.42
SS400	3.75*1230*C	18.16	422.42

SS400	3.75*1230*C	18.27	422.42
SS400	3.75*1250*C	18.89	422.42
SS400	3.75*1250*C	20.32	439.85
SS400	3.75*850*C	12.86	422.42
SS400	3.75*900*C	13.87	422.42
SS400	3.75*900*C	14.34	422.42
SS400	3.75*900*C	14.63	422.42
SS400	3.75*960*C	14.19	422.42
SS400	3.82*1049*C	23.44	427.27
SS400	3.82*1155*C	22.84	424.24
SS400	4.00*1090*C	15.01	439.39
SS400	4.00*1099*C	18.01	422.42
SS400	4.00*1099*C	18.55	422.42
SS400	4.00*1220*3750	3.145	439.39
SS400	4.00*1250*C	19.87	439.85
SS400	4.00*1260*2076	4.67	450
SS400	4.00*1260*2076	2.555	450
SS400	4.00*1260*2076	4.67	450
SS400	4.00*1260*2076	4.665	450
SS400	4.00*1300*C	11.46	422.42
SS400	4.00*1300*C	19.29	422.42
SS400	4.00*1300*C	18.83	422.42
SS400	4.00*1300*C	11.39	422.42
SS400	4.00*1300*C	19.53	422.42
SS400	4.00*1300*C	19.07	422.42
SS400	4.00*1340*C	12.39	422.42
SS400	4.00*1350*C	20.24	422.42
SS400	4.00*1360*C	19.74	422.42
SS400	4.00*1370*C	20.63	422.42
SS400	4.00*950*C	19.11	422.42
SS400	4.02*951*C	21.46	422.73
SS400	4.08*1142*C	23.2	416.67
SS400	4.08*1280*C	25.74	416.67
SS400	4.08*1534*C	27.34	416.67
SS400	4.08*1534*C	27.54	416.67
SS400	4.08*1534*C	27.74	416.67
SS400	4.08*947*C	15.78	416.67
SS400	4.20*1125*C	11.27	409.09
SS400	4.20*1376*C	6.66	404.55
SS400	4.22*1168*C	27.2	424.24
SS400	4.22*1208*C	27.24	424.24
SS400	4.48*1065*6790	4.58	439.39
SS400	4.52*1000*4800	4.795	448.48
SS400	4.52*1176*C	6.715	422.73
SS400	4.52*960*C	2.885	400
SS400	4.57*1365*C	24.6	437.88
SS400	4.57*1540*C	22.04	437.88
SS400	4.57*1540*C	28.04	437.88
SS400	4.75*1090*C	15.66	422.42
SS400	4.75*1100*C	17.98	422.42
SS400	4.75*1100*C	16.39	422.42

SS400	4.75*1101*C	16.72	422.42
SS400	4.75*1130*C	20.22	422.42
SS400	4.75*1130*C	20.28	422.42
SS400	4.75*1150*C	10.66	422.42
SS400	4.75*1150*C	21.78	422.42
SS400	4.75*1150*C	16.99	422.42
SS400	4.75*1150*C	17.13	422.42
SS400	4.75*1199*C	17.53	422.42
SS400	4.75*1200*C	17.58	422.42
SS400	4.75*1200*C	22.94	422.42
SS400	4.75*1200*C	20.37	422.42
SS400	4.75*1200*C	20.27	422.42
SS400	4.75*1200*C	17.66	422.42
SS400	4.75*1200*C	17.67	422.42
SS400	4.75*1200*C	19.12	422.42
SS400	4.75*1250*C	18.21	439.85
SS400	4.75*1410*C	21.3	422.42
SS400	4.75*1450*C	13.64	422.42
SS400	4.75*1450*C	21.12	422.42
SS400	4.75*1450*C	21.98	422.42
SS400	5.00*1090*C	15.5	422.42
SS400	5.00*1230*C	18.21	422.42
SS400	5.00*1490*C	27.39	437.88
SS400	5.00*1800*9000	7.69	507.58
SS400	5.00*1800*9000	8.365	507.58
SS400	5.30*1226*C	25.87	437.88
SS400	5.37*1065*C	22.41	437.88
SS400	5.39*1517*C	28.4	416.67
SS400	5.50*1190*C	17.91	422.42
SS400	5.70*1500*C	22.17	422.42
SS400	5.70*1500*C	22.37	422.42
SS400	6.00*1400*C	20.58	422.42
SS400	6.04*1555*C	4.03	422.73
SS400	6.23*705*C	8.36	412.12
SS400	6.23*705*C	8.365	412.12
SS400	6.55*1130*C	22.85	419.39
SS400	6.55*1250*C	24.66	419.39
SS400	7.50*1180*C	17.3	422.42
SS400	7.50*1190*C	21.91	422.42
SS400	7.50*1200*C	17.66	422.42
SS400	7.50*1200*C	18.36	422.42
SS400	7.50*1230*C	20.89	422.42
SS400	9.00*1500*C	27.26	437.88
SS400	9.00*1500*C	27.22	437.88
SS400	9.50*1000*C	14.57	422.42
SS400-P	3.00*1040*C	14.3	445.45
SS400-P	3.52*1220*C	9.52	424.24
SS400-P	3.52*1260*C	6.14	419.7
SS400-P	3.66*1559*C	6.64	437.88
SS400-P	5.07*1028*C	5.39	437.88
SS400-P	5.07*1090*C	22.92	437.88

SS400-P	5.07*1295*C	25.8	437.88
SS400-P	5.07*1435*C	10.6	437.88
SS400-P	5.37*1145*C	13.01	437.88
SS400-P	5.37*1145*C	18.81	437.88
SS400-P	5.37*1158*C	5.94	437.88
SS400-P	5.37*1163*C	5.1	437.88
SS400-P	5.37*1295*C	5.33	437.88
SS400-P	5.37*1424*C	8.48	437.88
SS400-P	5.37*1554*C	6.02	437.88
SS400-P	5.78*1073*C	5.25	437.88
SS490	3.00*1500*6000	5.535	515.15
SS490	3.00*1500*6000	5.96	515.15
SS490	3.00*1500*6000	6.16	515.15
SS490	3.00*1500*6000	6.375	515.15
SS490-P	3.52*1117*C	21.62	424.24
SS490-P	3.52*1122*C	5.25	422.73
SS490-P	3.53*1434*C	4.37	356.06
SS490-P	3.53*1434*C	10.805	409.09
SS490-P	3.53*1434*C	11.505	409.09
SS490-P	4.02*1257*C	5.19	412.12
SS490-P	5.02*1298*C	22.3	421.21
SS540	3.20*1050*C	4.14	393.94
SS540	3.22*1024*C	4.27	386.36
SS540	3.22*1050*C	22.88	416.67
SS540	3.22*1050*C	22.84	416.67
SS540	3.22*1052*C	7.12	412.12
SS540	3.22*1077*C	23.56	416.67
SS540	3.22*1112*C	13.16	416.67
SS540	3.22*1143*C	1.935	386.36
SS540	3.22*1293*C	28.3	416.67
SS540	3.22*1343*C	8.9	404.55
SS540	3.22*1368*C	7.77	415.15
SS540	3.22*1390*C	30.44	416.67
SS540	3.22*903*C	2.14	395.45
SS540	3.22*987*C	18.52	415.15
SS540	3.52*1092*C	5.205	390.91
SS540	3.52*1317*C	5.11	406.06
SS540	3.52*1317*C	2.75	387.88
SS540	3.52*1317*C	4.26	387.88
SS540	3.52*858*C	3.945	389.39
SS540	3.52*960*C	18.3	412.12
SS540	3.53*1538*C	2.68	336.36
SS540	3.53*1548*C	7.175	409.09
SS540	3.80*1320*C	4.25	390.91
SS540	4.02*1000*C	6.28	392.42
SS540	4.02*1022*C	5.59	390.91
SS540	4.02*1042*C	3.81	372.73
SS540	4.02*1179*C	25.8	410.61
SS540	4.02*1347*C	5.885	398.48
SS540	4.02*1370*C	6.31	390.91
SS540	4.02*1408*C	8.75	406.06

SS540	4.02*1408*C	18.62	410.61
SS540	4.02*850*C	15.8	409.09
SS540	4.02*855*C	18.005	401.52
SS540	4.02*968*C	3.06	378.79
SS540	4.03*1451*C	5.47	390.91
SS540	4.03*1451*C	6.29	390.91
SS540	4.03*1459*C	6.79	390.91
SS540	4.03*1563*C	33.48	410.61
SS540	4.03*1588*C	5.065	409.09
SS540	4.03*1588*C	6.66	406.06
SS540	4.52*1157*C	5.81	406.06
SS540	4.52*1315*C	5.51	406.06
SS540	4.52*1367*C	9.55	410.61
SS540	4.52*1385*C	6.94	409.09
SS540	4.52*1385*C	7.645	409.09
SS540	4.52*1385*C	5.79	409.09
SS540	4.52*1457*C	9.6	410.61
SS540	4.52*839*C	3.89	386.36
SS540	4.52*867*C	4.225	389.39
SS540	4.52*867*C	9.17	393.94
SS540	4.52*937*C	2.165	340.91
SS540	4.53*1415*C	7.335	406.06
SS540	4.53*1415*C	18.6	410.61
SS540	4.53*1495*C	8.065	409.09
SS540	4.53*1495*C	6.545	409.09
QStE340TM	2.05*1040*C	6.09	487.88
QStE340TM	2.30*853*C	6.93	419.7
QStE340TM	3.00*900*C	14.21	495.45
QStE340TM	3.00*960*C	8.58	495.45
QStE340TM	3.00*960*C	8.57	495.45
QStE340TM	3.50*1350*C	10.83	487.88
QStE340TM	3.50*1500*C	4.86	456.21
QStE340TM	5.00*1400*C	12.82	469.7
QStE380TM	1.80*1200*C	17.13	503.03
QStE380TM	2.00*856*C	5.17	503.03
QStE380TM	2.25*995*C	18.7	506.52
QStE380TM	2.25*995*C	18.67	506.52
QStE380TM	2.25*995*C	18.68	506.52
QStE380TM	2.30*860*C	13.55	465.15
QStE380TM	3.90*887*C	12.22	463.94
QStE380TM	4.50*1031*C	8.94	453.03
QStE380TM	4.80*1143*C	19.64	472.88
QStE420TM	1.60*920*C	13.56	542.12
QStE420TM	2.00*955*C	5.18	498.79
QStE420TM	2.20*870*C	10.96	465.15
QStE420TM	3.25*1010*C	7.27	480
QStE420TM	3.58*1430*C	11.88	442.42
QStE460TM	4.00*900*C	15.42	480.3
QStE500TM	2.00*1000*C	3.71	498.79
12Cr1MoV	9.00*1500*C	22.62	621.82
12Cr1MoV	9.00*1500*C	24.23	621.82

16MnCr5	5.10*1250*C	24.69	527.12
16MnCr5	5.10*1250*C	24.73	527.12
16MnCr5	5.10*1250*C	24.66	527.12
16MnCr5	5.10*1250*C	25.21	527.12
16MnCr5	5.10*1250*C	24.93	527.12
16MnCr5	5.10*1250*C	24.82	527.12
16MnCr5	5.10*1250*C	4.31	510.45
16MnCr5	5.10*1250*C	24.04	527.12
16MnCr5	5.10*1250*C	24.02	527.12
16MnCr5	5.10*1250*C	18.46	527.12
16MnCr5	5.10*1250*C	17.32	527.12
16MnCr5	5.10*1250*C	4.67	504.39
16MnCr5	5.10*1250*C	24.11	527.12
16MnCr5	5.10*1250*C	24.74	527.12
16MnCr5	5.30*1250*C	15.78	533.18
16MnCr5	6.00*1250*C	3.36	504.39
16MnCr5	7.00*1250*C	22.2	527.12
16MnCr5	7.00*1250*C	24.09	527.12
16MnCr5	7.00*1250*C	24.13	527.12
16MnCr5	7.00*1250*C	25.34	527.12
16MnCr5	7.00*1250*C	25.03	527.12
16MnCr5	7.00*1250*C	25.08	527.12
16MnCr5	7.00*1250*C	25.08	527.12
16MnCr5	7.00*1250*C	18.67	527.12
16MnCr5	7.00*1250*C	24.14	527.12
22SiMn2TiB	10.65*1700*7200	2.04	434.85
22SiMn2TiB	20.00*1400*2000	3.077	389.39
22SiMn2TiB	20.00*1400*2000	4.396	389.39
22SiMn2TiB	5.00*1350*5000	4.425	427.27
22SiMn2TiB	5.00*1350*5000	5.025	427.27
22SiMn2TiB	5.00*1350*5000	5.02	427.27
22SiMn2TiB	6.00*1700*7200	5.105	366.67
30CrMo	2.80*1060*C	2.82	434.85
30CrMo	7.50*1300*C	7.67	609.7
40Mn	2.75*1050*C	17.38	465
40Mn	2.75*1050*C	19.69	465
40MnB	3.12*1210*C	3.17	442.27
40MnB	3.12*1210*C	3.72	442.27
40MnB	3.12*1210*C	3.34	442.27
40MnB	3.12*1210*C	3.66	442.27
42CrMo4	2.50*1250*C	10.39	651.82
42CrMo4	2.50*1250*C	13.64	651.82
42CrMo4	3.00*1206*C	11.76	646.52
42CrMo4	3.00*1206*C	3.44	617.73
42CrMo4	7.00*1280*C	25.07	627.42
42CrMo4	7.00*1280*C	24.82	627.42
42CrMo4	7.00*1280*C	24.81	627.42
42CrMo4	7.00*1280*C	24.8	627.42
42CrMo4	7.40*1255*C	4.725	533.33
42CrMo4	7.40*1255*C	24.74	627.42
42CrMo4	7.40*1255*C	24.78	627.42

42CrMo4	7.40*1255°C	25.21	627.42
42CrMo4	7.40*1255°C	25.28	627.42
440DQ-1	3.22*1339°C	8.57	515.45
50CrV4	2.00*1250°C	16.55	522.73
50CrV4	2.00*1250°C	5.92	518.18
50CrV4	2.00*1250°C	3.95	454.55
50CrV4	2.01*1250°C	24.15	515.15
50CrV4	2.01*1250°C	23.89	515.15
50CrV4	2.51*1220°C	25.72	500
50CrV4	2.70*1270°C	5	487.88
50CrV4	2.70*1270°C	3.78	401.52
50CrV4	2.70*1270°C	5.79	487.88
50CrV4	2.71*1270°C	6.16	419.7
50CrV4	3.00*1250°C	15.76	500
50CrV4	3.00*1250°C	13.53	424.24
50CrV4	3.00*1250°C	7.16	419.7
50CrV4	3.00*1250°C	6.28	495.45
50CrV4	3.01*1250°C	24.3	484.85
50CrV4	3.50*1250°C	6.66	442.42
50CrV4	3.50*1250°C	18.17	446.97
50CrV4	3.50*1270°C	8.08	404.55
50CrV4	3.50*1270°C	9.57	409.09
50CrV4	3.50*1270°C	7.47	404.55
50CrV4	3.50*1270°C	6.65	404.55
50CrV4	3.50*1270°C	5.82	404.55
50CrV4	3.50*1270°C	5.34	404.55
50CrV4	3.51*1250°C	23.46	477.27
50CrV4	3.51*1270°C	14.995	439.39
50CrV4	3.51*1270°C	6.57	465.15
50CrV4	4.00*1000°C	13.33	409.09
50CrV4	4.00*1000°C	5.66	404.55
50CrV4	4.01*1290°C	24.58	439.39
50CrV4	4.51*1190°C	22.44	409.09
50CrV4	4.51*1270°C	24.42	409.09
50CrV4	4.51*1270°C	23.9	409.09
50CrV4	4.51*1270°C	23.92	409.09
50CrV4	4.51*1270°C	24	409.09
50CrV4	4.51*1270°C	24.34	409.09
50CrV4	4.51*1480°C	26.02	409.09
50CrV4	6.00*1270°C	21.43	487.88
50CrV4	6.02*1270°C	25.98	477.27
50CrV4	6.21*1180°C	25.72	439.39
50CrV4	6.50*1200°C	21.145	409.09
50CrV4	6.51*1095°C	20.8	409.09
50CrV4	6.51*1135°C	22.5	409.09
50CrV4	7.50*1313°C	21.18	484.85
50CrV4	7.51*1155°C	22.42	409.09
50CrV4	7.51*1313°C	24.74	469.7
50CrV4	7.51*1313°C	24.12	477.27
50CrV4	7.51*1313°C	24.88	469.7
50CrV4	8.00*1200°C	20.55	409.09

50CrV4	8.00*1215*C	4.655	386.36
50CrV4	8.01*1215*C	26.64	409.09
50CrV4	8.01*1215*C	23.16	409.09
50CrV4	8.01*1215*C	20.4	409.09
50CrV4	8.01*1215*C	21.28	409.09
50CrV4	8.01*1215*C	21.32	409.09
51CrV4	4.50*1250*C	21.34	533.18
51CrV4	4.50*1250*C	22.16	533.18
51CrV4	4.50*1250*C	22.22	533.18
58CrV4	2.00*995*C	3.39	393.94
58CrV4	2.00*995*C	13.3	416.67
58CrV4	2.01*995*C	14.53	416.67
58CrV4	2.50*995*C	5.48	396.97
58CrV4	2.50*995*C	8.2	465.15
58CrV4	2.50*995*C	17.95	469.7
58CrV4	2.50*995*C	3.5	378.79
58CrV4	2.50*995*C	4.36	378.79
58CrV4	2.51*995*C	19.36	477.27
58CrV4	2.51*995*C	19.79	477.27
58CrV4	2.60*1050*C	8.61	404.55
58CrV4	2.60*1050*C	21.17	409.09
58CrV4	2.60*1050*C	7.75	404.55
58CrV4	2.90*1050*C	17.76	401.52
58CrV4	2.90*1050*C	20.68	469.7
58CrV4	2.90*1050*C	18.72	401.52
58CrV4	2.90*1050*C	15.95	469.7
58CrV4	2.90*1050*C	19.76	431.82
58CrV4	2.90*1085*C	13.65	401.52
58CrV4	2.90*920*C	16.24	393.94
58CrV4	2.90*920*C	14.98	393.94
58CrV4	2.90*920*C	14.52	393.94
58CrV4	2.90*920*C	14.7	393.94
58CrV4	2.92*1010*C	18.345	431.82
58CrV4	2.92*1050*C	20.66	401.52
58CrV4	2.92*1050*C	20.015	401.52
58CrV4	2.92*1085*C	16.22	401.52
58CrV4	2.92*935*C	13.62	393.94
58CrV4	2.92*992*C	20.77	393.94
58CrV4	3.00*920*C	13.49	393.94
58CrV4	3.00*920*C	14.21	393.94
58CrV4	3.00*920*C	19.04	393.94
58CrV4	3.02*920*C	19.26	393.94
58CrV4	3.02*920*C	19.5	393.94
58CrV4	3.20*1085*C	9.985	401.52
58CrV4	3.20*1085*C	22.68	469.7
58CrV4	3.20*1085*C	12.61	401.52
58CrV4	3.20*1085*C	19.66	401.52
58CrV4	3.20*1135*C	18.63	401.52
58CrV4	3.22*1085*C	11.71	401.52
58CrV4	3.22*1085*C	16.02	401.52
58CrV4	3.22*1085*C	21.98	431.82

58CrV4	3.22*1085*C	20.44	401.52
58CrV4	3.22*1085*C	20.14	477.27
58CrV4	3.22*1085*C	22.98	477.27
58CrV4	3.80*995*C	17.87	386.36
58CrV4	3.82*995*C	18.86	416.67
58CrV4	4.50*1050*C	18.68	393.94
58CrV4	4.50*1050*C	19.2	393.94
58CrV4	4.50*1120*C	17.505	393.94
58CrV4	4.52*1050*C	21.38	393.94
58CrV4	4.52*1050*C	21.4	393.94
58CrV4	4.52*1050*C	22.02	393.94
58CrV4	4.52*1050*C	21.3	393.94
58CrV4	4.52*1100*C	24.68	393.94
58CrV4	4.52*1150*C	19.54	393.94
58CrV4	4.52*1150*C	19.7	393.94
65Mn	3.75*1250*C	17.75	463.94
65Mn	3.75*1250*C	19.24	463.94
65Mn	3.75*1250*C	19.8	463.94
65Mn	4.50*1250*C	18.95	463.94
65Mn	4.50*1250*C	18.95	463.94
65Mn	4.53*1250*C	22.27	466.67
75Cr1	2.50*1050*2700	7.27	543.94
75Cr1	2.50*1250*2560	6.45	551.52
75Cr1	2.50*1250*2560	4.84	551.52
75Cr1	2.50*1250*2560	6.025	540.91
75Cr1	4.00*1800*3600	2.475	525.76
75Cr1	4.00*1800*3600	4.72	525.76
75Cr1	7.00*1800*3600	4.705	525.76
75Cr1	7.00*1800*3600	4.695	518.18
75Cr1	7.00*1800*3600	4.7	525.76
75Cr1	7.00*1800*3600	4.7	518.18
75Cr1	7.00*1800*3600	4.695	518.18
75Cr1	7.00*1800*3600	4.71	518.18
75Cr1	7.00*1800*3600	4.7	518.18
75Cr1	7.00*1800*3600	4.685	518.18
75Cr1	7.00*1800*3600	4.69	518.18
75Cr1	7.00*1800*3600	4.69	518.18
75Cr1	7.00*1800*3600	4.685	518.18
75Cr1	7.00*1800*3600	4.695	518.18
75Cr1	7.00*1800*3600	3.61	518.18
75Cr1	7.00*1800*3600	3.965	518.18